```
#define SV_SOCK_PATH "/tmp/us_xfr"
#define BUF SIZE 100
#define BACKLOG 5
int main (void)
  struct sockaddr_un addr;
  int sfd, cfd;
  ssize_t numRead;
  char buf[BUF_SIZE];
  if ( (sfd = socket(AF_UNIX, SOCK_STREAM, 0)) == -1 ) {
      perror("socket");
      exit (EXIT_FAILURE);
  }
  memset(&addr, 0, sizeof(struct sockaddr_un));
  addr.sun_family = AF_UNIX;
  strncpy(addr.sun_path, SV_SOCK_PATH, sizeof(addr.sun_path) - 1);
  if( bind(sfd, (struct sockaddr *)&addr, sizeof(struct sockaddr_un)) == -1 ){
      perror("bind");
      exit (EXIT FAILURE);
  }
  if (listen(sfd, BACKLOG) == -1) {
      perror("listen");
      exit (EXIT FAILURE);
  }
  for(;;) {
      if ( (cfd = accept(sfd, NULL, NULL)) == -1 ) {
          perror("accept");
          exit (EXIT_FAILURE);
      while((numRead = read(cfd, buf, BUF_SIZE)) > 0)
          if(write(STDOUT_FILENO, buf, numRead) != numRead) {
              perror("partial/failed write");
              exit (EXIT_FAILURE);
            }
      if (numRead == -1) {
          perror ("read");
          exit (EXIT_FAILURE);
      }
      if(close(cfd) == -1){
          perror("close");
          exit (EXIT_FAILURE);
      }
```