

Pairwise comparisons using other noise generation techniques

Table 1: P-values using One way Anova Tukey’s HSD for pairwise comparison of **Similarity** achieved by different frames selection technologies. (They are all based on the **WN** technology of noise generation part)

	Librispeech	Commonvoice	Timit
Random VS All	0.001	0.001	0.001
Important VS ALL	0.001	0.001	0.001
Random VS Important	0.001	0.0470	0.5438

Table 2: P-values using One way Anova Tukey’s HSD for pairwise comparison of **Similarity** achieved by different frames selection technologies. (They are all based on the **GL** technology of noise generation part)

	Librispeech	Commonvoice	Timit
Random VS All	0.001	0.001	0.001
Important VS ALL	0.001	0.001	0.001
Random VS Important	0.001	0.0411	0.7929

Table 3: P-values using One way Anova Tukey’s HSD for pairwise comparison of **Similarity** achieved by different noise generation technologies. (They are all based on the **Random** technology of frames selection part.)

	Librispeech	Commonvoice	Timit
GL VS WN	0.001	0.001	0.7334
OP VS WN	0.001	0.001	0.802
OP VS GL	0.4847	0.8261	0.3887

Table 4: P-values using One way Anova Tukey’s HSD for pairwise comparison of **Similarity** achieved by different noise generation technologies. (They are all based on the **Important** technology of frames selection part.)

	Librispeech	Commonvoice	Timit
GL VS WN	0.001	0.001	0.0568
OP VS WN	0.001	0.001	0.4622
OP VS GL	0.2978	0.6312	0.5102