

DATA VISUALIZATION - KIRELL BENZI

PROCESS BOOK

ROBIN CLERC, KRISTINA SATARA, LARA WIETSCHORKE

Contents

Finding the Perfect Idea 9

Creating a Concept 15

Final Concept 19

Implementation 21

Bibliography 23

List of Figures

- 1 Mockup of the map, when entering the visualization. 10
- 2 Mockup of the map, when a player was selected. 10
- 3 Mockup of the visualization, when the information section of the player was extended. 11
- 4 The first idea of possible visualization. The elements are noted around the circle, connected by the lines if they appear together. 13
- 5 Final Concept: Paintings 19
- 6 Final Concept: Elements 20
- 7 Final Concept: Colors 20
- 8 Inspiration for concept map visualization - taken from website <http://www.findtheconversation.com/concept-map/> 21
- 9 First implementation of the concept map 22

List of Tables

Finding the Perfect Idea

THE FIRST STEP we took was brainstorming. After the announcement of the project we collected several ideas. Finally we choose the idea of football player transfers, which we will explain in detail in the following section.

Football Player Transfers

Inspired by famous games like the FIFA series and Football Manager, we want to visualize the transfers of professional football players all over the world, but also visualize data about the players and clubs themselves. For these games there was already a lot of data collected, but it was only used for the gameplay. Unfortunately it's not possible to explore the data within these games.

Our motivation is to make this data available to the many people all over the world which are not only interested in football game statistics, but also in an overview of the transfer flow of players. The teams are always in change and there are a lot of transfers made in this business. It's hard to keep every transfer in mind to have an overview. And the people who were observing this business for some years usually develop the feeling, that young players come to Europe to play in the famous leagues while they leave to Asia and Northern America when the players become older. But is this really true? If so, what are the possible reasons? Are the performances of players in leagues from different continents really that different as it seems to us? And do clubs maybe have a typical transfer strategy? If we match the transfer data with additional information of the player, can we maybe discover more about the transfer? Does the money used to buy a new player always depend on his last performances? Or are there also other factors? There are a lot of questions and hopefully our visualization will bring us a bit closer to an explanation. The target audience is on the one hand young people interested in football players and clubs. For them we will create a search function to make exactly the data accessible they are looking for. On the other hand we want to give people who are new to that topic the possibility to discover it with predefined filters.

In fact we wanted to visualize the transfers with curves on a world map, using different colors to encode the age. By using sev-

eral filters we could e.g. also use the color to encode the transfer sum. We wanted to give the user the possibility to search for a player or a club and by this only visualize the transfers of this player (the color encodes the chronology of his transfers) or the club.

By clicking on the name and picture/logo, we would extend an overlay with additional information like a brief curriculum vitae of the player and a brief information part about his current club. Also we could show a list of players, with whom the selected player has played in another club before.




Figure 1: Mockup of the map, when entering the visualization.




Figure 2: Mockup of the map, when a player was selected.

Unfortunately we had to cancel this idea due to several problems:

- We could not find a database containing all the transfer data. We would have had to gather this information by crawling through the code of several websites which contain the information.
- Moreover the website we could crawl does not contain the transfer sum.
- For the players we wanted to use the FIFA database. It also contains links to pictures of the players and the logos of the clubs.




Figure 3: Mockup of the visualization, when the information section of the player was extended.

But the resolution of these pictures was too low, so we would have had to replace them by higher resolution pictures.

- Also the encoding of the FIFA database threw up a problem with special characters in the player's names. In addition the names of the players are not normalized, so there were entries like «Cristiano Ronaldo» and «L. Messi». This makes it harder to join this database with other databases.
- We need a database with the GPS coordinates of the stadiums of the football clubs. The database we found did only contain some countries of Europe, but there were still many important clubs missing.



«We don't make mistakes. We just have happy accidents.» – *Bob Ross*

Bob Ross

Statistics is everywhere, even in the art! What we want to show is that the paintings can be observed in statistical manner. Inspired by instructional television program *The Joy of the Painting* created and hosted by Bob Ross, we want to visualize the data about his paintings created during this 11-year television show. During 403 episodes Bob Ross painted 381 works. Each of this painting consists of distinct set of elements - «happy trees», «almighty mountains», «fluffy clouds» how he used to call them. The data set that we plan to use comes from fivethirtyeight's website¹ and is created by exploring each episode and painting in particular. In total there are 67 keywords that describe the content of the image (trees, water, mountains, etc.). We want to use these keywords (tags) to make conclusions not just about this particular television program, but also about instructional painting. In order to explain some of the basic art concepts, what did he draw? When observing his paintings on the first sight, we can conclude that he painted mountains and water really often. But how often is it in numbers? Did the nature he was presenting change during the years (seasons), or maybe during the months (episodes)? Can we make some assumptions – that if he draws mountains, how likely is he going to draw a house or trees? We think that the results could give us some interesting insights and conclusions about these paintings.

The target audience are his fans all over the world as well as people which are interested in art in general. Also people who might want to decorate their apartment with some drawings might be interested in exploring Bob Ross' paintings by selecting the elements they would like (or don't want) to see in the painting.

In Figure 4² you can see our first idea for a visualization with the data set described above.

MOREOVER we discovered the website [TwoInchBrush](#) which contains a database of all links to pictures of Bob's paintings, the link to each episode on YouTube as well as a matrix of the used colours per painting and paintings made by guests. We contacted the owner of the website, Felix Auer, and he shared his database³ with us. Thank you, Felix!

¹ FiveThirtyEight. The raw data behind the story a statistical analysis of the work of bob ross, 2014. URL <https://github.com/fivethirtyeight/data/tree/master/bob-ross>

² Massachusetts Institute of Technology Senseable City Lab. Male disease network circular layout, 2011. URL <http://senseable.mit.edu/healthinfoscape/image/07.jpg>

³ Felix Karl Auer. Twoinchbrush database, 2017. URL <http://www.twoinchbrush.com/>





Figure 4: The first idea of possible visualization. The elements are noted around the circle, connected by the lines if they appear together.

Creating a Concept

First Concept


We created a draft of the concept of our visualization. Starting with collecting all the ideas we had up to this point we created an overview of the designs of the several graphs and transitions between them.



THE BASIC ELEMENT GRAPH is shown in 1 in 8. We plan this to be our start visualization, so the first visualization that is shown to the user when he enters the website. In this graph we show all the elements and their connections to each other. That means, if there appear «fog» and «boat» together in a painting, there will be a connection. If these two elements appear several times together in the paintings, the connection will be stronger. We want to use a color gradient on the edges.

In order to make edge bundling possible, we categorized the different elements into seven categories. For each category we chose a color (and sometimes also an alternative color) that is mostly associated with the category.

We want to draw the elements as dots in a circle and show the name of the element next to it's dot. Next to the element's names



there is a circle line part in the category's color and the name of the category.

PIE CHARTS are also part of our concept. They will show the overall appearance. In 8 they are labeled with 2. The first pie chart is shown by hiding the edges from the element graph and filling the pies with the category color and the percentage. By clicking on a category the category's pie extend to the whole circle and adds the element pies. The element pies should have a similar color to the category color, but they should all have different colors. This is referred to in 8 as 3.

THE EXPANDED ELEMENT GRAPH is shown in 4 in 8. Here we basically use the element graph of 1 and add the paintings in boxed in the middle of the splitted circle. The edges are no longer between the elements, but refer now to the appearance in the paintings. For increasing the readability of the graph, we transfer all colors to greyscale and show only the colors of the highlighted elements. Highlighted are elements by mouseover. If the mouse is over a painting, it will be highlighted for example by setting the background of its box to white (instead of grey for the non-highlighted elements) and its edges will be shown in the colors of the corresponding category. The same highlighting principle will be used for a mouseover on the categories respectively on the elements.

We can apply filters by clicking on elements (one click: add element to filter, second click: remove element from filter) and multiple elements can be chosen. By this, they will be highlighted as well as the paintings to which the filters apply.

DETAILED PAINTING INFORMATIONS can be visualized as shown in 5 in 9. This painting information section can be reached by click-

ing on a painting in the expanded element graph. For this visualization we drafted several alternatives which we have to try out in our implementation. The first idea is with an overlay (which is drawn in 9). But the disadvantage of the overlay it that it does not fit in the other concepts we used. So we looked for alternatives. The second idea is to expand the painting's box in the expanded element graph and show the information in this box. But this could easily be too big for a nice visualization and destroy the expanded element graph, since it would grow very high. The third alternative is to move the expanded element graph to the left side and show the detailed painting information on the right side. This section would be updated with every change of the mouseover on a painting and by this, the user does not need to click on the painting anymore.

AN OVERALL COLOR STREAM of the color usage during the seasons is also a nice way to visualize how Bob's preferences for colors might change over 31 seasons. We show how often every color was used in a season and create a graph out of this information. This section can be either shown by clicking on the used colors section in the detailed painting information (for the overlay version, as drawn in 9) or in case of the third idea for the detailed painting information also on the right side. In order to represent the colors as exact as possible we created another database with the hexadecimal values of the used colours in the paintings. We took all hexcodes from ⁴ with the exception of «Black Gesso»⁵, «Burnt Umber»⁶, «Indian Red»⁷, «Liquid Black»⁸ and «Liquid Clear»⁹.

Critic and Problems

THE BASIC ELEMENT GRAPH had to much data in the first implementation. The time it took to react was not acceptable. So we decided that it is better to show the connections between the categories instead of the connections between the elements.

PIE CHARTS are hard to read as we learned in the lecture. So we exchanged the pie chart idea by two bar diagrams. The first one shows as well the overall values of the categories we created. The second shows the elements of the category that was chosen in the first bar chart.

WE DECIDED THAT TELLING A STORY will be better than trying to link all diagrams together. So created a whole new overall concept in which we will embed the graphs. Hereby we decided to show the detailed painting information on the right part of the website, next to the expanded element graph, which we call now concept map (since it is an own visualization now).

⁴ Thomas Park. Bob ross' color palette in css, 2015. URL <https://thomaspark.co/2015/11/bob-ross-color-palette-in-css/>

⁵ colour value was chosen by us

⁶ Wikipedia Foundation. Umber, 2017a. URL <https://en.wikipedia.org/wiki/Umber>

⁷ Wikipedia Foundation. Indian red (color), 2017b. URL [https://en.wikipedia.org/wiki/Indian_red_\(color\)](https://en.wikipedia.org/wiki/Indian_red_(color))

⁸ value was set by us

⁹ value was set by us

MOREOVER, THE DATABASE needed to be cleaned in the way of how the elements, paintings and colors were saved (as capslock string). We wanted to be able to take directly this data, so we changed it's style according to the rules for titles. Also we realized that there are some elements that can we delete or merge with other elements.

Final Concept

THE FINAL CONCEPT divides the visualizations we have in their three main topics: paintings, elements and colors. As seen in figure 5 the connections of the elements with the painting will have the color of their category. By this it will be easier to understand the visualization. We also added a season brush. Without the season brush we would have to many elements to show and the visualization would clutter. The season brush will have a fixed maximum size. On the right side we see the detailed information for the painting that is selected on the graph.




Figure 5: Final Concept: Paintings

In figure 6 we want to show the connections between the categories of the elements. Since it is too hard to draw we represented it only by a circle in this draft. Here we also have the bar charts that show the total appearances of categories and their elements. We also have the season brush as in the draft before. This is an element that connects all the different parts of the websites. The season brush in this part applies as well to the circle as to the bar charts.

In figure 7 we see the color stream as described before. We added an axis to show the seasons and highlight the color that was selected. The season brush will apply also to this visualization.




Figure 6: Final Concept: Elements

THE FINAL CONCEPT




Figure 7: Final Concept: Colors

Implementation

The Concept Map

WHILE THINKING ABOUT THE RIGHT WAY to present the elements in a graph, on the website - "The Conversation" website - we found the inspiration - concept map shown in figure x. We decided to use this idea to present elements drawn in each episode. First implementation is shown in figure x and it presents elements drawn in each episode during the first season of the TV show. Further we want to show the elements for all seasons - in total there are 31 seasons. As this probably will not fit into single graph, we will enable filtering by seasons, initially showing first few seasons. We also plan to provide filtering by different elements (for example trees, cottages, etc) or similar groups of elements (mountain landscape, winter landscape, etc).




Figure 8: Inspiration for concept map visualization - taken from website
<http://www.findtheconversation.com/concept-map/>




Figure 9: First implementation of the concept map

Bibliography

Felix Karl Auer. Twoinchbrush database, 2017. URL [http://www.
twoinchbrush.com/](http://www.twoinchbrush.com/).

FiveThirtyEight. The raw data behind the story a statistical analysis of the work of bob ross, 2014. URL [https://github.com/
fivethirtyeight/data/tree/master/bob-ross](https://github.com/fivethirtyeight/data/tree/master/bob-ross).

Wikipedia Foundation. Umber, 2017a. URL [https://en.wikipedia.org/
wiki/Umber](https://en.wikipedia.org/wiki/Umber).

Wikipedia Foundation. Indian red (color), 2017b. URL [https://en.wikipedia.org/
wiki/Indian_red_\(color\)](https://en.wikipedia.org/wiki/Indian_red_(color)).

Thomas Park. Bob ross' color palette in css, 2015. URL <https://thomaspark.co/2015/11/bob-ross-color-palette-in-css/>.

Massachusetts Institute of Technology Senseable City Lab. Male disease network circular layout, 2011. URL [http://senseable.
mit.edu/healthinfoscape/image/07.jpg](http://senseable.mit.edu/healthinfoscape/image/07.jpg).