

PROJECT REPORT

E-COMMERCE SHIPPING

DATA ANALYSIS

INDEX

S.NO	TOPIC	PAGE NO
1	INTRODUCTION	3
2	CODE	4-24
3	SUMMARY	25
4	REFERENCES	25

INTRODUCTION

What is E-Commerce shipping?

E-commerce shipping is the way in which products ordered online are delivered to the location of the buyer. Usually businesses can work with e-commerce logistics providers to understand what works best for their business.

Logistics companies play an important and vital role in the success of the e-commerce business, as customer satisfaction is directly related to the handling of the shipment.

The packaging and safe delivery of the product is a factor that keeps the customer happy and ordering more from the e-commerce site. An e-commerce business needs to have a strong and effective strategy in place for the shipping and delivery of goods and services, as this is a competitive differentiator as well in the market.

The most important functions of e-commerce logistics are warehousing and inventory management, order creation and waybill generation, transportation of orders and in-transit storage, handling delivery exceptions and finally reverse logistics. An essential part of transportation management lies in building an efficient supply chain from the six main modes of transportation: road, maritime, air, rail, intermodal, and pipeline.

Understanding the strengths and weaknesses of each mode is paramount to building an effective supply chain.

Nowadays, consumers choose who to buy from based on their overall customer experience. Having the lowest price or best product no longer guarantees a sale. The e-commerce sites need to provide them with a faster delivery service to ensure customer satisfaction, which will ultimately boost the growth of the business. All three modes of shipping-land, air, and sea-play a major role in our economy. Each offers benefits that the other mode of transport might not offer. It is up to the Logistics to make a well-informed decision of choosing the right mode of shipping that will be beneficial.

Top E-Commerce sites in the world

1. amazon.com
2. ebay.com
3. rakuten.co.jp
4. aliexpress.com
5. Walmart.com

Top E-Commerce Logistics Companies in Global Market 2021

1. DHL
2. KENCO
3. CLIPPER
4. FEDEX
5. XPO

E-COMMERCE SHIPPING DATA ANALYSIS



Import the Libraries

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import warnings
warnings.filterwarnings('ignore')
%matplotlib inline
```

Data Extraction

Extract the Ecommerce Shipping Dataset

```
df=pd.read_excel('Project-Ecommerce Shipping Data Analysis (Python).xlsx')
d=df.copy()
```

Ecommerce Shipping DataFrame

d

	ID	Warehouse_block	Mode_of_Shipment	Customer_care_calls	\
0	1	D	Flight	4	
1	2	F	Flight	4	
2	3	A	Flight	2	
3	4	B	Flight	3	
4	5	C	Flight	2	
...	
10994	10995	A	Ship	4	
10995	10996	B	Ship	4	
10996	10997	C	Ship	5	
10997	10998	F	Ship	5	
10998	10999	D	Ship	2	

	Customer_rating	Cost_of_the_Product	Prior_purchases	\
0	2	177	3	
1	5	216	2	
2	2	183	4	
3	3	176	4	
4	2	184	3	
...	
10994	1	252	5	
10995	1	232	5	

10996	4	242	5
10997	2	223	6
10998	5	155	5

	Product_importance	Gender	Discount_offered	Weight_in_gms	\
0	low	F	44	1233	
1	low	M	59	3088	
2	low	M	48	3374	
3	medium	M	10	1177	
4	medium	F	46	2484	
...	
10994	medium	F	1	1538	
10995	medium	F	6	1247	
10996	low	F	4	1155	
10997	medium	M	2	1210	
10998	low	F	6	1639	

	Reached.on.Time_Y.N
0	1
1	1
2	1
3	1
4	1
...	...
10994	1
10995	0
10996	0
10997	0
10998	0

[10999 rows x 12 columns]

DataFrame Shape

d.shape

(10999, 12)

DataFrame Columns

d.columns

```
Index(['ID', 'Warehouse_block', 'Mode_of_Shipment', 'Customer_care_calls',
      'Customer_rating', 'Cost_of_the_Product', 'Prior_purchases',
      'Product_importance', 'Gender', 'Discount_offered', 'Weight_in_gms',
      'Reached.on.Time_Y.N'],
      dtype='object')
```

First Five Rows of the DataFrame

d.head()

	ID	Warehouse_block	Mode_of_Shipment	Customer_care_calls	Customer_rating
\	0	1	D	Flight	4
	1	2	F	Flight	4
	2	3	A	Flight	2
	3	4	B	Flight	3
	4	5	C	Flight	2

	Cost_of_the_Product	Prior_purchases	Product_importance	Gender	\
0	177	3	low	F	
1	216	2	low	M	
2	183	4	low	M	
3	176	4	medium	M	
4	184	3	medium	F	

	Discount_offered	Weight_in_gms	Reached.on.Time_Y.N
0	44	1233	1
1	59	3088	1
2	48	3374	1
3	10	1177	1
4	46	2484	1

Last Five Rows of the DataFrame

d.tail()

	ID	Warehouse_block	Mode_of_Shipment	Customer_care_calls	\
10994	10995	A	Ship	4	
10995	10996	B	Ship	4	
10996	10997	C	Ship	5	
10997	10998	F	Ship	5	
10998	10999	D	Ship	2	

	Customer_rating	Cost_of_the_Product	Prior_purchases	\
10994	1	252	5	
10995	1	232	5	
10996	4	242	5	
10997	2	223	6	
10998	5	155	5	

	Product_importance	Gender	Discount_offered	Weight_in_gms	\
10994	medium	F	1	1538	
10995	medium	F	6	1247	
10996	low	F	4	1155	
10997	medium	M	2	1210	
10998	low	F	6	1639	

	Reached.on.Time_Y.N
10994	1
10995	0
10996	0

```
10997          0
10998          0
```

DataFrame Information

```
d.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 10999 entries, 0 to 10998
Data columns (total 12 columns):
 #   Column                Non-Null Count  Dtype
---  -
 0   ID                    10999 non-null  int64
 1   Warehouse_block       10999 non-null  object
 2   Mode_of_Shipment      10999 non-null  object
 3   Customer_care_calls   10999 non-null  int64
 4   Customer_rating       10999 non-null  int64
 5   Cost_of_the_Product   10999 non-null  int64
 6   Prior_purchases       10999 non-null  int64
 7   Product_importance    10999 non-null  object
 8   Gender                10999 non-null  object
 9   Discount_offered      10999 non-null  int64
10   Weight_in_gms         10999 non-null  int64
11   Reached.on.Time_Y.N   10999 non-null  int64
dtypes: int64(8), object(4)
memory usage: 1.0+ MB
```

Warehouse Blocks

```
np.sort(d['Warehouse_block'].unique())

array(['A', 'B', 'C', 'D', 'F'], dtype=object)
```

Mode of Shipment

```
np.sort(d['Mode_of_Shipment'].unique())

array(['Flight', 'Road', 'Ship'], dtype=object)
```

Data Cleansing

Check for Null Values in the entire DataFrame

```
df.isnull().sum().sum()

0
```

Check for Null Values in the columns

```
d.isnull().sum()

ID          0
Warehouse_block  0
Mode_of_Shipment  0
Customer_care_calls  0
Customer_rating  0
```

```

Cost_of_the_Product    0
Prior_purchases        0
Product_importance     0
Gender                 0
Discount_offered       0
Weight_in_gms          0
Reached.on.Time_Y.N    0
dtype: int64

```

Data Transformation

Drop the columns

```

d.drop(['ID', 'Prior_purchases'], axis=1, inplace=True)
d

```

```

      Warehouse_block Mode_of_Shipment Customer_care_calls Customer_rating
\
0                D      Flight                4                2
1                F      Flight                4                5
2                A      Flight                2                2
3                B      Flight                3                3
4                C      Flight                2                2
...              ...              ...              ...              ...
10994             A      Ship                4                1
10995             B      Ship                4                1
10996             C      Ship                5                4
10997             F      Ship                5                2
10998             D      Ship                2                5

```

```

      Cost_of_the_Product Product_importance Gender Discount_offered \
0                177            low      F                44
1                216            low      M                59
2                183            low      M                48
3                176          medium      M                10
4                184          medium      F                46
...              ...              ...              ...              ...
10994             252          medium      F                1
10995             232          medium      F                6
10996             242            low      F                4
10997             223          medium      M                2
10998             155            low      F                6

```

```

      Weight_in_gms Reached.on.Time_Y.N
0                1233                1
1                3088                1
2                3374                1
3                1177                1
4                2484                1
...              ...              ...
10994             1538                1

```


10995	1247	0
10996	1155	0
10997	1210	0
10998	1639	0

[10999 rows x 10 columns]

Data sorted by Warehouse block column

```
d=d.sort_values(by='Warehouse_block', ignore_index=1)
```

d

	Warehouse_block	Mode_of_Shipment	Customer_care_calls	Customer_rating
\				
0	A	Road	5	2
1	A	Ship	3	4
2	A	Ship	3	1
3	A	Ship	3	3
4	A	Road	4	5
...
10994	F	Ship	4	4
10995	F	Road	4	4
10996	F	Ship	3	4
10997	F	Ship	5	5
10998	F	Flight	6	1

	Cost_of_the_Product	Product_importance	Gender	Discount_offered	\
0	249	medium	M	6	
1	197	medium	M	3	
2	214	medium	F	2	
3	193	low	F	60	
4	204	medium	F	4	
...	
10994	190	low	M	2	
10995	266	low	F	6	
10996	186	medium	F	9	
10997	231	medium	F	10	
10998	261	medium	M	10	

	Weight_in_gms	Reached.on.Time_Y.N
0	1298	0
1	4890	1
2	4958	0
3	2581	1
4	5476	0
...
10994	4800	0
10995	5758	1
10996	5841	0
10997	5361	0
10998	1290	1

[10999 rows x 10 columns]

Descriptive Statistics

Descriptive Statistics Information of the Numerical columns

d.describe()

	Customer_care_calls	Customer_rating	Cost_of_the_Product	\
count	10999.000000	10999.000000	10999.000000	
mean	4.054459	2.990545	210.196836	
std	1.141490	1.413603	48.063272	
min	2.000000	1.000000	96.000000	
25%	3.000000	2.000000	169.000000	
50%	4.000000	3.000000	214.000000	
75%	5.000000	4.000000	251.000000	
max	7.000000	5.000000	310.000000	

	Discount_offered	Weight_in_gms	Reached.on.Time_Y.N
count	10999.000000	10999.000000	10999.000000
mean	13.373216	3634.016729	0.596691
std	16.205527	1635.377251	0.490584
min	1.000000	1001.000000	0.000000
25%	4.000000	1839.500000	0.000000
50%	7.000000	4149.000000	1.000000
75%	10.000000	5050.000000	1.000000
max	65.000000	7846.000000	1.000000

Five Random Samples from the Dataset

d.sample(5)

	Warehouse_block	Mode_of_Shipment	Customer_care_calls	Customer_rating
3208	B	Ship	5	1
3211	B	Flight	3	3
5964	D	Ship	3	1
8095	F	Road	4	3
7797	F	Road	3	2

	Cost_of_the_Product	Product_importance	Gender	Discount_offered	\
3208	261	medium	M	3	
3211	176	medium	M	10	
5964	247	low	F	8	
8095	268	medium	F	23	
7797	257	low	F	25	

	Weight_in_gms	Reached.on.Time_Y.N
3208	1644	1
3211	4376	1
5964	5376	1

8095	2996	1
7797	2334	1

Number of Unique values in each column

d.nunique()

Warehouse_block	5
Mode_of_Shipment	3
Customer_care_calls	6
Customer_rating	5
Cost_of_the_Product	215
Product_importance	3
Gender	2
Discount_offered	65
Weight_in_gms	4034
Reached.on.Time_Y.N	2

dtype: int64

Correlation

d.corr()

	Customer_care_calls	Customer_rating \
Customer_care_calls	1.000000	0.012209
Customer_rating	0.012209	1.000000
Cost_of_the_Product	0.323182	0.009270
Discount_offered	-0.130750	-0.003124
Weight_in_gms	-0.276615	-0.001897
Reached.on.Time_Y.N	-0.067126	0.013119

	Cost_of_the_Product	Discount_offered	Weight_in_gms \
Customer_care_calls	0.323182	-0.130750	-0.276615
Customer_rating	0.009270	-0.003124	-0.001897
Cost_of_the_Product	1.000000	-0.138312	-0.132604
Discount_offered	-0.138312	1.000000	-0.376067
Weight_in_gms	-0.132604	-0.376067	1.000000
Reached.on.Time_Y.N	-0.073587	0.397108	-0.268793

	Reached.on.Time_Y.N
Customer_care_calls	-0.067126
Customer_rating	0.013119
Cost_of_the_Product	-0.073587
Discount_offered	0.397108
Weight_in_gms	-0.268793
Reached.on.Time_Y.N	1.000000

Covariance

d.cov()

	Customer_care_calls	Customer_rating \
Customer_care_calls	1.302999	0.019700
Customer_rating	0.019700	1.998274

Cost_of_the_Product	17.730960	0.629794
Discount_offered	-2.418672	-0.071575
Weight_in_gms	-516.375888	-4.385094
Reached.on.Time_Y.N	-0.037590	0.009098

	Cost_of_the_Product	Discount_offered	Weight_in_gms	\
Customer_care_calls	17.730960	-2.418672	-5.163759e+02	
Customer_rating	0.629794	-0.071575	-4.385094e+00	
Cost_of_the_Product	2310.078091	-107.729679	-1.042289e+04	
Discount_offered	-107.729679	262.619108	-9.966577e+03	
Weight_in_gms	-10422.887818	-9966.576620	2.674459e+06	
Reached.on.Time_Y.N	-1.735119	3.157082	-2.156496e+02	

	Reached.on.Time_Y.N
Customer_care_calls	-0.037590
Customer_rating	0.009098
Cost_of_the_Product	-1.735119
Discount_offered	3.157082
Weight_in_gms	-215.649645
Reached.on.Time_Y.N	0.240673

Mean

d.mean()

Customer_care_calls	4.054459
Customer_rating	2.990545
Cost_of_the_Product	210.196836
Discount_offered	13.373216
Weight_in_gms	3634.016729
Reached.on.Time_Y.N	0.596691

dtype: float64

Data Wrangling

Customer calls received for each Warehouse block

```
d1=df.copy()
d1=d1.pivot_table('Customer_care_calls',columns='Warehouse_block',aggfunc='sum')
d1
```

Warehouse_block	A	B	C	D	F
Customer_care_calls	7402	7369	7451	7434	14939

Maximum, minimum price of a product and total products shipped through the various modes of shipment

```
d2=df.copy()
d2=d2.groupby(['Mode_of_Shipment'])['Cost_of_the_Product'].agg(["max","min","count"])
d2=pd.DataFrame(d2)
d2.rename(columns={'max':'Max Price product','min':'Min Price
```

```
product','count':'Total Products shipped'},inplace=True)
d2
```

	Max Price product	Min Price product	Total Products
shipped			
Mode_of_Shipment			
Flight	310	96	
1777			
Road	310	97	
1760			
Ship	310	96	
7462			

Maximum,minimum price of a product and total products shipped through different Warehouse_blocks

```
d3=df.copy()
d3=d3.groupby(['Warehouse_block'])['Cost_of_the_Product'].agg(["max","min","count"])
d3=pd.DataFrame(d3)
d3.rename(columns={'max':'Max Price product','min':'Min Price product','count':'Total Products shipped'},inplace=True)
d3
```

	Max Price product	Min Price product	Total Products shipped
Warehouse_block			
A	310	96	1833
B	310	96	1833
C	310	101	1833
D	310	96	1834
F	310	96	3666

Total products shipped by Warehouse blocks with different shipments

```
grouped=pd.DataFrame(df.groupby(['Mode_of_Shipment','Warehouse_block'])['Cost_of_the_Product'].count().unstack())
grouped
```

Warehouse_block	A	B	C	D	F
Mode_of_Shipment					
Flight	297	296	295	297	592
Road	294	294	294	292	586
Ship	1242	1243	1244	1245	2488

Observation: Most of the products has been sent through ship by all the Warehouse blocks

Customer Ratings(1-5) given to Warehouse blocks by Customers

```
pd.crosstab(d['Customer_rating'],d['Warehouse_block'])
```

Warehouse_block	A	B	C	D	F
Customer_rating					

1	394	371	364	364	742
2	376	376	362	340	711
3	345	371	383	390	750
4	350	348	369	379	743
5	368	367	355	361	720

Products has been delivered by Warehouse Blocks on time or not

```
# a=np.array(["Products not Reached on Time denoted by 0", "Products Reached on Time denoted by 1"], dtype=object)
a=pd.crosstab(d['Reached.on.Time_Y.N'], d['Warehouse_block'])
a.index=["Products not Reached on time ", "Products Reached on time"]
a
```

Warehouse_block	A	B	C	D	F
Products not Reached on time	758	729	739	738	1472
Products Reached on time	1075	1104	1094	1096	2194

Heaviest weight product shipped among all the blocks

```
a1=pd.DataFrame(d[d.Weight_in_gms==d.Weight_in_gms.max()])
a2=pd.DataFrame(a1[['Warehouse_block', 'Mode_of_Shipment', 'Weight_in_gms']])
a2.index=['Heaviest Weight Shipped']
a2
```

	Warehouse_block	Mode_of_Shipment	Weight_in_gms
Heaviest Weight Shipped	F	Ship	7846

Highest discount offered among all the blocks

```
a1=pd.DataFrame(d[d.Discount_offered==d.Discount_offered.max()])
#a1=a1.reset_index(drop=True)
list1=a1['Warehouse_block'].unique()
print('Warehouse blocks that offered the highest discount of ', d.Discount_offered.max())
for i in list1:
    print(i)
```

Warehouse blocks that offered the highest discount of 65

A
B
C
D
F

Lowest discount offered among all the blocks

```
a1=pd.DataFrame(d[d.Discount_offered==d.Discount_offered.min()])
#a1=a1.reset_index(drop=True)
list1=a1['Warehouse_block'].unique()
print('Warehouse blocks that offered the lowest discount of ', d.Discount_offered.min())
for i in list1:
    print(i)
```

Warehouse blocks that offered the lowest discount of 1


A
B
C
D
F

DATA VISUALIZATION (Matplotlib, seaborn)

Matplotlib- Lineplot

WAREHOUSE BLOCKS AND MODE OF SHIPMENTS

```
grouped=pd.DataFrame(df.groupby(['Warehouse_block','Mode_of_Shipment'])['Cost_of_the_Product'].count().unstack())
lineplot=grouped.plot(figsize=(10,5), marker='D',ms=28,mec='k',linestyle='-',linewidth=3,
                        color=['blue','yellowgreen','lightseagreen'])
grouped['Flight'].plot( marker='D',ms=15,linestyle=':',color='blue')
font1={'family':'Algerian','color':'black','size':20,'fontweight':'bold'}
font2={'family':'Calibri','color':'black','size':20}
plt.title(" MODE OF SHIPMENTS USED BY WAREHOUSE BLOCKS",fontdict=font1,pad=30)
plt.xlabel("WAREHOUSE BLOCKS",fontdict=font2,labelpad=5)
plt.ylim(0,3000)
plt.xticks(color='black', fontsize='15',fontweight='bold',horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.ylabel("PRODUCTS SHIPPED",fontdict=font2,labelpad=30)
plt.legend(['Flight','Road','Ship'],prop = {'size' : 15,'weight':'bold'},ncol=5,loc='upper left')
plt.show()
```




Observation: The most preferred shipping mode of all the Warehouse blocks is Ship

DISCOUNT OFFERED BY WAREHOUSE BLOCKS

```
plt.figure(figsize=(10,6))
font1={'family':'Algerian','color':'black','size':20,'fontweight':'bold'}
font2={'family':'Calibri','color':'black','size':20}

plt.title("DISCOUNT OFFERED BY WAREHOUSE BLOCKS",fontdict=font1,pad=30)
plt.xlabel("WAREHOUSE BLOCKS",fontdict=font2,labelpad=5)
plt.xticks(color='black', fontsize='15',fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.ylabel("DISCOUNT OFFERED",fontdict=font2,labelpad=20)
plt.plot(d['Warehouse_block'],d['Discount_offered'],linewidth=3)
plt.show()
```



Observation: Warehouse blocks A, B, C, D, F gave the highest discounts.

Customer Care calls received by warehouse blocks


```
d1=df.copy()
grouped=pd.DataFrame(d1.groupby(['Warehouse_block'])['Customer_care_calls'].sum())
lineplot=grouped.plot(figsize=(8,5), marker='*',ms=30,mec='k',linestyle='-',
linewidth=2,mfc='yellow',color='black')
font1={'family':'Algerian','color':'black','size':20,'fontweight':'bold'}
font2={'family':'Calibri','color':'black','size':20}
plt.title("CUSTOMER CARE CALLS RECEIVED BY WAREHOUSE
```



```

BLOCKS", fontdict=font1, pad=30)
plt.xlabel("WAREHOUSE BLOCKS", fontdict=font2, labelpad=5)
plt.ylabel("CALLS", fontdict=font2, labelpad=20)
plt.xticks(color='black', fontsize='15', fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.ylim(5000,17000)
plt.show()

```



Observation: Warehouse Block 'F' has received the highest Customer Care calls


Bar Plots

Customer ratings 1-5 given to all the warehouse blocks

```

plt.style.use('seaborn-pastel')
ctab=pd.crosstab(d['Warehouse_block'],d['Customer_rating'])
#c=['tomato','skyblue','blue','seagreen','gold','slateblue']
barplot=ctab.plot.bar(figsize=(15,6),edgecolor='black',linewidth=2,width=0.5)
font1={'family':'Algerian','color':'black','size':20,'fontweight':'bold'}
font2={'family':'Calibri','color':'black','size':20}
plt.title("CUSTOMER CARE RATING RECEIVED BY WAREHOUSE
BLOCKS", fontdict=font1, pad=30)
plt.xlabel("WAREHOUSE BLOCKS", fontdict=font2, labelpad=5)
plt.ylabel("NUMBER OF RATING", fontdict=font2, labelpad=20)
plt.xticks(color='black', rotation=360, fontsize='15', fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.legend(fontsize=15, title='RATING', ncol=5)
plt.show()

```



Observations:


1. Warehouse Block 'A' has received the highest rating of '1'
2. Warehouse Block 'B' has received the highest rating of '2'
3. Warehouse Block 'C' has received the highest rating of '3'
4. Warehouse Block 'D' has received the highest rating of '3'
5. Among all the blocks, 'F' has received the highest rating of '1','2','3','4','5'

Warehouse blocks and different weights of products shipped

```
plt.figure(figsize=(10,5))
```

```
warehouse=d.groupby(['Warehouse_block'])
#warehouse.max().sort_values(by="Weight_in_gms",ascending=False)["Weight_in_gms"].plot.bar(edgecolor='k',linewidth=2)
weight=warehouse.max().sort_values(by="Weight_in_gms",ascending=False)
weight["Weight_in_gms"].plot.bar(edgecolor='k')
font1={'family':'Algerian','color':'black','size':20,'fontweight':'bold'}
font2={'family':'Calibri','color':'black','size':20}
plt.title("WAREHOUSE BLOCKS AND PRODUCT WEIGHT IN GMS",fontdict=font1,pad=30)
plt.xlabel("WAREHOUSE BLOCKS",fontdict=font2,labelpad=20)
plt.ylabel("WEIGHT SHIPPED IN gms",fontdict=font2,labelpad=20)
plt.xticks(color='black', rotation=360, fontsize='15',fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')


plt.show()
```



Observation: Warehouse Block A has shipped a product that has the heaviest weight among all the products.

Products reached on time is denoted by 1 and products not reached on time is denoted by 0


```
ctab=pd.crosstab(d['Warehouse_block'],d['Reached.on.Time_Y.N'])
barplot=ctab.plot.bar(figsize =
(10,5),edgecolor='black',color=['gold','tab:red'],linewidth=3)
plt.title("WAREHOUSE BLOCKS AND PRODUCTS REACHED ON
TIME",fontdict=font1,pad=30)
plt.xlabel("WAREHOUSE BLOCKS",fontdict=font2,labelpad=5)
plt.ylabel(" PRODUCTS",fontdict=font2,labelpad=20)
plt.xticks(color='black', rotation=360, fontsize='15',fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
legend_drawn_flag = True
plt.legend(['NO','YES'],title='REACHED ON TIME',bbox_to_anchor =(1.35,
1),loc='upper right',ncol=2,
prop = {'size' : 15,'weight':'bold'},frameon=legend_drawn_flag)
plt.show()
```



Observation: Warehouse blocks A,B,C,D,F has delivered most of the products on time.

Low,Medium,High importance products delivered by all the warehouse blocks

```
ctab=pd.crosstab(d['Warehouse_block'],d['Product_importance'])
barplot=ctab.plot.bar(figsize = (15,5),edgecolor='black',color=['silver',
'aquamarine', 'seagreen'],linewidth=3)
plt.title("WAREHOUSE BLOCKS AND PRODUCT IMPORTANCE",fontdict=font1,pad=30)
plt.xlabel("WAREHOUSE BLOCKS",fontdict=font2,labelpad=5)
plt.ylabel(" PRODUCT IMPORTANCE",fontdict=font2,labelpad=20)
plt.xticks(color='black', rotation=360, fontsize='15',fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.legend(fontsize=15,ncol=3,title='PRODUCT IMPORTANCE',prop = {'size' :
15,'weight':'bold'})
plt.show()
```




Observation: Warehouse blocks A,B,C,D,F has shipped most of the products of low importance.

Histogram

Product weight in gms shipped by all the Warehouse blocks

```
plt.figure(figsize=(10,5))
bins=[0,1000,2000,4000,6000]
plt.hist(d['Weight_in_gms'],bins,histtype='bar',rwidth=0.6,color='mediumpurple',edgecolor='black')#rectangular width
plt.title("PRODUCT WEIGHT IN GMS ",fontdict=font1,pad=30)
plt.xlabel("RANGE",fontdict=font2,labelpad=20)
plt.ylabel(" PRODUCT WEIGHT IN GMS",fontdict=font2,labelpad=20)
plt.xticks(color='black', rotation=360, fontsize='15',fontweight='bold',horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.show()
```



Observation: Heavy products were shipped by most of the blocks


Seaborn

Catplot

Mode of Shipment and Weight in gms

```
import seaborn as sns
plt.style.use('seaborn-bright')
sns.set_style("ticks")
plt.style.use('seaborn-bright')
sns.catplot(y="Weight_in_gms",x='Mode_of_Shipment',hue='Mode_of_Shipment',data=d,height=5,aspect=15/10)
plt.title("MODE OF SHIPMENT AND WEIGHT IN gms ",fontdict=font1,pad=30)
plt.xlabel("MODE OF SHIPMENT",fontdict=font2,labelpad=20)
```

```
plt.ylabel("WEIGHT IN gms ",fontdict=font2,labelpad=20)
plt.xticks(color='black',fontsize='15',fontweight='bold')
plt.yticks(color='black', fontsize='15')
plt.legend(fontsize=15,bbox_to_anchor =(1.15, 1),loc='upper right')
plt.show()
```



Observations: From the graph we can see that the density of ship mode is more.


1. Most of the Warehouse blocks have used Ship mode to deliver the products.
2. Few of the heavy products weighing more than 7000gms was shipped through Ship mode.

Stripplot

WAREHOUSE BLOCKS AND PRODUCT GENDER

```
custom_palette = ["limegreen","gold"]
sns.set_palette(custom_palette)
plt.figure(figsize=(10,5))
sns.stripplot(x='Warehouse_block',y='Cost_of_the_Product',hue="Gender",jitter
=0.3,dodge=True, data=d)
plt.title("WAREHOUSE BLOCKS AND PRODUCT GENDER",fontdict=font1,pad=30)
plt.xlabel("WAREHOUSE BLOCK",fontdict=font2,labelpad=20)
plt.ylabel("PRODUCTS SHIPPED",fontdict=font2,labelpad=20)
plt.xticks(color='black',fontsize='15',fontweight='bold',
horizontalalignment='right')
plt.yticks(color='black', fontsize='15', horizontalalignment='right')
plt.legend(fontsize=15,bbox_to_anchor =(1.35, 1),loc='upper
```

```
right', frameon=True, title='PRODUCT GENDER')
plt.show()
```




Observation: All the Warehouse blocks has shipped approximately equal products of Female and Male Gender.

Heatmap

Correlation between the cost of the product and discount

```
plt.figure(figsize=(10,6))
sns.set(font_scale=1.4)
n_data=['Cost_of_the_Product','Discount_offered']
sns.heatmap(d[n_data].corr(),annot=True,fmt='.2f',cmap='coolwarm_r',center=0,
linewidths=5)
plt.title("Correlation",fontdict=font1,pad=30)
plt.xticks(color='black', horizontalalignment='center', fontsize=15)
plt.yticks(color='black', horizontalalignment='center',fontsize=15)
plt.show()
```



Observation: Cost of the product and discount offered is negatively correlated.

Report

```
from pandas_profiling import ProfileReport
```

```
k=ProfileReport(d)  
k.to_file('Report.html')  
k
```

Overview	Variables	Correlations	Missing values	Sample
Dataset info		Variables types		
Number of variables	10	NUM	5	
Number of observations	10999	CAT	4	
Missing cells	0 (0.0%)	BOOL	1	
Duplicate rows	0 (0.0%)			
Total size in memory	3.0 MiB			
Average record size in memory	286.7 B			

[Toggle Reproduction Information](#)

SUMMARY

The Analysis of the E-Commerce Shipping Statistics

1. The Warehouse blocks prefer Ship mode as the shipping method for most of the products.
2. Customer care calls was received more by the Warehouse Block F.
3. High customer rating as well as low customer rating was given to Warehouse block F.

Improvement 1: Change in Mode of Shipment Required

We can see most of the Warehouse blocks did not deliver the product on time because the mode of shipping was through Ship. Although ships are capable of carrying much bigger loads than other transportation methods, shipping takes much longer.

It is not usually the preferred shipping method for businesses that rely on speedy delivery. The shipping mode should be changed to other modes of transport like Road or Flight, so that the products reaches the customer on time. According to a recent study, 98% of consumers are likely to order again from a website if the delivery experience went well.

Improvement 2: Customer Care Required

We can observe that Warehouse Block F has received more calls from the customers. It has also received a high customer rating of 1 out of 5. This clearly shows that the customers are not happy with the products delivered. Feedback has to be taken from the customer and make necessary changes in order to improve the overall customer experience. More Customer service executives has to be assigned to the Warehouse block F.

Conclusion:

Logistics is a major pillar of the e-commerce customer experience. Optimizing logistics is an important factor for the success of any brand. In order to retain the customers and attract new ones, it is important to optimize the processes at different levels: delivery, packaging, returns, customer service.

REFERENCES

<https://www.kaggle.com/>
<https://matplotlib.org/>
<https://seaborn.pydata.org/>