#### index:

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet" href="./styles/style.css">
   <link rel="stylesheet" href="./styles/modal-box.css">
   <title>Product list</title>
   <div class="toggle-switch">
       🌙
          <label class="switch">
              <input id="theme-switch" type="checkbox">
              <span class="slider round"></span>
       🔆
   <div class="search">
       <div class="icon">
       <input type="text" placeholder="Search" id="search">
   <div class="shopping-cart">
       <div id="shopping-cart" class="icon" style="background-color: 🗖 darkcyan; font-size: 1em;">
           <span style="transform: rotate(0);">&#128722;</span>
           <span id="total" style="transform: rotate(0);"><b>0</b></span>
   <div id="modal-box" class="modal">
       <div class="modal-content">
           <div class="modal-header">
              <span class="close">&times;</span>
               <b>Shopping cart</b>
           <div class="modal-body"></div>
   <script src="./modules/script.js" type="module"></script>
   <script src="./modules/events.js" type="module"></script>
   <script src="./modules/theme.js" type="module"></script>
   <script src="./modules/modalBox.js" type="module"></script>
   <script src="./modules/loadStorage.js" type="module"></script>
```

## monitor.js:

```
export default class Monitor {
   constructor(code = 0, name = "unknown", size = 0, resolution = "1440x1080") {
       this._code = code;
       this._name = name;
       this._sizeInInches = size;
       this._stock = 0;
       this._price = 0;
       this._resolution = resolution;
       this._imgURL = "path";
   get name() {
       return this._name;
   get resolution() {
       return this._resolution;
   get code() {
      return this._code;
   get imgURL() {
       return this._imgURL;
   get size() {
       return this._sizeInInches;
   get price() {
      return this._price;
   get stock() {
       return this._stock;
   * @param {string} path set a new path
   set imgURL(path) {
      this._imgURL = path;
```

```
* @param {number} amount set a new amount
set stock(amount) {
  this._stock += amount;
* @param {number} size set a new size
set size(size) {
 this._sizeInInches = size;
* @param {string} name set a new name
set name(name) {
 this._name = name;
* @param {string} code set a new code
set code(code) {
  this._code = code;
* @param {string} resolution set a new resolution
set resolution(resolution) {
  this._resolution = resolution;
* @param {number} size set a new size
set size(size) {
 this._sizeInInches = size;
* @param {number} price set a new price
set price(price) {
   this._price = price;
```

#### products.js:

```
import Monitor from "./monitor.js";
const products = [];
products.push(new Monitor(1, "BENQ ZOWIE XL2731", 27, "1920x1080"));
products[0].price = 9900;
products[0].stock = 0;
products[0].imgURL = "./images/ZOWIE-XL2731.jpg";
products.push(new Monitor(2, "BENQ MOBIUZ EX3415R", 34, "3440x1440"));
products[1].price = 35900;
products[1].stock = 59;
products[1].imgURL = "./images/MOBIUZ-EX3415R.jpg";
products.push(new Monitor(3, "BENQ MOBIUZ EX2710R", 27, "2560x1440"));
products[2].price = 21900;
products[2].stock = 104;
products[2].imgURL = "./images/MOBIUZ-EX2710R.jpg";
products.push(new Monitor(4, "BENQ EW2780Q", 27, "2560x1440"));
products[3].price = 9500;
products[3].stock = 156;
products[3].imgURL = "./images/EW2780Q.jpg";
products.push(new Monitor(5, "BENQ EW2480", 24, "1920x1080"));
products[4].price = 5500;
products[4].stock = 222;
products[4].imgURL = "./images/EW2480.jpg";
products.push(new Monitor(6, "BENQ EX3203R", 31.5, "2560x1440"));
products[5].price = 16900;
products[5].stock = 25;
products[5].imgURL = "./images/EX3203R.jpg";
products.push(new Monitor(7, "BENQ ZOWIE XL2546", 24.5, "1920x1080"));
products[6].price = 15900;
products[6].stock = 79;
products[6].imgURL = "./images/ZOWIE-XL2546.jpg";
products.push(new Monitor(8, "BENQ GW2780", 27, "1920x1080"));
products[7].price = 5900;
products[7].stock = 0;
products[7].imgURL = "./images/GW2780.jpg";
export { products as default };
```

### script.js:

```
import products from "./products/products.js";
let body = document.querySelector("body");
body.id = "product-list";
body.className = "p-6 justify-center";
let title = document.createElement("h1");
title.className = "font-bold text-xl text-center";
title.textContent = "Monitor List";
body.appendChild(title);
let divContainer = document.createElement("div");
divContainer.className = "product-container grid grid-cols-5";
divContainer.id = "store-product";
// add container to body
let container = body.appendChild(divContainer);
for (const product of products) {
       let divList = document.createElement("div");
      divList.className =
      "flex flex-col m-5 bg-white rounded-lg transition duration-200 ease-in-out hover:bg-purple-200 shadow-xl transform hover:scale-110 product"; divList.setAttribute("name", product.name + " " + product.size + '"'); let divItem = container.appendChild(divList);
      let img = document.createElement("img");
      img.src = product.imgURL;
img.alt = product.name;
img.style = "width: 190%; height: 190%; ";
      img.className = "p-2";
      divItem.appendChild(img);
      // add details to div in container
let divDetails = document.createElement("div");
      divDetails.className = "details p-2";
      let name = document.createElement("div");
name.className = " p-1 bg-green-100 flex-1 m-1";
name.innerHTML = '<b>Product: </b>{product.name} ${product.size}"`;
      divDetails.appendChild(name);
```

```
let price = document.createElement("div");
price.className = "m-1 p-1";
price.innerHTML = `<b>Price: </b>${new Intl.NumberFormat("th-TH", {
    style: "currency",
    currency: "THB",
}).format(product.price)}`;
divDetails.appendChild(price);
let res = document.createElement("div");
res.className = "m-1 p-1";
res.innerHTML = `<b>Resolution: </b>${product.resolution}`;
divDetails.appendChild(res);
let stock = document.createElement("div");
stock.className = "m-1 p-1";
if (product.stock == 0) {
    let outOfStock = document.createElement("b");
    outOfStock.className = "text-red-500";
outOfStock.textContent = "Out of Stock";
    stock.appendChild(outOfStock);
} else {
    stock.innerHTML = `<b>In stock: </b>${product.stock}`;
divDetails.appendChild(stock);
divItem.appendChild(divDetails);
let divBtn = document.createElement("div");
divBtn.className = "m-1 p-1";
let btn = document.createElement("button");
btn.className = `add-to-cart w-full p-2 rounded ${
    product.stock == 0
        ? "bg-gray-100 text-gray-300 pointer-events-none"
        : "bg-purple-400 text-white transition duration-150 ease-in-out"
btn.innerHTML = "<b><i>Add</i></b>";
divBtn.appendChild(btn);
divDetails.appendChild(divBtn);
```

#### events.js:

```
import { add } from "./cart.js";
import CookieUtil from "./cookieUtil.js";
document.querySelector(".icon").addEventListener("click", function () {
    document.querySelector("#search").classList.toggle("active");
const productStore = document.querySelectorAll(".product");
const search = document.getElementById("search");
search.addEventListener("keyup", (e) => {
    const text = e.target.value.toLowerCase().trim();
    for (let i = 0; i < productStore.length; i++) {</pre>
        let productName = productStore[i].getAttribute("name");
        if (productName.toLowerCase().trim().includes(text)) {
            productStore[i].style.display = "";
            productStore[i].style.display = "none";
const addButton = document.querySelectorAll(".add-to-cart");
for (const [id, btn] of addButton.entries()) {
    btn.addEventListener("click", () => {
        add(id);
        let sc = JSON.parse(CookieUtil.getCookie("shopping_cart"));
        if (sc.totalQuantity <= 99) {</pre>
            document.getElementById(
                "total"
            ).innerHTML = `<b>${sc.totalQuantity}</b>`;
        } else {
            document.getElementById("total").innerHTML = `<b>99+</b>`;
```

### cart.js:

```
import products from "./products/products.js";
import CookieUtil from "./cookieUtil.js";
    itemID: [],
    items: [],
    netPrice: 0,
    totalQuantity: 0,
function add(id) {
    if (CookieUtil.getCookie("shopping_cart") == null) {
        cart.itemID.push(id + 1);
        cart.items.push({
            productDetails: {
                img: products[id].imgURL,
                productCode: products[id].code,
                productName: products[id].name,
                resolution: products[id].resolution,
                sizeInInches: products[id].size,
            price: products[id].price,
            quantity: 1,
            totalPrice: products[id].price,
        cart.totalQuantity += 1;
        cart.netPrice += products[id].price;
        CookieUtil.setCookie("shopping_cart", JSON.stringify(cart, 0, 2), 1);
        let sc = JSON.parse(CookieUtil.getCookie("shopping_cart"));
        if (sc.itemID.includes(id + 1)) {
            const index = sc.itemID.indexOf(id + 1);
            sc.items[index].quantity += 1;
            let price = sc.items[index].price;
            let quantity = sc.items[index].quantity;
            sc.items[index].totalPrice = price * quantity;
            sc.totalQuantity += 1;
```

```
else {
            sc.itemID.push(id + 1);
            sc.items.push({
                productDetails: {
                    img: products[id].imgURL,
                    productCode: products[id].code,
                    productName: products[id].name,
                    resolution: products[id].resolution,
                    sizeInInches: products[id].size,
                price: products[id].price,
                quantity: 1,
                totalPrice: products[id].price,
            sc.totalQuantity += 1;
        sc.netPrice += products[id].price;
        CookieUtil.setCookie("shopping_cart", JSON.stringify(sc, 0, 2), 1);
export { cart, add };
```

### loadStorage.js:

### cookieUtil.js:

```
export default class CookieUtil {
   static getCookie(name) {
       console.log(`all cookies: ${document.cookie}`);
       let cookieName = `${encodeURIComponent(name)}=`;
       let cookieStart = document.cookie.indexOf(cookieName);
       let cookieValue = null;
       console.log(`cookieName = ${cookieName}`);
       console.log(`cookieStart = ${cookieStart}`);
       if (cookieStart > -1) {
            let cookieEnd = document.cookie.indexOf(";", cookieStart);
            console.log(`cookieEnd = ${cookieEnd}`);
            if (cookieEnd == -1) {
               cookieEnd = document.cookie.length;
            cookieValue = decodeURIComponent(
               document.cookie.substring(
                   cookieStart + cookieName.length,
                   cookieEnd
            console.log(`cookieValue = ${cookieValue}`);
       return cookieValue;
   static setCookie(name, value, expires) {
       let cookieText = `${encodeURIComponent(name)}=${encodeURIComponent()}
           value
       const expireDate = new Date();
       expireDate.setTime(
           expireDate.getTime() + expires * 24 * 60 * 60 * 1000
       cookieText += `; expires=${expireDate.toUTCString()}`;
       console.log(`cookieText = ${cookieText}`);
       document.cookie = cookieText;
   static unset(name) {
       CookieUtil.set(name, "", new Date(0));
```

#### modalBox.js:

```
import CookieUtil from "./cookieUtil.js";
let modalBody = document.querySelector("div.modal-body");
let table = document.createElement("table");
table.style = "width: 100%;";
modalBody.appendChild(table);
let thead = document.createElement("thead");
thead.id = "thead";
let tbody = document.createElement("tbody");
tbody.id = "tbody";
table.appendChild(thead);
table.appendChild(tbody);
let tr = document.createElement("tr");
thead.appendChild(tr);
const heads = [
    "Picture",
    "Product name",
    "Quantity",
    "Total",
    "Delete",
for (const head of heads) {
    let th = document.createElement("th");
   th.textContent = head;
    tr.appendChild(th);
// show shopping cart function
const shoppingCart = document.querySelector("#shopping-cart");
let modal = document.getElementById("modal-box");
shoppingCart.addEventListener("click", () => {
    if (CookieUtil.getCookie("shopping_cart") != null) {
        let sc = JSON.parse(CookieUtil.getCookie("shopping_cart"));
        let tableBody = document.getElementById("tbody");
        while (tableBody.firstChild) {
            tableBody.removeChild(tableBody.lastChild);
```


```
for (let i = 0; i < sc.items.length; i++) {
   let row = document.createElement("tr");
   tbody.appendChild(row);
   let noCol = document.createElement("td");
   noCol.className = "no-col";
   noCol.textContent = i + 1;
   noCol.style = "text-align: center;";
   row.appendChild(noCol);
   let imageCol = document.createElement("td");
   let productImg = document.createElement("img");
   imageCol.className = "image-col";
   productImg.src = sc.items[i].productDetails.img;
   productImg.alt = sc.items[i].productDetails.productName;
   imageCol.appendChild(productImg);
   row.appendChild(imageCol);
   let productCodeCol = document.createElement("td");
   productCodeCol.className = "product-code-col";
   productCodeCol.textContent = sc.items[i].productDetails.productCode;
   productCodeCol.style = "text-align: center;";
   row.appendChild(productCodeCol);
   let productNameCol = document.createElement("td");
   productNameCol.className = "product-name-col";
   productNameCol.textContent = sc.items[i].productDetails.productName;
   row.appendChild(productNameCol);
   let productPriceCol = document.createElement("td");
   productPriceCol.className = "product-price-col";
   productPriceCol.textContent = new Intl.NumberFormat("th-TH", {
        style: "currency",
       currency: "THB",
   }).format(sc.items[i].price);
   productPriceCol.style = "text-align: center;";
   row.appendChild(productPriceCol);
   let productQuantityCol = document.createElement("td");
   productQuantityCol.className = "product-quantity-col";
   productQuantityCol.textContent = sc.items[i].quantity;
   productQuantityCol.style = "text-align: center;";
   row.appendChild(productQuantityCol);
```


```
let totalPriceCol = document.createElement("td");
            totalPriceCol.className = "total-price-col";
            totalPriceCol.textContent = new Intl.NumberFormat("th-TH", {
                style: "currency",
                currency: "THB",
            }).format(sc.items[i].totalPrice);
            totalPriceCol.style = "text-align: center;";
            row.appendChild(totalPriceCol);
            let deleteCol = document.createElement("td");
            deleteCol.className = "deleteButton";
deleteCol.innerHTML = "🗑";
            deleteCol.style = "text-align: center;";
            row.appendChild(deleteCol);
    modal.style.display = "block";
let span = document.getElementsByClassName("close")[0];
span.addEventListener("click", () => {
    modal.style.display = "none";
window.onclick = function (event) {
    if (event.target == modal) {
        modal.style.display = "none";
};
```

#### theme.js:

```
//add local storage theme
const themeSwitcher = document.getElementById("theme-switch");
themeSwitcher.checked = false;
function clickHandler() {
    if (this.checked) {
        document.body.classList.remove("light");
        document.body.classList.add("dark");
        localStorage.setItem("theme", "dark");
        document.body.classList.add("light");
        document.body.classList.remove("dark");
        localStorage.setItem("theme", "light");
themeSwitcher.addEventListener("click", clickHandler);
function checkTheme() {
   const localStorageTheme = localStorage.getItem("theme");
   if (localStorageTheme === "dark") {
       document.body.classList.add(localStorageTheme);
        const themeSwitch = document.getElementById("theme-switch");
        themeSwitch.checked = true;
       document.body.classList.add(localStorageTheme);
        const themeSwitch = document.getElementById("theme-switch");
        themeSwitch.checked = false;
export { checkTheme as default };
```


## **Output:**






## Cookies

## Before




## After




# **Local Storage**

## Before



## After



GIT LINK (This Assignment => include work ratio): <u>Click here</u>

GIT LINK (All Assignment): Click here