

Week 2

July 16, 2014

plotter script

plotter script

- ▶ 324 sloc

plotter script

- ▶ 324 sloc
- ▶ reads RotationShield and FieldMapping VI input

plotter script

- ▶ 324 sloc
- ▶ reads RotationShield and FieldMapping VI input
- ▶ uses new normalization method

plotter script

- ▶ 324 sloc
- ▶ reads RotationShield and FieldMapping VI input
- ▶ uses new normalization method
 - ▶ average of data points near $(0, 0, 0)$ vs. polynomial fit

plotter script

- ▶ 324 sloc
- ▶ reads RotationShield and FieldMapping VI input
- ▶ uses new normalization method
 - ▶ average of data points near $(0, 0, 0)$ vs. polynomial fit
 - ▶ calculates desired normalization level - average B_x of measured maps

plotter script

- ▶ 324 sloc
- ▶ reads RotationShield and FieldMapping VI input
- ▶ uses new normalization method
 - ▶ average of data points near $(0, 0, 0)$ vs. polynomial fit
 - ▶ calculates desired normalization level - average B_x of measured maps
- ▶ handles custom field slices

plotter script

- ▶ 324 sloc
- ▶ reads RotationShield and FieldMapping VI input
- ▶ uses new normalization method
 - ▶ average of data points near $(0, 0, 0)$ vs. polynomial fit
 - ▶ calculates desired normalization level - average B_x of measured maps
- ▶ handles custom field slices
- ▶ to-do: interpolation, smooth plots

offset between map & simulation

