

In this assessment, you will be tested on all of the different topics you have in covered this module. Good luck!

A ship travels with velocity given by $\begin{bmatrix} 1 \\ 2 \end{bmatrix}$, with current flowing in the direction given by $\begin{bmatrix} 1 \\ 1 \end{bmatrix}$ with respect to some co-ordinate axes.

What is the velocity of the ship in the direction of the current?



$$\frac{3/2}{3/2}$$

This is the vector projection of the velocity of the ship onto the velocity of the



points

 $\begin{bmatrix} 2 \\ 1 \end{bmatrix}$, with wind blowing in the direction given by $\begin{bmatrix} 3 \\ -4 \end{bmatrix}$ A ball travels with velocity given by with respect to some co-ordinate axes.

What is the size of the velocity of the ball in the direction of the wind?

This is the scalar projection of the velocity of the ball onto the velocity of the wind.



Given vectors $\mathbf{v} = \begin{bmatrix} -4 \\ -3 \\ 8 \end{bmatrix}$, $\mathbf{b_1} = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$, $\mathbf{b_2} = \begin{bmatrix} -2 \\ 1 \\ 0 \end{bmatrix}$ and $\mathbf{b_3} = \begin{bmatrix} -3 \\ -6 \\ 5 \end{bmatrix}$ all written in the standard basis, what is v in the basis defined by b_1 , b_2 and b_3 ? You are given that b_1 , $\mathbf{b_2}$ and $\mathbf{b_3}$ are all pairwise orthogonal to each other.



Correct This is a change of basis in 3 dimensions.



4.

 $\mathbf{a} = \begin{bmatrix} 1 \\ 2 \\ -1 \end{bmatrix}$, $\mathbf{b} = \begin{bmatrix} 3 \\ -4 \\ 5 \end{bmatrix}$ and $\mathbf{c} = \begin{bmatrix} 1 \\ -8 \\ 7 \end{bmatrix}$.

Are the following vectors linearly independent?



- Yes
 - No
- Correct One can be written as a linear combination of the other two.



some 3 dimensional co ordinate system. The ship is travelling with velocity

At 12:00 pm, a spaceship is at position $\begin{bmatrix} 3 \\ 2 \\ 4 \end{bmatrix} km$ away from the origin with respect to

What is the location of the spaceship after 2 hours have passed?

