```
1.用户表---User
public class User {
    private String username;
    private String pwd;
    public User() {}
    public User(String username, String pwd) {
         super();
         this.username = username;
         this.pwd = pwd;
    }
    public String getUsername() {
         return username;
    }
    public void setUsername(String username) {
         this.username = username;
    }
    public String getPwd() {
         return pwd;
    }
    public void setPwd(String pwd) {
         this.pwd = pwd;
    }
}
2.博客类型表 --- Tag
public class Tag {
    private int id;
```

```
private String tagName;
     private int status;
    public Tag() {
         // TODO Auto-generated constructor stub
    }
    public Tag(int id, String tagName, int status) {
         super();
         this.id = id;
         this.tagName = tagName;
         this.status = status;
    }
    public int getId() {
         return id;
    }
    public void setId(int id) {
         this.id = id;
    }
    public String getTagName() {
         return tagName;
    }
    public void setTagName(String tagName) {
         this.tagName = tagName;
    }
    public int getStatus() {
         return status;
    }
    public void setStatus(int status) {
         this.status = status;
    }
}
3. 博客表 -- Blog
public class Blog {
    private int id;
```

```
private int tag;
     private String content;
    private String lastTime;
    private int status;
     private int good;
    private int readNum;
    private int uid;
    public Blog() {
         // TODO Auto-generated constructor stub
    }
    public Blog(String title, int tag, String content) {
          super();
          this.title = title;
          this.tag = tag;
         this.content = content;
    }
     public Blog(int id, String title, int tag, String content, String lastTime, int
status, int good, int readNum,
              int uid) {
          super();
          this.id = id;
          this.title = title;
          this.tag = tag;
          this.content = content;
          this.lastTime = lastTime;
          this.status = status;
          this.good = good;
          this.readNum = readNum;
          this.uid = uid;
```

private String title;

```
}
public int getId() {
     return id;
}
public void setId(int id) {
     this.id = id;
}
public String getTitle() {
     return title;
}
public void setTitle(String title) {
     this.title = title;
}
public int getTag() {
     return tag;
}
public void setTag(int tag) {
     this.tag = tag;
}
public String getContent() {
```

```
return content;
}
public void setContent(String content) {
     this.content = content;
}
public String getLastTime() {
     return lastTime;
}
public void setLastTime(String lastTime) {
     this.lastTime = lastTime;
}
public int getStatus() {
     return status;
}
public void setStatus(int status) {
     this.status = status;
}
public int getGood() {
     return good;
}
```

```
public void setGood(int good) {
    this.good = good;
}
public int getReadNum() {
    return readNum;
}
public void setReadNum(int readNum) {
    this.readNum = readNum;
}
public int getUid() {
    return uid;
}
public void setUid(int uid) {
    this.uid = uid;
}
```

}