練習実験報告

肖宇笑 2024年5月30日

Is this the latest?

Click HERE or scan to check the latest version of this

document.

See also:

//Public510/d/ミーティング資料/2024/肖/document.pdf if I have not forgotten to upload.

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Galvano Sepctrum




Fig. 1: Wavelen. correction

Galvano Sepctrum




Fig. 1: Wavelen. correction

Galvano Sepctrum

Calibration




Fig. 2: Correction function

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Galvano Sepctrum


REMPI scan


Selected peaks


Peak assignments


Speed correction


Selected peaks



































Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Peak assignments

464.484 nm ≈ 43058.49 cm ⁻¹	464.114 nm ≈ 43092.81 cm ⁻¹	460.875 nm $\approx 43395.69 \text{cm}^{-1}$	456.659 nm ≈ 43796.34 cm ⁻¹
px = 253.162	px = 253.655	px = 181.319 & 256.240	px = 246.776
rR2 (44.5) qR12 (51.5) qQ2 (51.5)	rR2 (45.5) qR12 (51.5) qQ2 (51.5)	sR21 (48.5)	sR21 (58.5) pQ12 (76.5) pP2 (76.5)

Peak assignments

464.484 nm ≈ 43058.49 cm ⁻¹	464.114 nm ≈ 43092.81 cm ⁻¹	460.875 nm ≈ 43395.69 cm ⁻¹	456.659 nm ≈ 43796.34 cm ⁻¹
px = 253.162	px = 253.655	px = 181.319 & 256.240	px = 246.776
rR2 (44.5) $qR12 (51.5)$ $qQ2 (51.5)$	rR2 (45.5) qR12 (51.5) qQ2 (51.5)	sR21~(48.5)	sR21 (58.5) pQ12 (76.5) pP2 (76.5)

Notice

Colored assignments are mismatched, and will not be used to calculate.

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Trans. energy of NO

	E_{total}	$E_{bond}(\mathrm{O}\!-\!\mathrm{NO})^1$	$E_{int.}(NO)$
Peak 1 464.484nm	43058.49 cm $^{-1}$		$\Delta E_v(1 \to 0) + E(J = 44)$
Peak 2 464.114nm	43 092.81cm ⁻¹		$\Delta E_v(1 \to 0) + E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	$\Delta E_v(1 \to 0) + E(J = 48)$
Peak 4 456.659nm	43 796.34cm ⁻¹		$\Delta E_v(1 \to 0) + E(J = 58)$

¹Rémy Jost et al. The Journal of Chemical Physics **105**.3 (July 1996).

Trans. energy of NO

	E_{total}	$E_{bond}(\mathrm{O}\!-\!\mathrm{NO})^2$	$E_{int.}(NO)$
Peak 1 464.484nm	43058.49 cm $^{-1}$		$2341.9327750 \text{cm}^{-1} + E(J = 44)$
Peak 2 464.114nm	43 092.81cm ⁻¹		$2341.9327750 \text{cm}^{-1} + E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	$2341.9327750 \text{cm}^{-1} + E(J = 48)$
Peak 4 456.659nm	43 796.34cm ⁻¹		$2341.9327750 \text{cm}^{-1} + E(J = 58)$

²Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

Trans. energy of NO

	E_{total}	$E_{bond}(\mathrm{O}\!-\!\mathrm{NO})^2$	$E_{int.}(NO)$
Peak 1 464.484nm	$43058.49\mathrm{cm}^{-1}$		$2341.9327750 \text{cm}^{-1} + E(J = 44)$
Peak 2 464.114nm	43 092.81cm ⁻¹		$2341.9327750 \text{cm}^{-1} + E(J = 45)$
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	$2341.9327750 \text{cm}^{-1} + E(J = 48)$
Peak 4 456.659nm	43 796.34cm ⁻¹		$2341.9327750 \text{cm}^{-1} + E(J = 58)$

Vib. energy level

$$E_v = \omega_e \left(v + \frac{1}{2} \right) - \omega_e x_e \left(v + \frac{1}{2} \right)^2 + \omega_e y_e \left(v + \frac{1}{2} \right)^3.$$

²Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

Trans. energy of NO

	E_{total}	$E_{bond}(\mathrm{O}\mathrm{-NO})^3$	$E_{int.}(NO)$
Peak 1 464.484nm	43058.49 cm $^{-1}$		5814.033cm ⁻¹
Peak 2 464.114nm	43 092.81cm ⁻¹		5965.969cm ⁻¹
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	6239.696cm ⁻¹
Peak 4 456.659nm	43796.34 cm $^{-1}$	•	8004.278cm ⁻¹

³Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

⁴Colin M. Western. *Journal of Quantitative Spectroscopy and Radiative Transfer* **186** (2017), pp. 221–242.

Trans. energy of NO

	E_{total}	$E_{bond}(\mathrm{O-NO})^3$	$E_{int.}(NO)$
Peak 1 464.484nm	43 058.49cm ⁻¹		5814.033cm ⁻¹
Peak 2 464.114nm	43 092.81cm ⁻¹		5965.969cm ⁻¹
Peak 3 460.875nm	43 395.69cm ⁻¹	25 128.57cm ⁻¹	6239.696cm ⁻¹
Peak 4 456.659nm	43 796.34cm ⁻¹		8004.278cm ⁻¹

Rot. energy level

Simulated data generated by PGOPHER⁴.

³Rémy Jost et al. *The Journal of Chemical Physics* **105**.3 (July 1996).

⁴Colin M. Western. *Journal of Quantitative Spectroscopy and Radiative Transfer* **186** (2017), pp. 221–242.

Trans. energy of NO


E _{int.} (O)	$\begin{split} E_{\rm trans}({\rm total}) &\approx 2.875464 E_{\rm trans}({\rm NO}) \\ &= E_{\rm total} - E_{\rm bond}({\rm O-NO}) - E_{\rm int.}({\rm O}) - E_{\rm int.}({\rm NO}) \end{split}$	$E_{trans}(NO) \\ = \frac{1}{2}m(NO)v^2(NO)$
$^{3}P_{2}$ (0cm^{-1})	$11081.356 \mathrm{cm}^{-1}$ $10964.609 \mathrm{cm}^{-1}$ $10794.143 \mathrm{cm}^{-1}$ $9398.766 \mathrm{cm}^{-1}$	4375.588cm ⁻¹ 4334.685cm ⁻¹ 4344.824cm ⁻¹ 3870.489cm ⁻¹
³ P ₁ (158.625cm ⁻¹)	$10922.731 \mathrm{cm}^{-1}$ $10805.984 \mathrm{cm}^{-1}$ $10635.518 \mathrm{cm}^{-1}$ $9240.141 \mathrm{cm}^{-1}$	4320.423cm^{-1} 4279.520cm^{-1} 4289.659cm^{-1} 3815.324cm^{-1}
$^{3}P_{0}$ (226.977cm ⁻¹)	$10854.379 \mathrm{cm}^{-1}$ $10737.632 \mathrm{cm}^{-1}$ $10567.166 \mathrm{cm}^{-1}$ $9171.789 \mathrm{cm}^{-1}$	4296.653cm ⁻¹ 4255.749cm ⁻¹ 4265.888cm ⁻¹ 3791.553cm ⁻¹

⁵Charlotte Emma Moore and Jean W. Gallagher. "Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions". 1993.

Trans. speed of NO


E _{int.} (O)	$v(NO) = \sqrt{\frac{2E_{trans}(NO)}{m(NO)}}$	Δy
$^{3}P_{2}$ (0cm ⁻¹)	$\begin{array}{c} 1867.845\mathrm{ms^{-1}} \\ 1859.094\mathrm{ms^{-1}} \\ 1861.267\mathrm{ms^{-1}} \\ 1756.732\mathrm{ms^{-1}} \end{array}$	253.177 253.650 256.147 246.776
$^{3}P_{1}$ (158.625cm ⁻¹)	$\begin{array}{c} 1856.033\mathrm{ms^{-1}}\\ 1847.226\mathrm{ms^{-1}}\\ 1849.413\mathrm{ms^{-1}}\\ 1744.168\mathrm{ms^{-1}} \end{array}$	253.177 253.650 256.148 246.776
$^{3}P_{0}$ (226.977cm ⁻¹)	$\begin{array}{c} 1850.920 \mathrm{m s}^{-1} \\ 1842.089 \mathrm{m s}^{-1} \\ 1844.282 \mathrm{m s}^{-1} \\ 1738.726 \mathrm{m s}^{-1} \end{array}$	253.177 253.650 256.147 246.776

Trans. speed of NO



Speed correction

Trans. speed of NO



Average $12.35 \rm m\,s^{-1}\,px^{-1}$ Intercept $\approx -1292 \rm m\,s^{-1}$

Contents

Galvano Sepctrum

REMPI scan

Selected peaks

Peak assignments

Speed correction

Contents


Galvano Sepctrum

REMPI scan

Selected peaks


Peak assignments

Speed correction




Average $12.35 \mathrm{m\,s^{-1}\,px^{-1}}$ Intercept $\approx -1292 \mathrm{m\,s^{-1}}$






 $^{a}\mathrm{Maybe}$ a $\pm5\mathrm{m\,s}^{-1}\text{-level}$ intercept noise are permitted.



Speed Dis. /m s-1






Average


 $12.35\mathrm{m\,s^{-1}\,px^{-1}}$ Intercept $\approx -1292\mathrm{m\,s^{-1}}$


Notice


What we are calculating here are actually $|\mathbf{v}_{\mathrm{NO}}|$, which are not supposed to be minus a .


 $^a\mathrm{Maybe}$ a $\pm 5\mathrm{m\,s}^{-1}\text{-level}$ intercept noise are permitted.


























If we assume a virtual zero point: The fake data obtains a huge weight! Statistics tools always treat all data as proper indications.






If we assume a virtual zero point: The fake data obtains a huge weight! Statistics tools always treat all data as proper indications.


⇒ After assignments, which are the points we should use?




464.484 nm $\approx 43058.49 \text{cm}^{-1}$	464.114 nm ≈ 43092.81 cm ⁻¹	460.875 nm $\approx 43395.69 \text{cm}^{-1}$	456.659 nm $\approx 43796.34 \text{cm}^{-1}$
px = 253.162	px = 253.655	px = 256.240	px = 246.776
rR2 (44.5)	rR2 (45.5)	sR21 (48.5)	sR21 (58.5)



464.484 nm ≈ 43058.49 cm ⁻¹	464.114 nm ≈ 43092.81 cm ⁻¹	460.875 nm $\approx 43395.69 \text{cm}^{-1}$	456.659 nm ≈ 43796.34 cm ⁻¹
px = 253.162	px = 253.655	px = 256.240	px = 246.776
rR2 (44.5)	rR2 (45.5)	sR21 (48.5)	sR21 (58.5)



464.484 nm ≈ 43058.49 cm ⁻¹	464.114 nm ≈ 43092.81 cm ⁻¹	460.875 nm $\approx 43395.69 \text{cm}^{-1}$	456.659 nm ≈ 43796.34 cm ⁻¹
px = 253.162	px = 253.655	px = 256.240	px = 246.776
rR2 (44.5)	rR2 (45.5)	sR21 (48.5)	sR21 (58.5)



460.875 nm $\approx 43395.69 \text{cm}^{-1}$	456.659 nm $\approx 43796.34 \text{cm}^{-1}$
px = 256.240	px = 246.776
sR21 (48.5)	sR21 (58.5)

Reference

- [1] Rémy Jost et al. The Journal of Chemical Physics 105.3 (July 1996).
- [2] Charlotte Emma Moore and Jean W. Gallagher. "Tables of spectra of hydrogen, carbon, nitrogen, and oxygen atoms and ions". 1993.
- [3] Colin M. Western. Journal of Quantitative Spectroscopy and Radiative Transfer 186 (2017), pp. 221–242.