



Computer
Science

CSC380: Principles of Data Science


Probability 4

Xinchen Yu

- Multivariate Random Variables
 - Joint distribution vs. Marginal distribution
 - Independence of RVs
- Expectation and Variance Revisited
 - Covariance, correlation
- Example multivariate RVs

Multivariate Random Variables

Multivariate RVs: example



- X : people $\rightarrow$ their genders
- Y : people $\rightarrow$ their class year
- We'd like to answer questions such as: does X and Y have a correlation?
 - I.e., is a student in higher class year more likely to be male?
- We call (X, Y) a random vector, or a multivariate RV, and will study its *joint* distribution

Joint distribution of discrete RVs

- The joint PMF (probability mass function) of discrete random variables X, Y :

$$f(x, y) = P(X = x, Y = y)$$

Examples


Alexandra

$$P(X = \text{Fem}, Y = \text{Soph}) = \frac{1}{4}$$

Dharuvika

$$P(X = \text{Fem}, Y = \text{Jun}) = \frac{1}{4}$$

...



Joint distribution of discrete RVs

- X : # of cars owned by a randomly selected household
- Y : # of computers owned by the same household

- Joint pmf shown with a table

x	y			
	1	2	3	4
1	0.1	0	0.1	0
2	0.3	0	0.1	0.2
3	0	0.2	0	0

- Probability that a randomly selected household has ≥ 2 cars and ≥ 2 computers?
 - $P(X \geq 2, Y \geq 2) = 0.5$

Marginal distributions

Given joint distribution of (X, Y) , need distribution of one of them, say X .

- Named the *marginal distribution* of X .

- How to find $P(X = x)$?

- Using law of total probability:

$$f_1(x) = \sum_y f(x, y)$$

x	y			
	1	2	3	4
1	0.1	0	0.1	0
2	0.3	0	0.1	0.2
3	0	0.2	0	0

- This operation is called *marginalization* ('marginalizing out variable Y ', or variable elimination)

Joint distribution of continuous RVs

- Any continuous random vector (X,Y) has a *joint probability density function* (PDF) $f(x,y)$, such that for all C ,


$$P((X,Y) \in C) = \iint_C f(x,y) dx dy$$

$f(x,y)$: represent a 2D surface

double integral: the *volume* under the surface

Properties:

- f is nonnegative
- $\iint_{R^2} f(x,y) dx dy = 1$ (R^2 = the whole x-y plane)
 - $P((X,Y) \in R^2) = 1$




Example: dartboard

- Dartboard with center $(0,0)$ and radius 1; dart lands uniformly at random on the board

- What is the joint PDF of (X, Y) ?

- Fact: the PDF is

$$f(x, y) = \begin{cases} c, & x^2 + y^2 \leq 1 \\ 0, & \text{otherwise} \end{cases}$$



- This is called “the Uniform distribution over the unit disk”

Marginal distribution of continuous RV

Given joint distribution of continuous RV (X, Y) , how to find X 's PDF f_1 ?

Fact (marginalization) $f_1(x) = \int_R f(x, y) dy$

Replacing summation with integration in the continuous case ('marginalizing / integrating out variable Y ')

How about Y 's PDF f_2 ?

- Marginalize out X

Example: dartboard


The PDF of X, Y is

$$f(x, y) = \begin{cases} \frac{1}{\pi}, & x^2 + y^2 \leq 1 \\ 0, & \text{otherwise} \end{cases}$$

What is the marginal distribution over X ?

$$f_1(x) = \int_{-\infty}^{+\infty} f(x, y) dy$$

How to find this integral?



Joint distribution of more than 3 RVs

- We can consider the joint distribution of more than 3 random variables,
 - E.g. (A,B,C), A = gender, B = class year, C = blood type
- Discrete RVs: can still define joint PMFs

a	b	c	$P(A = a, B = b, C = c)$
0	0	0	0.06
0	0	1	0.09
0	1	0	0.08
0	1	1	0.12
1	0	0	0.06
1	0	1	0.24
1	1	0	0.10
1	1	1	0.25

Marginalization

a	b	c	$P(A = a, B = b, C = c)$
0	0	0	0.06
0	0	1	0.09
0	1	0	0.08
0	1	1	0.12
1	0	0	0.06
1	0	1	0.24
1	1	0	0.10
1	1	1	0.25

Given the joint distribution of (A, B, C)

- What is the distribution of A ?

- Need to find $P(A = 0)$ and $P(A = 1)$

$$P(A = 0) = \sum_{b,c} P(A = 0, B = b, C = c)$$

Marginalization: summing over irrelevant variables

- What is the joint distribution of (A, B) ?

- Need to find $P(A = 0, B = 0), \dots, P(A = 1, B = 1)$

$$P(A = 0, B = 0) = \sum_c P(A = 0, B = 0, C = c)$$

Marginalization for continuous RVs

Suppose joint PDF of (A, B, C) is $f(a, b, c)$

- What is the PDF of A ?

$$f_A(a) = \iint_{\mathbb{R}^2} f(a, b, c) \, db \, dc$$

- What is the joint PDF of (A, B) ?

$$f_{A,B}(a, b) = \int_{\mathbb{R}} f(a, b, c) \, dc$$

Marginalization: summing over irrelevant variables

- These operations generalize to joint PDFs of more RVs..