

FURTHER MATHEMATICS PAPER 2
0775**CAMEROON GENERAL CERTIFICATE OF EDUCATION BOARD****General Certificate of Education Examination****JUNE 2019****ADVANCED LEVEL**

Subject Title	Further Mathematics
Paper No.	2
Subject Code No.	0775

THREE HOURS**Answer ALL 10 questions.***For your guidance, the approximate mark allocation for parts of each question is indicated.**Mathematical formulae and tables published by the Board, and noiseless non-programmable electronic calculators are allowed.**In calculations, you are advised to show all the steps in your working, giving your answer at each stage.*

Turn Over

1. Find the complementary function of the differential equation

$$2 \frac{d^2 y}{dx^2} - \frac{dy}{dx} - 3y = 5e^{-x},$$

in the form $y = f(x)$. (3 marks)

Hence find the particular integral and the general solution in the form $y = f(x)$. (4 marks)

2. (a) Express $f(x)$ in partial fractions where

$$f(x) = \frac{2x^3 + x + 2}{(x^2 + 1)(x + 1)(x - 2)}, \quad x \neq -1, 2. \quad (4 \text{ marks})$$

Hence, or otherwise, show that

$$\int_0^1 f(x) dx = -\frac{1}{12} [13 \ln 2 + \pi] \quad (4 \text{ marks})$$

3. (a) Solve the equation

$$\tanh^{-1} \left(\frac{x-2}{x+1} \right) = \ln 2. \quad (4 \text{ marks})$$

(b) Show that the set $\{1, 2, 4, 8\}$ under \times_{15} , multiplication mod 15, forms a group. (4 marks)

4. (a) Given that the matrix M is defined by

$$M = \begin{pmatrix} 3 & 1 \\ 0 & 2 \end{pmatrix}$$

Prove by induction that

$$M^n = \begin{pmatrix} 3^n & 3^n - 2^n \\ 0 & 2^n \end{pmatrix}, \text{ for all } n \geq 1. \quad (4 \text{ marks})$$

(b) A curve is given by the parametric equations

$$x = t^2, \quad y = t \left(1 - \frac{1}{3} t^2 \right), \quad 0 \leq t \leq \sqrt{3}.$$

Show that the length of the curve is $2\sqrt{3}$. (3 marks)

5. Show that the curve with polar coordinates (r, θ) where

$$r = \frac{4}{-3 + 3 \sin \theta}, \quad \theta \neq n\pi + (-1)^n \frac{\pi}{2}, \quad n \in \mathbb{Z}.$$

is a parabola, P , in the (x, y) plane. (2 marks)

Show that the point $(2, -\frac{5}{6})$ lies on P and find the equation of the tangent to P at this point.

(4 marks)

6. (a) By the use of the Chinese Remainder Theorem, or otherwise, solve the system of congruences

$$x \equiv 3 \pmod{4}$$

$$x \equiv 4 \pmod{7}$$

(5 marks)

(b) A complex number z is defined by $z = \frac{1}{2}(\cos \theta + i \sin \theta)$, such that

$$z^n = \frac{1}{2^n}(\cos n\theta + i \sin n\theta).$$

Using De Moivre's theorem, or otherwise, show that

i) $\sum_{r=0}^{\infty} \frac{1}{4^r} \sin 2r\theta$ is a convergent geometric progression. (1 mark)

ii) $\sum_{r=0}^{\infty} \frac{1}{4^r} \sin 2r\theta = \frac{4 \sin 2\theta}{17 - 16 \cos 2\theta}$ (4 marks)

7. A transformation, f , on a complex plane is defined by

$$z' = 2z + 3 - 4i.$$

- (i) Find the image of the point $z = 2 - i$. (1 mark)
- (ii) Determine the invariant point of f in the form $a + ib$, $a, b \in \mathbb{R}$. (2 marks)
- (iii) Show that f is a similarity transformation (similitude), stating its radius. (2 marks)
- (iv) Give the geometrical interpretation of f . (1 mark)

8. Given two vectors

$$\mathbf{a} = \alpha \mathbf{i} - \mathbf{j} - 4\mathbf{k} \text{ and } \mathbf{b} = 3\mathbf{i} + 2\mathbf{j} + (1 + 2\beta)\mathbf{k}, \alpha, \beta \in \mathbb{Z},$$

$$\mathbf{a} \times \mathbf{b} = 3\mathbf{i} - 21\mathbf{j} + 6\mathbf{k},$$

- (i) Calculate the values of the real constants α and β . (3 marks)
- (ii) By using the values of α and β , state the vectors \mathbf{a} and \mathbf{b} . (1 mark)
- (iii) Show that \mathbf{a} and \mathbf{b} are linearly independent. (2 marks)
- (iv) Find the Cartesian equation of the plane containing \mathbf{a} and \mathbf{b} . (2 marks)

9. A function, f , is defined by

$$f(x) = \frac{1}{(1 + e^x)^2}.$$

- (i) Find the domain of f . (1 mark)
- (ii) Find the intercept(s) of the curve $y = f(x)$. (2 marks)
- (iii) Find

$$\lim_{x \rightarrow -\infty} f(x) \text{ and } \lim_{x \rightarrow +\infty} f(x),$$

and state the asymptotes of the curve $y = f(x)$. (3 marks)

- (iv) Determine $f'(x)$ and $f''(x)$. (4 marks)
- (v) Prove that there are no turning points. (2 marks)
- (vi) Prove, also, that $\left(-\ln 2, \frac{4}{9}\right)$ is the only point of inflexion. (2 marks)
- (vii) Obtain the intervals on which f is concave up and intervals on which f is concave down. (2 marks)
- (viii) Obtain a variation table for f . (2 marks)
- (ix) Sketch the curve, $y = f(x)$. (2 marks)

10. Two sequences, (u_n) and (v_n) , for $n \in \mathbb{N}$ are defined as follows:

$$\begin{cases} u_0 = 3 \\ u_{n+1} = \frac{1}{2}(u_n + v_n) \end{cases} \text{ and } \begin{cases} v_0 = 4 \\ v_{n+1} = \frac{1}{2}(u_{n+1} + v_n) \end{cases}$$

(i) Calculate u_1 , v_1 , u_2 and v_2 . (5 marks)

(ii) Another sequence (w_n) is defined by

$$w_n = v_n - u_n, \forall n \in \mathbb{N}.$$

(iii) Show that (w_n) is a convergent geometric sequence. (2 marks)

(iv) Express w_n as a function of n and obtain its limit. (4 marks)

(v) Study the sense of variation (monotony) of (u_n) and (v_n) .

What can you deduce?

(4 marks)

(vi) Consider another sequence, t_n , defined by

$$t_n = \frac{u_n + 2v_n}{3}, \forall n \in \mathbb{N}$$

(vii) Show that (t_n) is a constant sequence. (2 marks)

(viii) Hence, obtain the limits of the sequences (u_n) and (v_n) . (3 marks)

END