MAT 221	Name (Print):
Spring 2018	,
Exam II	
3/09/18	
Time Limit: 50 Minutes	Student ID

This exam contains 4 pages (including this cover page) and 7 problems. Check to see if any pages are missing. Enter all requested information on the top of this page, and put your initials on the top of every page, in case the pages become separated.

You may *not* use your books, notes, or any calculator on this exam.

You are required to show your work on each problem on this exam. The following rules apply:

- If you use a "fundamental theorem" you must indicate this and explain why the theorem may be applied.
- Organize your work, in a reasonably neat and coherent way, in the space provided. Work scattered all over the page without a clear ordering will receive very little credit.
- Mysterious or unsupported answers will not receive full credit. A correct answer, unsupported by calculations, explanation, or algebraic work will receive no credit; an incorrect answer supported by substantially correct calculations and explanations might still receive partial credit.
- If you need more space, use the back of the pages; clearly indicate when you have done this.

Do not write in the table to the right.

Problem	Points	Score
1	20	
2	8	
3	8	
4	14	
5	15	
6	18	
7	17	
Total:	100	_

1. (20 points) Find the following derivatives.

(a).
$$f(x) = 2x^5 - \frac{1}{\sqrt[3]{x^2}} - \pi$$

$$(b). \ h(x) = \frac{1}{\sin(x)}$$

(c).
$$q(x) = x^{-3}e^x \csc(x)$$

(d).
$$g(t) = \left(\frac{t-2}{2t+1}\right)^9$$

2. (8 points) Let $f(t) = \cos^2(t)$, find f'(t) and f''(t).

3. (8 points) Given f(1) = 3, f'(1) = 2 and g'(3) = 8. If h(x) = f(g(x)), find h'(1).

4. (14 points) Find $\frac{dy}{dx}$ if

$$y = \sin\left(\sqrt{2x - 1}\right)$$

5. (15 points) Let

$$g(x) = \sqrt{3 - 5x}$$

(a) Use the Limit Definition of the Derivative to find g'(x).

(b) Find the domain of g(x) and g'(x)

- 6. (18 points) Let $y = x^3 3x^2 + 2$, and let Point P be at (2,3)
 - (a) Find the slope of the tangent line to the graph of y = f(x) at the point P

(b) Find an equation of the **tangent** line to the graph of y = f(x) at Point P.

(c) Find the equation of the line perpendicular to the tangent line to the curve y = f(x) at Point P.

7. (17 points) Locate all x values, $0 \le x \le \pi$, where the graph of $y = 3x^2 - \cos(3x^2)$ has a horizontal tangent line.