

GROUP PROJECT

M7011E  
Design of Dynamic Web Systems

---



David Wass

davwas-7@student.ltu.se

Philip Eriksson

phieri-5@student.ltu.se

Luleå University of Technology

Department of Computer Science, Electrical and Space Engineering

January 14, 2022

# Contents

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The project</b>	<b>2</b>
2.1	Framework . . . . .	2
2.2	Authentiaction service . . . . .	2
2.2.1	Plant service . . . . .	2
2.3	REST API . . . . .	3
2.4	API documentation . . . . .	4
<b>3</b>	<b>Work Distribution</b>	<b>5</b>
3.1	Self-assessment and grading . . . . .	5

# 1 Introduction

Power production today is in the total control of the big power companies and countries that control the resources. With the technology today anyone with the resources can either build or contract a company to build a windmill on privately owned property. This gives the power control back to the people themselves, in order to coordinate this a system where private consumers can register and monitor their windmills is a necessity. This project is about the people or "prosumers" if you will, so they can control the power produced by their own windmills. If they don't produce enough power they can purchase power from other prosumers or a central power plant, if it produces excess power they can decide to sell it. All that's needed is a central API that anyone can download and run themselves. To get things started a simulator has developed by the creators of the API to give an idea of how it will look like when enough people have connected. Metrics such as wind speed and power consumption has been taken into account.

## 2 The project




Figure 1: System design

For our project we decided on going for a micro service architecture - one service for dealing with plant information and running the engine of our events. The other service acts as an authenticate service and website for our users where they can graphically see their plants and decide on what they want to do with them.

### 2.1 Framework

Instead of dividing the framework into two parts front-end and back-end we chose to use a framework that work seamlessly between both worlds, Django. Using Django we can configure our desired database (MySQL in our case) and define the back-end using "views" and "models", then rendering them on the front-end in the browser using templates that are built on HTML files. Django simplifies a lot of things, to create tables in databases you simply write models and then make migrations that automatically adds them with all desired properties in the database. To access and view them views are created, all in python files. Then to render it in the browser templates are written in HTML files, to route everything correctly Django utilizes URL files. Signals can be used to create chain reaction, the included user model in Django is used in the project for signing up to use the service. These users only have predetermined data such as name, username and email; but we also want to be able to have a profile picture and a bio description. Using signals when a user is created a custom profile model is automatically created and linked to the newly created user. To make the service easier on the eyes, already created CSS style sheets are imported using a base file that the rest of the HTML files inherits.

### 2.2 Authentiaction service

#### 2.2.1 Plant service

The asynchronous plant server is written with the python library asyncio. It parses incoming requests and determines if the request is authorized/supported. The database client is responsible for keeping track of incoming queries to the database and to process them accordingly (check for sql injections). By having a client for the database we avoid overloading the database by separate connections.




Figure 2: Module diagram over the plant service. Responds to authenticated clients

By having the client authenticate through the authentication service and receiving confirmation code from the authentication service that the client is trusted with token to access the plants we successfully allow connections to the customers power plants if the website were to ever go offline (limited time on ticket).

It also reduces the load on the main website as users who already have authenticated themselves now do not have to go through the authentication service after a log in has taken place.

## 2.3 REST API




Figure 3: REST API Structure

## 2.4 API documentation

HTTP method	Path	Description	HTTP response code
POST	/api/plant_id/action/off	Turn off prosumer plant with identifier 'plant_id'.	201,401,404
POST	/api/plant_id/action/on	Turn on prosumer plant with identifier 'plant_id'.	201,401,404
POST	/api/plant_id/action/sell?wats=\$arg	Sell \$arg amount of w/hours from plant with identifier 'plant_id'.	201,401,404
GET	/api/plants	Get all information regarding all plants connected to token specified token.	200, 401
GET	/api/weather	Get current information regarding temperature and wind speeds.	200,401
GET	/auth?user=\$arg1&pw=\$arg2	Authenticate user and receive generated jwt token. Token is valid for 6 hours by default to access plant information before needing to get a new token	200,401,404
GET	/auth/token	Get time remaining on token	200, 401
GET	/admin/auth	Get admin access jwt token.	200,401
POST	/admin/simulator/on	Turn on simulator engine	201,401,404
POST	/admin/simulator/off	Turn off simulator engine	201,401,404
DEL	/admin/action/del/user?user_id=\$arg	Remove user.	200,401,404
DEL	admin/action/del/plant?plant_id=\$arg	Remove prosuming plant	200,401,404

Figure 4: System design

### 3 Work Distribution

As a group of two that previously had worked together we held weekly meetings determining what should be done for each week. Some times we sat together in voice-chat for the day working on our own thing but helping each other out, other days we sat alone and synced up at the end of the day. Mainly three major areas was worked at; the simulator, the server and the front-end rendering.

#### 3.1 Self-assessment and grading

**David Wass:**

I've mainly worked with the Django framework, learning it from scratch and creating the application that lets you create a user, login and update your profile. This is what is used to show the work done by the simulator. I've put a lot of time into this project but in hindsight the time could have been better spent since a lot of it didn't "bear any fruit" to the project result. I do not think I deserve more than a passing grade as of right now.

**Philip Eriksson:**

I've mainly focused on the plant service, I've created a http server from scratch which is used to respond to the api calls specified. endpoints in order to connect to the API and the simulator runs separately from the Django framework so if it's any network downtime it won't effect the simulator as long as the VM (hosted by LUDD) is up and running. As we're still working on bashing out minor kinks to get the system fully operational i do not think i deserve more than a passing grade.