

## RESULTAT DES TESTS

```
===== test session starts =====
platform darwin -- Python 3.6.2, pytest-5.2.2, py-1.8.0, pluggy-0.13.0
rootdir: /Users/emiliendurif/Dropbox/cpge/ipt_mpsi_ds/DS08/correction_auto/script/DS_08_hamadi
plugins: timeout-1.3.4
timeout: 60.0s
timeout method: signal
timeout func_only: False
collected 22 items
```

```
test_TP.py .....FFFF.F.FF.FFFF [100%]
```

```
===== FAILURES =====
_____ test_Q7_req _____
```

```
def test_Q7_req ():
>     assert requete(sol_Q7_req) == requete(Q7_req)
E     AssertionError: assert [('DUPONT', '...-52-56'), ...] == [('DUPONT', '...-43-21'), ...]
E         At index 2 diff: ('DUBOIS', '02-41-58-89-52') != ('DUPONT', '01-44-28-52-50')
E         Right contains 13775 more items, first extra item: ('DUPONT', '04-90-78-10-68')
E         Use -v to get the full diff
```

```
test_TP.py:122: AssertionError
_____ test_Q8_req _____
```

```
def test_Q8_req ():
>     assert requete(sol_Q8_req) == requete(Q8_req)
E     AssertionError: assert [('MARTIN',)] == [('MARTIN', '...Jean-Pierre')]
E         At index 0 diff: ('MARTIN',) != ('MARTIN', 'Marc')
E         Right contains 2 more items, first extra item: ('MARTIN', 'Martin')
E         Use -v to get the full diff
```

```
test_TP.py:125: AssertionError
_____ test_Q9_req _____
```

```
def test_Q9_req ():
>     assert requete(sol_Q9_req) == requete(Q9_req)
E     AssertionError: assert [('MARTIN', 3)] == [('AIACH', 1)...NEE', 1), ...]
E         At index 0 diff: ('MARTIN', 3) != ('AIACH', 1)
E         Right contains 86 more items, first extra item: ('AUZENAT', 1)
E         Use -v to get the full diff
```

```
test_TP.py:128: AssertionError
_____ test_Q10_res _____
```

```
def test_Q10_res ():
>     assert sol_Q10_res.upper() == Q10_res.upper()
E     AssertionError: assert '(88.0, 122.0)' == '88.0 ET 122.0'
E         - (88.0, 122.0)
E         ? -      ^      -
E         + 88.0 ET 122.0
E         ?      ^^^
```

```
test_TP.py:131: AssertionError
_____ test_Q11_res _____
```

```
def test_Q11_res ():
>     assert sol_Q11_res.upper() == Q11_res.upper()
E     AssertionError: assert '(88.0, 122)' == '88 ET 122'
E         - (88.0, 122)
E         + 88 ET 122
```

```
test_TP.py:137: AssertionError
```

```

_____ test_Q12_req _____

def test_Q12_req ():
>     assert requete(sol_Q12_req) == requete(Q12_req)
E     assert [(1,), (2,), ...], (26,), ...] == [(1,), (3,), ...), (2,), ...]
E         At index 1 diff: (2,) != (3,)
E         Right contains 915 more items, first extra item: (689,)
E         Use -v to get the full diff

test_TP.py:143: AssertionError
_____ test_Q13_req _____

def test_Q13_req ():
>     assert requete(sol_Q13_req) == requete(Q13_req)
E     assert [(1,), (2,), ...), (7,), ...] == [(1,), (1,), ...), (1,), ...]
E         At index 1 diff: (2,) != (1,)
E         Right contains 1075 more items, first extra item: (9,)
E         Use -v to get the full diff

test_TP.py:146: AssertionError
_____ test_Q15_res _____

def test_Q15_res ():
>     assert sol_Q15_res.upper() == Q15_res.upper()
E     assert "('MEDARD', 'JACQUES', 1464)" == 'NOM,PRENOM,MONTANT'
E         - ('MEDARD', 'JACQUES', 1464)
E         + NOM,PRENOM,MONTANT

test_TP.py:152: AssertionError
_____ test_Q15_req _____

def test_Q15_req ():
>     assert requete(sol_Q15_req) == requete(Q15_req)
E     AssertionError: assert [('MEDARD', 'Jacques', 1464)] == []
E         Left contains one more item: ('MEDARD', 'Jacques', 1464)
E         Use -v to get the full diff

test_TP.py:155: AssertionError
_____ test_Q15_res2 _____

def test_Q15_res2 ():
>     assert sol_Q15_res2.upper() == Q15_res.upper()
E     assert "('GARREAU', 'PAUL', 22)" == 'NOM,PRENOM,MONTANT'
E         - ('GARREAU', 'PAUL', 22)
E         + NOM,PRENOM,MONTANT

test_TP.py:158: AssertionError
_____ test_Q15_req2 _____

def test_Q15_req2 ():
>     assert requete(sol_Q15_req2) == requete(Q15_req)
E     AssertionError: assert [('GARREAU', 'Paul', 22)] == []
E         Left contains one more item: ('GARREAU', 'Paul', 22)
E         Use -v to get the full diff

test_TP.py:161: AssertionError
===== 11 failed, 11 passed in 0.77s =====

MODIFICATIONS EFFECTUEES SUR LE FICHER RENDU
=====

--- prog.py.orig      2020-06-22 08:24:01.000000000 +0200
+++ prog.py           2020-06-24 14:56:57.000000000 +0200
@@ -51,8 +51,7 @@
 Q13_req = "select CLI_ID from T_FACTURE join T_LIGNE_FACTURE on T_FACTURE.FAC_I
D=T_LIGNE_FACTURE.FAC_ID where LIF_REMISE_MONTANT !=0 or LIF_REMISE_POURCENT!=0;
"
```

## Question 14

```
-Q14_req = "select CLI_ID from T_FACTURE join T_LIGNE_FACTURE on T_FACTURE.FAC_ID=T_LIGNE_FACTURE.FAC_ID  
- where LIF_REMISE_MONTANT < 122 and LIF_REMISE_POURCENT <88;"  
+Q14_req = "select CLI_ID from T_FACTURE join T_LIGNE_FACTURE on T_FACTURE.FAC_ID=T_LIGNE_FACTURE.FAC_ID where LIF_REMISE_MONTANT < 122 and LIF_REMISE_POURCENT <88;"
```

## Question 15