TP 14

SQL Sources :

```
Q1: Il y a 172 tables (valeur indiquée dans l'onglet Tables).
```

Q2: pokemon(id : integer, identifier : string, species_id : integer, height : integer, weight : integer, bASe_experience : integer, order : integer, is_default : boolean)

 ${\bf Q}$ 3 : La clé primaire d'une table est une contrainte d'unicité, composée d'une ou plusieurs colonnes, et qui permet d'identifier de manière unique chaque ligne de la table.

1

```
SELECT height
       FROM pokemon
       WHERE identifier = 'pikachu';
Q4:
SELECT height
       FROM pokemon
       WHERE identifier = 'pikachu';
   4
  \overline{Q5}:
SELECT weight
       FROM pokemon
       WHERE identifier = "pikachu";
60
  Q6:
SELECT identifier
       FROM pokemon
       WHERE height> 4;
  Q7:
SELECT identifier
       FROM pokemon
       WHERE height >
               (SELECT height
               FROM pokemon
               WHERE identifier = "pikachu");
  Q8:
SELECT count(*)
       FROM pokemon
       WHERE height >
```



```
(SELECT height
               FROM pokemon
               WHERE identifier = 'pikachu');
678
  Q9:
SELECT count(*)
       FROM pokemon
       WHERE height =
               (SELECT height
               FROM pokemon
               WHERE identifier = 'pikachu');
63 ;
SELECT max(weight)
       FROM pokemon
       WHERE height =
               (SELECT height
               FROM pokemon
               WHERE identifier = 'pikachu');
600
  Q 10:
SELECT identifier
       FROM pokemon
       WHERE height =
               (SELECT max(height) FROM pokemon);
wailord
SELECT identifier
       FROM pokemon
       WHERE height =
               (SELECT min(height) FROM pokemon);
   joltik et flabebe
  Q11:
SELECT avg(height) FROM pokemon;
12.2503082614057
  Q 12:
SELECT count(*)
       FROM pokemon
       WHERE height <= 8.5 AND height >= 7.5;
44
  Q 13:
SELECT S.identifier, H.identifier
       FROM pokemon\_species AS S
       JOIN pokemon\_habitats AS H
       ON S.habitat\_id = H.id;
  Q14:
SELECT count(*)
       FROM pokemon\_species AS S
       JOIN pokemon\_habitats AS H
       S.habitat\_id = H.id
       WHERE H.identifier = 'forest';
```



```
SELECT count(*)
    FROM pokemon\_species AS S
    JOIN pokemon\_habitats AS H
    ON S.habitat\_id = H.id
    WHERE H.identifier = 'forest' AND S.generation\_id = 3;
```

29