

```
NOM = "Baron"
Prenom = "Tanya"
Classe = "MPSI 2"
alpha="57"
```

```
## Question 1
```

```
Q1_req = "select TIT_CODE, CLI_NOM, CLI_PRENOM from T_CLIENT;"
```

```
## Question 2
```

```
Q2_req = "select count(CLI_NOM) from T_CLIENT;"
```

```
Q2_res = "92"
```

```
## Question 3
```

```
Q3_req = "select CLI_NOM, CLI_PRENOM from T_CLIENT where TIT_CODE = 'Mme.';"
```

```
## Question 4
```

```
Q4_req = "select TIT_CODE, CLI_NOM, CLI_PRENOM from T_CLIENT where TIT_CODE = 'Mme.' or TIT_CODE= 'Melle.';"
```

```
"
```

```
## Question 5
```

```
Q5_req = "select count(CLI_NOM) from T_CLIENT where TIT_CODE = 'Mme.' or TIT_CODE= 'Melle.';"
```

```
Q5_res = "17"
```

```
## Question 6
```

```
Q6_req = "select CLI_NOM as NOM, CLI_PRENOM as PRENOM from T_CLIENT where TIT_CODE = 'Mme.' or TIT_CODE= 'Melle.' order by CLI_NOM asc;"
```

```
## Question 7
```

```
Q7_req = "select CLI_NOM, TEL_NUMERO from T_CLIENT join T_TELEPHONE on T_TELEPHONE.CLI_ID = T_CLIENT.CLI_ID;"
```

```
## Question 8
```

```
Q8_req = "select CLI_NOM, CLI_PRENOM from T_CLIENT group by CLI_NOM having count(CLI_NOM)>1 ; "
```

```
## Question 9
```

```
Q9_req = "select length(CLI_NOM) from T_CLIENT group by CLI_NOM having count(CLI_NOM)>1 ;"
```

```
Q9_res = "8 , 6"
```

```
## Question 10
```

```
Q10_req = "select avg(LIF_REMISE_POURCENT), avg(LIF_REMISE_MONTANT) from T_LIGNE_FACTURE;"
```

```
Q10_res = "72.0 , 106.0"
```

```
## Question 11
```

```
Q11_req = "select max(LIF_REMISE_POURCENT), max(LIF_REMISE_MONTANT) from T_LIGNE_FACTURE;"
```

```
Q11_res = "72, 106"
```

```
## Question 12
```

```
Q12_req = "select distinct FAC_ID as fac_id1 from T_LIGNE_FACTURE where LIF_REMISE_MONTANT = '106' or LIF_REMISE_POURCENT= '72';"
```

```
## Question 13
```

```
Q13_req = ""
```

```
## Question 14
```

```
Q14_req = ""
```

```
## Question 15
```

```
Q15_req = ""
```

Q15\_res ="nom,prenom,montant "