

QF620 Additional Examples

Session 6: Valuation Framework & Stochastic Volatility Models

1 Examples

1. In Bachelier's model, the stock price follows the arithmetic process

$$dS_t = \sigma S_0 dW_t.$$

Derive the valuation formula for a call option struck at K . Assume interest rate is 0.

2. Using the same Bachelier's model in the previous question, derive the valuation formula for a digital cash-or-nothing call option struck at K . Assume interest rate is 0.
3. Under the risk-neutral measure \mathbb{Q}^* associated to the risk-free bond numeraire, the stock price follows the stochastic differential equation:

$$dS_t = r S_t dt + \sigma S_t dW_t^*.$$

A financial contract pays $\log S_T$ on the expiry date T . Derive the valuation formula for this financial contract.

4. Under the risk-neutral measure \mathbb{Q}^* associated to the risk-free bond numeraire, the stock price follows the stochastic differential equation:

$$dS_t = r S_t dt + \sigma S_t dW_t^*.$$

A financial contract pays $\log \frac{S_T}{K}$ on the expiry date T . Derive the valuation formula for this financial contract.

5. Under the risk-neutral measure \mathbb{Q}^* associated to the risk-free bond numeraire, the stock price follows the stochastic differential equation:

$$dS_t = r S_t dt + \sigma S_t dW_t^*.$$

A financial contract pays $\max \left\{ \log \frac{S_T}{K}, 0 \right\}$ on the expiry date T . Derive the valuation formula for this financial contract.

2 Suggested Solutions

1. Solving the stochastic differential equation by directly integrating it, we obtain

$$\begin{aligned}\int_0^T dS_u &= \sigma S_0 \int_0^T dW_u \\ S_T - S_0 &= \sigma S_0 W_T \\ S_T &= S_0 + \sigma S_0 W_T.\end{aligned}$$

We want to evaluate

$$\mathbb{E}[(S_T - K)^+] = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} (S_0 + \sigma S_0 \sqrt{T}x - K)^+ e^{-\frac{x^2}{2}} dx$$

The inequality to satisfy is

$$\begin{aligned}S_T &> K \\ S_0 + \sigma S_0 \sqrt{T}x &> K \\ \Rightarrow x &> \frac{K - S_0}{\sigma S_0 \sqrt{T}} = x^*\end{aligned}$$

So

$$\begin{aligned}\mathbb{E}[(S_T - K)^+] &= \frac{1}{\sqrt{2\pi}} \int_{x^*}^{\infty} (S_0 + \sigma S_0 \sqrt{T}x - K) e^{-\frac{x^2}{2}} dx \\ &= \frac{1}{\sqrt{2\pi}} \int_{x^*}^{\infty} (S_0 - K) e^{-\frac{x^2}{2}} dx + \frac{1}{\sqrt{2\pi}} \int_{x^*}^{\infty} \sigma S_0 \sqrt{T}x e^{-\frac{x^2}{2}} dx \\ &= (S_0 - K) \Phi(-x^*) + \frac{\sigma S_0 \sqrt{T}}{\sqrt{2\pi}} e^{-\frac{x^{*2}}{2}} \\ &= (S_0 - K) \Phi\left(\frac{S_0 - K}{\sigma S_0 \sqrt{T}}\right) + \sigma S_0 \sqrt{T} \phi\left(\frac{S_0 - K}{\sigma S_0 \sqrt{T}}\right)\end{aligned}$$

where

$$\phi(x) = \frac{1}{\sqrt{2\pi}} e^{-\frac{x^2}{2}}, \quad \Phi(x) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^x e^{-\frac{u^2}{2}} du. \quad \triangleleft$$

2. This is straightforward. The inequality to satisfy is

$$\begin{aligned}S_T &> K \\ S_0 + S_0 \sigma \sqrt{T}x &> K \\ \Rightarrow x &> \frac{K - S_0}{S_0 \sigma \sqrt{T}} = x^*.\end{aligned}$$

The option formula is

$$\begin{aligned}\frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} \mathbb{1}_{S_T > K} e^{-\frac{x^2}{2}} dx &= \frac{1}{\sqrt{2\pi}} \int_{x^*}^{\infty} e^{-\frac{x^2}{2}} dx \\ &= \Phi(-x^*) = \Phi\left(\frac{S_0 - K}{S_0 \sigma \sqrt{T}}\right). \quad \triangleleft\end{aligned}$$

3. The solution to the stochastic differential equation is given by

$$S_T = S_0 e^{\left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^*}$$

$$\log S_T = \log S_0 + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^*.$$

Let V_t denote the value of this financial contract at time t . Under the \mathbb{Q}^* measure, we have

$$\begin{aligned} \frac{V_0}{B_0} &= \mathbb{E}^{\mathbb{Q}^*} \left[\frac{V_T}{B_T} \right] \\ V_0 &= e^{-rT} \mathbb{E}^{\mathbb{Q}^*} [\log S_T] \\ &= e^{-rT} \mathbb{E}^{\mathbb{Q}^*} \left[\log S_0 + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^* \right] \\ &= e^{-rT} \left[\log S_0 + \left(r - \frac{\sigma^2}{2}\right)T \right]. \quad \triangleleft \end{aligned}$$

4. We have

$$\begin{aligned} \log S_T &= \log S_0 + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^* \\ \log S_T - \log K &= \log S_0 - \log K + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^* \\ \log \frac{S_T}{K} &= \log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^* \end{aligned}$$

Let V_t denote the value of this financial contract at time t . Under the \mathbb{Q}^* measure, we have

$$\begin{aligned} \frac{V_0}{B_0} &= \mathbb{E}^{\mathbb{Q}^*} \left[\frac{V_T}{B_T} \right] \\ V_0 &= e^{-rT} \mathbb{E}^{\mathbb{Q}^*} \left[\log \frac{S_T}{K} \right] \\ &= e^{-rT} \mathbb{E}^{\mathbb{Q}^*} \left[\log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^* \right] \\ &= e^{-rT} \left[\log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2}\right)T \right]. \quad \triangleleft \end{aligned}$$

5. We have

$$\log \frac{S_T}{K} = \log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^*.$$

To value $\max \left\{ \log \left(\frac{S_T}{K} \right), 0 \right\}$, we are interested in the inequality

$$\begin{aligned} \log \frac{S_T}{K} &> 0 \\ \log S_0 - \log K + \left(r - \frac{\sigma^2}{2}\right)T + \sigma \sqrt{T}x &> 0 \\ x &> \frac{\log \frac{K}{S_0} - \left(r - \frac{\sigma^2}{2}\right)T}{\sigma \sqrt{T}} = x^* \end{aligned}$$

Let V_t denote the value of this financial contract at time t . Under the \mathbb{Q}^* measure, we have

$$\begin{aligned}
\frac{V_0}{B_0} &= \mathbb{E}^{\mathbb{Q}^*} \left[\frac{V_T}{B_T} \right] \\
V_0 &= e^{-rT} \mathbb{E}^{\mathbb{Q}^*} \left[\max \left\{ \log \frac{S_T}{K}, 0 \right\} \right] \\
&= \frac{e^{-rT}}{\sqrt{2\pi}} \int_{x^*}^{\infty} \left[\log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2} \right) T + \sigma \sqrt{T} x \right] e^{-\frac{x^2}{2}} dx \\
&= \frac{e^{-rT}}{\sqrt{2\pi}} \left[\int_{x^*}^{\infty} \left(\log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2} \right) T \right) e^{-\frac{x^2}{2}} + \int_{x^*}^{\infty} \sigma \sqrt{T} x e^{-\frac{x^2}{2}} dx \right] \\
&= e^{-rT} \phi(d_2) \sigma \sqrt{T} + e^{-rT} \left[\log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2} \right) T \right] \Phi(d_2).
\end{aligned}$$

where $d_2 = \frac{\log \frac{S_0}{K} + \left(r - \frac{\sigma^2}{2} \right) T}{\sigma \sqrt{T}}.$ \triangleleft