

# Exploratory Data Analysis on los\_angeles\_10.csv

*USC Machine Learning Team*

*11/2/2017*

## Data Loading

```
# load data file
if (!exists("LA10.raw")) {
  LA10.raw <- read.csv("./los_angeles_10.csv")
}
print(nrow(LA10.raw))
```

```
## [1] 2119
```

## Data Cleaning & Exploratory Analysis

Data Cleaning & Exploratory Analysis are iterative, starting at next page.

## Epoch 1: Display of Vertical Acceleration with Natural Gravity

**Date:** the time stamp of a data point

**Speed:** traveling speed of the vehicle

**forw\_accel:** forward acceleration (front and back) of the vehicle

**hori\_accel:** horizontal acceleration (left and right) of the vehicle


**vert\_accel\_G:** vertical acceleration (up and down) of the vehicle with natural gravity (-1G)

**speedbump:** whether this data point is a speedbump

```
LA10.valid = LA10.raw[, c("Date", "Latitude", "Longitude", "Speed")]
# validate DateTime format
LA10.valid$Date <- as.POSIXct(LA10.valid$Date, format="%Y-%m-%d %H:%M:%OS")
# specify orientation of acceleration
LA10.valid$forw_accel = LA10.raw$X
LA10.valid$hori_accel = LA10.raw$Y
LA10.valid$vert_accel_G = LA10.raw$Z
# mark speed bumps
for (i in 1:nrow(LA10.valid)) {
  LA10.valid$speedbump[i] = "no"
}
for (i in c(88, 90, 91, 108, 109, 110, 1287, 1296, 1338, 1345, 1989, 1990, 1991)) {
  LA10.valid$speedbump[i] = "yes"
}
```

## Loading required package: ggplot2

### Time-Indexed Vertical Acceleration with Natural Gravity




Note: Speed bumps are labeled as *red* points on the graph.

## Epoch 2: Display of Vertical Acceleration without Natural Gravity

`vert_accel`: vertical acceleration (up and down) of the vehicle without natural gravity

```
# remove natural gravity in vertical acceleration  
LA10.valid$vert_accel = LA10.valid$vert_accel_G + 1
```




Note: Speed bumps are labeled as *red* points on the graph.

### Epoch 3: Display of Ratio between Vertical Acceleration (w/o Natural G) and Speed

`vert_accel_ratio_speed`: the ratio between vertical acceleration (without natural gravity) and traveling speed

```
# calculate ratio between vertical acceleration and speed
for (i in 1:nrow(LA10.valid)) {
  if (LA10.valid$Speed[i] == 0) {
    LA10.valid$vert_accel_ratio_speed[i] = 0
  }
  else {
    LA10.valid$vert_accel_ratio_speed[i] = LA10.valid$vert_accel[i] / LA10.valid$Speed[i]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

## Epoch 4: Display of Ratio between Vertical Acceleration (w/o Natural G) and Speed

**sq\_vert\_accel\_ratio\_speed**: the ratio between squared vertical acceleration (without natural gravity) and traveling speed

```
# calculate ratio between vertical acceleration and speed
for (i in 1:nrow(LA10.valid)) {
  if (LA10.valid$Speed[i] == 0) {
    LA10.valid$sq_vert_accel_ratio_speed[i] = 0
  }
  else {
    LA10.valid$sq_vert_accel_ratio_speed[i] = (LA10.valid$vert_accel[i] * LA10.valid$vert_accel[i]) / LA10.valid$Speed[i]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

## Epoch 5: Display of Vertical Jolt (Incremental Change of Vert. Accel.)

`vert_jolt`: vertical jolt of the vehicle (incremental change of vertical acceleration)

```
# calculate vertical jolt
for (i in 1:nrow(LA10.valid)) {
  if (i == 1) {
    LA10.valid$vert_jolt[i] = 0
  }
  else {
    LA10.valid$vert_jolt[i] = LA10.valid$vert_accel[i] - LA10.valid$vert_accel[i - 1]
  }
}
```



Note: Speed bumps are labeled as *red* points on the graph.

## Epoch 6: Display of Ratio between Vertical Jolt and Speed

`vert_jolt_ratio_speed`: the ratio between vertical jolt and traveling speed

```
# calculate ratio between vertical jolt and speed
for (i in 1:nrow(LA10.valid)) {
  if (LA10.valid$Speed[i] == 0) {
    LA10.valid$vert_jolt_ratio_speed[i] = 0
  }
  else {
    LA10.valid$vert_jolt_ratio_speed[i] = LA10.valid$vert_jolt[i] / LA10.valid$Speed[i]
  }
}
```




Note: Speed bumps are labeled as *red* points on the graph.

## Epoch 7: Display of Ratio between Squared Vertical Jolt and Speed

`sq_vert_jolt_ratio_speed`: the ratio between squared vertical jolt and traveling speed

```
# calculate ratio between vertical jolt and speed
for (i in 1:nrow(LA10.valid)) {
  if (LA10.valid$Speed[i] == 0) {
    LA10.valid$sq_vert_jolt_ratio_speed[i] = 0
  }
  else {
    LA10.valid$sq_vert_jolt_ratio_speed[i] = (LA10.valid$vert_jolt[i] * LA10.valid$vert_jolt[i]) / LA10.valid$Speed[i]
  }
}
```



Note: Speed bumps are labeled as *red* points on the graph.



## Epoch 8: Display of Sliding-Window Statistics of Vertical Jolt


vert\_jolt\_mean: 5-sliding-window mean of vertical jolt  
vert\_jolt\_sd: 5-sliding-window standard deviation of vertical jolt  
vert\_jolt\_min: 5-sliding-window minimum of vertical jolt  
vert\_jolt\_max: 5-sliding-window maximum of vertical jolt  
vert\_jolt\_range: 5-sliding-window range of vertical jolt

```
# calculate 5-sliding-window mean of vertical jolt
for (i in 3:nrow(LA10.valid)-2) {
  LA10.valid$vert_jolt_mean[i] = mean(c(LA10.valid$vert_jolt[i-2],
                                       LA10.valid$vert_jolt[i-1],
                                       LA10.valid$vert_jolt[i],
                                       LA10.valid$vert_jolt[i+1],
                                       LA10.valid$vert_jolt[i+2]))
}
LA10.valid$vert_jolt_mean[1] = 0
LA10.valid$vert_jolt_mean[2] = 0
LA10.valid$vert_jolt_mean[nrow(LA10.valid) - 1] = 0
LA10.valid$vert_jolt_mean[nrow(LA10.valid)] = 0
# calculate 5-sliding-window standard deviation of vertical jolt
for (i in 3:nrow(LA10.valid)-2) {
  LA10.valid$vert_jolt_sd[i] = sd(c(LA10.valid$vert_jolt[i-2],
                                   LA10.valid$vert_jolt[i-1],
                                   LA10.valid$vert_jolt[i],
                                   LA10.valid$vert_jolt[i+1],
                                   LA10.valid$vert_jolt[i+2]))
}
LA10.valid$vert_jolt_sd[1] = 0
LA10.valid$vert_jolt_sd[2] = 0
LA10.valid$vert_jolt_sd[nrow(LA10.valid) - 1] = 0
LA10.valid$vert_jolt_sd[nrow(LA10.valid)] = 0
# calculate 5-sliding-window minimum of vertical jolt
for (i in 3:nrow(LA10.valid)-2) {
  LA10.valid$vert_jolt_min[i] = min(c(LA10.valid$vert_jolt[i-2],
                                     LA10.valid$vert_jolt[i-1],
                                     LA10.valid$vert_jolt[i],
                                     LA10.valid$vert_jolt[i+1],
                                     LA10.valid$vert_jolt[i+2]))
}
LA10.valid$vert_jolt_min[1] = 0
LA10.valid$vert_jolt_min[2] = 0
LA10.valid$vert_jolt_min[nrow(LA10.valid) - 1] = 0
LA10.valid$vert_jolt_min[nrow(LA10.valid)] = 0
# calculate 5-sliding-window maximum of vertical jolt
for (i in 3:nrow(LA10.valid)-2) {
  LA10.valid$vert_jolt_max[i] = max(c(LA10.valid$vert_jolt[i-2],
                                     LA10.valid$vert_jolt[i-1],
                                     LA10.valid$vert_jolt[i],
                                     LA10.valid$vert_jolt[i+1],
                                     LA10.valid$vert_jolt[i+2]))
}
LA10.valid$vert_jolt_max[1] = 0
```

```

LA10.valid$vert_jolt_max[2] = 0
LA10.valid$vert_jolt_max[nrow(LA10.valid) - 1] = 0
LA10.valid$vert_jolt_max[nrow(LA10.valid)] = 0
# calculate 5-sliding-window range of vertical jolt
LA10.valid$vert_jolt_range = LA10.valid$vert_jolt_max - LA10.valid$vert_jolt_min


```



Note: Speed bumps are labeled as *red* points on the graph.

## Epoch 9: Comparative Display of Two Most Promising Factors

### Comparison of Two Most Promising Factors



Note: Ratio of Sq. Vert. Jolt & Speed is negatively flipped for visualization purpose.

Note: Speed bumps are labeled as *red* points on the graph.

## Data Writing

**Date:** the time stamp of a data point

**Latitude:**

**Longitude:**

**Speed:** traveling speed of the vehicle

**speedbump:** whether this data point is a speedbump

**forw\_accel:** forward acceleration (front and back) of the vehicle

**hori\_accel:** horizontal acceleration (left and right) of the vehicle

**vert\_accel\_G:** vertical acceleration (up and down) of the vehicle with natural gravity (-1G)

**vert\_accel:** vertical acceleration (up and down) of the vehicle without natural gravity

**vert\_accel\_ratio\_speed:** the ratio between vertical acceleration (without natural gravity) and traveling speed

**sq\_vert\_accel\_ratio\_speed:** the ratio between squared vertical acceleration (without natural gravity) and traveling speed

**vert\_jolt:** vertical jolt of the vehicle (incremental change of vertical acceleration)

**vert\_jolt\_ratio\_speed:** the ratio between vertical jolt and traveling speed

**sq\_vert\_jolt\_ratio\_speed:** the ratio between squared vertical jolt and traveling speed

**vert\_jolt\_mean:** 5-sliding-window mean of vertical jolt

**vert\_jolt\_sd:** 5-sliding-window standard deviation of vertical jolt

**vert\_jolt\_min:** 5-sliding-window minimum of vertical jolt

**vert\_jolt\_max:** 5-sliding-window maximum of vertical jolt

**vert\_jolt\_range:** 5-sliding-window range of vertical jolt

```
jpeg("./Epoch1_LA10.vert_accel_G.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.vert_accel_G.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch2_LA10.vert_accel.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.vert_accel.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch3_LA10.vert_accel_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.vert_accel_ratio_speed.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch4_LA10.sq_vert_accel_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.sq_vert_accel_ratio_speed.plot)
dev.off()
```

```
## pdf
## 2
```

```
jpeg("./Epoch5_LA10.vert_jolt.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.vert_jolt.plot)
dev.off()
```

```
## pdf
```

```

## 2
jpeg("./Epoch6_LA10.vert_jolt_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.vert_jolt_ratio_speed.plot)
dev.off()

## pdf
## 2
jpeg("./Epoch7_LA10.sq_vert_jolt_ratio_speed.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.sq_vert_jolt_ratio_speed.plot)
dev.off()

## pdf
## 2
jpeg("./Epoch8_LA10.vert_jolt_5.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.vert_jolt_5.plot)
dev.off()

## pdf
## 2
jpeg("./Epoch9_LA10.comparative.plot.jpeg", width = 1200, height = 750, units = "px")
print(LA10.comparative.plot)
dev.off()

## pdf
## 2
write.csv(LA10.valid, "./los_angeles_10_labeled.csv")

```