


# AI with Python

## Teacher Workshop

Dr. Xing Xing (Symphony)

Mudit Chaudhary



# Content



## Getting Started

1. What is Python?



## Python Basics

1. Hello World
2. Programming concepts (Variables, If-else statements, Loops, Lists, Dictionaries, Functions, and Libraries)



## AI Project

1. Create a virtual assistant (tell joke, get weather, get movie rating, get movie director, get movie cast)

14:00 ~ 15:30

Lecture & Jupyter notebook 1

15:30 ~ 15:45


Breakout room/Take break

15:45 ~ 17:15

Lecture & Jupyter notebook 2  
Survey

17:15 ~ 17:30

Breakout room/Early leave



# Getting Started

# What is Python?

-  python™ is a programming language created by **Guido van Rossum** in 1991.
- Python is one of the most popular programming languages for developing **Artificial Intelligence applications**.



Snake  
genus



# Why Python?

- Beginner-friendly
- Clear syntax
- Short code
- Wide range of applications
  - Artificial intelligence/Data science/Machine learning, Web applications, Desktop software, Mobile apps, Big data, Games, ...
- Lots of support (e.g., libraries, communities)
- In high demand

Top Programming Languages 2021

Rank	Language	Score
1	Python	100
2	Java	95.4
3	C	94.7
4	C++	92.4
5	JavaScript	88.1
6	C#	82.4
7	R	81.7
8	Go	77.7
9	HTML	75.4
10	Swift	70.4

Source: [IEEE](#)

# Get Python

Get Python on  
your computer:



Cloud-based  
platform:



**Datalore**



Notebook



# Introduction to JetBrains Datalore

In this Workshop, we will use  **JetBrains Datalore** to learn, develop, and run Python applications online.

Access and sign in to JetBrains **Datalore** Platform using the following link: [datalore.jetbrains.com](https://datalore.jetbrains.com)


 **JetBrains Datalore**

[Features](#) [Pricing](#) [Changelog](#) [Documentation](#)

[Sign in](#)

[Create account](#)


**A powerful online  
environment for  
Jupyter  
notebooks**




# Introduction to JetBrains DataLore

1. Open our tutorial notebook by pressing the arrow beside 'New Notebook' and select 'Upload notebook'

2. Go to your browser and go to [cutt.ly/jHqHzun](https://cutt.ly/jHqHzun) in the URL bar. Copy the full URL into DataLore and press 'Upload' button







# Python Basics

# Content



## Getting Started

1. What is Python?



## Python Basics

1. Hello World
2. Programming concepts (Variables, If-else statements, Loops, Lists, Dictionaries, Functions, and Libraries)



## AI Project

1. Create a virtual assistant (tell joke, get weather, get movie rating, get movie director, get movie cast)

**14:00 ~ 15:30**

**Lecture & Jupyter notebook 1**

15:30 ~ 15:45

Breakout room/Take break

15:45 ~ 17:15

Lecture & Jupyter notebook 2  
Survey


17:15 ~ 17:30

Breakout room/Early leave

# Hello World

Now, we write our first code in Python. We will print “Hello World” using Python.


Inside the **coding cell**, type `print(“Hello World”)` and press the **run button**.



# Hello World

Once you press the **run button**, you can see the **output** of the code below the **coding cell**.

This is how we will interact with the Jupyter Notebook. We write the code, press **run button**, and then see its output.



# Variables

**Variables** act like containers which can store values such as numbers, strings, characters, etc.

You can treat **variables** in programming as the variables we use in mathematics.

Let's say we want to assign a variable called **name** with your name. So, how do we do that?

Answer:

```
name = "<Your name here>"
```

# Variables

Let's try these exercises on Datalore to get familiar with the concept of **variables**.

1. Create a variable called `name` to store your name. Use `print` statement to print it on screen.
2. Create 3 variables **x**, **y**, and **z**. Store their values as follows:  
**x** = 3; **y** = 7; **z** = **x** + **y**. Print the value of **z** and verify if it is correct.

# Data Types

**Data Types:** Variables can store data of different types, and different types can do different things.

There are various **Data Types** but the most common data types are:

1. **Integer** – Whole numbers (E.g., 1, 400, -999, etc.)
2. **Float** – Decimals (E.g., 3.67, -4.7, 9.42, etc.)
3. **String** – Collection of characters (E.g., “Hello”, “Good morning”, “Amazing”, etc.)
4. **Boolean** – True, False

# Operators

Operator	Name	Example
+	Addition	$x + y$
-	Subtraction	$x - y$
*	Multiplication	$x * y$
/	Division	$x / y$
%	Modulus	$x \% y$
**	Exponentiation	$x ** y$
//	Floor division	$x // y$



# Relational Operators

**Relational Operators** are used for comparing values.


Commonly used relational operators are:

1. `==` (Equal to)
2. `<` (Less than)
3. `>` (Greater than)
4. `>=` (Greater than or equal to)
5. `<=` (Less than or equal to)
6. `!=` (Not equal to)

**Let's try a small exercise to get familiar with relational operators in Python**

# Conditional Statements

- **Conditional Statements** are statements that can control the flow of the program.



# Conditional Statements

One of the conditional statements is called if-else statement. It consists of the following parts:


- **if**: All if-else conditional statements have to start with an “if”
- **elif**: Else if, there can be many elif
- **else**: If no other condition is fulfilled, else condition takes over

```
if (Condition 1):  
    Statements_1  
    ...  
elif (Condition 2):  
    Statements_2  
    ...  
elif (Condition 3):  
    Statements_3  
    ...  
...  
else:  
    Statements_n  
    ...
```

Note: Python use indentation to indicate a new code block.

# Conditional Statements

Let's code the real-life example we saw earlier in Python and play with it to get familiar with if-else statements.



# Conditional Statements

老婆給當程式師的老公打電話：“下班順路買一斤車厘子帶回來，如果看到賣西瓜的，就買一個。”

當晚，程式師老公拿着一個車厘子進了家門.....

老婆怒道：“你怎麼就買了一個車厘子？！”

老公答曰：“因為看到了賣西瓜的。”

# List

**List** is used to store multiple items in a single variable.

For example, we have a shopping list with multiple items – Grapes, Apple, Butter, Cheese.

We can denote this shopping list as a list in Python like this –

```
Shopping_list = ["Grapes", "Apple", "Butter", "Cheese"]
```

# List

```
Shopping_list = ["Grapes", "Apple", "Butter", "Cheese"]
```

To access an item of a list, we use **index**. In Python, index starts from 0, which is the first element of the list.

To access the first element of the Shopping\_list, we have to input:

```
Shopping_list[0], where 0 is the index.
```



Can you guess the index of **"Cheese"**?

# List

Let's try these exercises on Datalore to get familiar with the concept of **List**.

1. Create a python list called `shopping_list` and print the last element of the shopping list.
2. Change the last element of the list to “Laptop” and print the whole list.




# Dictionary

**Dictionary** also can store multiple items in a single variable, but items are stored as **key**: **value** pairs.

Dictionary in Python is defined as follows:

```
example_dictionary = {"name": "Symphony", "gender": "F"}
```

Diagram illustrating the key-value pairs in the dictionary:



The diagram shows the dictionary definition with arrows pointing from labels to specific parts of the code. A purple arrow points from the word 'Key' to the string 'name'. A pink arrow points from the word 'Value' to the string 'Symphony'. Another purple arrow points from the word 'Key' to the string 'gender'. A final pink arrow points from the word 'Value' to the string 'F'.

To access value of any key from a dictionary, we follow this syntax:

```
example_dictionary[key] E.g., example_dictionary["name"]
```

# Dictionary

Let's try these exercises on Datalore to get familiar with the concept of **Dictionary**:

1. Create a dictionary with your information (keys) – **name, age, gender, major**
2. Print this dictionary
3. Access the value for the key **name**

# Loop

**Loop** is for repeating the same code block multiple times.  
Loop can make code shorter.

For example, if mother wants to remind the child things to do in the morning:

Without loop:

Day 1:

1. Brush teeth
2. Wash face
3. Eat breakfast

Day 2:

1. Brush teeth
2. Wash face
3. Eat breakfast

Day 3:

1. Brush teeth
2. Wash face
3. Eat breakfast

Day 4:

1. Brush teeth
2. Wash face
3. Eat breakfast

With loop:

**Everyday:**

- 1. Brush teeth**
- 2. Wash face**
- 3. Eat breakfast**

# Loop

In this workshop we will only focus on 1 type of loops i.e., **for-loop**. **For-loop** is particularly useful for iteration over a list.

The syntax of for-loop is as follows:

```
for <variable> in <list> :  
    Code that needs to be repeated
```

# Loop

Let's try these exercises on Datalore to get familiar with the concept of **Loop**.

1. Create a loop that prints number 0-10.
2. Create a loop that prints "Hello" 5 times.

# Function

**Function** is a block of organized, reusable code that is used to perform a single, related action.

You can pass parameters (optional) into a function.

The function can also return values (optional).

Define a function:

```
def Function_Name(parameter1, parameter2):  
    Code block to run
```

Call a function:

```
Function_Name(parameter1_value, parameter2_value)
```

# Function

Without using function:

Eat



Peel the **apple** skin  
Cut **apple** into pieces  
Put **apple** into a bowl  
Eat  
Wash the bowl

Eat



Peel the **pear** skin  
Cut **pear** into pieces  
Put **pear** into a bowl  
Eat  
Wash the bowl

Eat



Peel the **peach** skin  
Cut **peach** into pieces  
Put **peach** into a bowl  
Eat  
Wash the bowl

Using function:

```
def eat_fruit_function(fruit):  
    Peel the fruit skin  
    Cut the fruit into pieces  
    Put the fruit into a bowl  
    Eat  
    Wash the bowl
```

```
eat_fruit_function(apple)
```

```
eat_fruit_function(pear)
```

```
eat_fruit_function(peach)
```

# Function

- Mother: Eat the fruit and let me know if it is sweet

Define a function:

```
def eat_fruit_function(fruit):  
    Peel the fruit skin  
    Cut the fruit into pieces  
    Put the fruit into a bowl  
    Eat  
    Judge how sweet it is  
    Wash the bowl  
    Return sweetness
```

Call a function:

`eat_fruit_function(apple)`

`eat_fruit_function(pear)`

`eat_fruit_function(peach)`

Return value:

Not sweet at all

Just so so

Sweet!



# Function

Let's try these exercises on Datalore to get familiar with the concept of **Function**.

1. Create a function that prints "Welcome to the AI with Python workshop"
2. Create a function that takes two numbers as its parameters and returns the multiplication of those two numbers

# Libraries

**Libraries** are a set of predefined code that can be re-used. It saves our time so that we don't have to code everything from scratch. **Libraries make coding a lot easier!**

Import whole library:

```
import library_name
```

Import a function from library:

```
from library_name import function_name
```

# Libraries


Let's try these exercises on Datalore to get familiar with the concept of **Libraries**.

1. Install **art** library
2. Import **art** and try its **tprint** function

# Closing Jupyter Notebook

1. Go to 'Run' and then press 'Stop machine'

2. Press the  to close the notebook



# Content



## Getting Started

1. What is Python?



## Python Basics

1. Hello World
2. Programming concepts (Variables, If-else statements, Loops, Lists, Dictionaries, Functions, and Libraries)



## AI Project

1. Create a virtual assistant (tell joke, get weather, get movie rating, get movie director, get movie cast)

14:00 ~ 15:30

Lecture & Jupyter notebook 1

**15:30 ~ 15:45**


**Breakout room/Take break**

15:45 ~ 17:15

Lecture & Jupyter notebook 2  
Survey

17:15 ~ 17:30

Breakout room/Early leave



# AI Project

# Content



## Getting Started

1. What is Python?

14:00 ~ 15:30

Lecture & Jupyter notebook 1



## Python Basics

1. Hello World
2. Programming concepts (Variables, If-else statements, Loops, Lists, Dictionaries, Functions, and Libraries)

15:30 ~ 15:45

Breakout room/Take break



## AI Project

1. Create a virtual assistant (tell joke, get weather, get movie rating, get movie director, get movie cast)

**15:45 ~ 17:15**

**Lecture & Jupyter notebook 2  
Survey**

17:15 ~ 17:30

Breakout room/Early leave

某程式師退休後決定練習書法，於是重金購買文房四寶。一日，飯後突生雅興，一番研墨擬紙，並點上上好檀香。定神片刻，潑墨揮毫，鄭重地寫下一行字：



t.sina.com.cn/chengxuyuan/anyoump



# Group Photo

# What will we create?


In this workshop, we will create a virtual assistant that understands English and can perform the following tasks –

1. Tell jokes
2. Get current weather of a city
3. Get movie ratings
4. Find the director(s) name of a movie
5. Find the cast of a movie




# Natural Language Understanding

Natural Language Understanding (NLU) is a subtopic in Natural Language Processing (NLP) that deals with **transforming human language to something that a machine can understand.**



# AI Project



# Open JetBrains Datalore

Access and sign in to JetBrains **Datalore** Platform using the following link: [datalore.jetbrains.com](https://datalore.jetbrains.com)


The image shows a screenshot of the JetBrains Datalore website and a Jupyter notebook interface. The website header includes the JetBrains Datalore logo, navigation links for Features, Pricing, Changelog, and Documentation, and buttons for Sign in and Create account. The main content area features a large green diagonal graphic with the text "A powerful online environment for Jupyter notebooks". Below this, a Jupyter notebook interface is shown with a dark theme. The notebook has a menu bar with File, Tools, Kernel, View, Run, and Help. The current kernel is named "Geopandas\_natureearth\_lets\_plot". The notebook cell [12] contains the following code:

```
[12] ▶ 0.0s
# Create a choropleth by mapping `continent` variable to `fill` aesthetic.
import geopandas as gpd
```

# Open JetBrains DataLore

1. Open our tutorial notebook by pressing the arrow beside 'New Notebook' and select 'Upload notebook'

2. Go to your browser and go to [cutt.ly/rHqLKSS](https://cutt.ly/rHqLKSS) in the URL bar. Copy the full URL into DataLore and press 'Upload' button



# Create Training Dataset

In this workshop, we will learn the following concepts of NLU that are used in chatbots, virtual assistants and dialog systems:

- Utterances
- Intents
- Slots
- Entities

# Create Training Dataset

intent

slots

utterances

entity

```
# get_weather intent
---
type: intent
name: get_weather
slots:
  - name: city
    entity: city
utterances:
  - How is the weather in [city] (London)?
  - What is the weather in [city] (New York)?
  - Can you tell me how is the weather like in [city] (Hong Kong)?
  - I wonder how hot is it in [city] (Paris)?
```

```
# city entity
---
type: entity
name: city
values:
  - Hong Kong
  - New York
  - Paris
  - London
  - Tokyo
  - Shanghai
```



# Utterances

intent

slots

utterances

entity

```
# get_weather intent
---
type: intent
name: get_weather
slots:
  - name: city
    entity: city
utterances:
  - How is the weather in [city] (London)?
  - What is the weather in [city] (New York)?
  - Can you tell me how is the weather like in [city] (Hong Kong)?
  - I wonder how hot is it in [city] (Paris)?
```

```
# city entity
---
type: entity
name: city
values:
  - Hong Kong
  - New York
  - Paris
  - London
  - Tokyo
  - Shanghai
```

# Utterances

- Anything that a user says is an **utterance**
- The virtual assistant uses sample **utterances** as training data to construct a model to detect **intents** and **entities**


E.g.,

- Can you tell me how the weather in Hong Kong is?
- I'm bored! Tell me a joke.
- What is the cast for the movie the matrix?

# Intent

## intent

```
# get_weather intent
---
type: intent
name: get_weather
slots:
  - name: city
    entity: city
utterances:
  - How is the weather in [city] (London)?
  - What is the weather in [city] (New York)?
  - Can you tell me how is the weather like in [city] (Hong Kong)?
  - I wonder how hot is it in [city] (Paris)?
```



## slots

## utterances

## entity

```
# city entity
---
type: entity
name: city
values:
  - Hong Kong
  - New York
  - Paris
  - London
  - Tokyo
  - Shanghai
```

# Intent

**Intent** defines the action or intention contained in the utterance. It tells the computer what we ask it to do.

**Can you guess what the intent of the following utterances is?**

1. Can you tell me how the weather in Hong Kong is?

**Intent:** Get the weather of a city

2. I'm bored! Tell me a joke.

**Intent:** Tell a joke

3. Turn on the light in the kitchen.

**Intent:** Switch light on

# Slots

intent

slots

utterances

entity

```
# get_weather intent
---
type: intent
name: get_weather
slots:
  - name: city
    entity: city
utterances:
  - How is the weather in [city] (London)?
  - What is the weather in [city] (New York)?
  - Can you tell me how is the weather like in [city] (Hong Kong)?
  - I wonder how hot is it in [city] (Paris)?
```

```
# city entity
---
type: entity
name: city
values:
  - Hong Kong
  - New York
  - Paris
  - London
  - Tokyo
  - Shanghai
```

# Slots

If I ask you to tell me the current weather of a city? What type of information do you think is required?



Can you tell me the weather .....



The virtual assistant needs to know what the **City** is. So, here the required information is **City**.



I need to know what city it is.



# Slots

Once the intent is known, we extract some additional information that is required to fulfil the intent. This **additional information** is called a **slot**.



Can you tell me the weather of Taipei?



The current temperature in Taipei is 29 degrees Celsius.

You can think of intent as a function and slots as its parameters.

## Can you guess what slot needs to be filled to fulfil the intent?

1. Can you tell me how the weather in Hong Kong is?

**Intent:** Get the weather of a city

**Required Slot:** City

2. How good is the movie Batman?

**Intent:** Get the rating of a movie

**Required Slot:** Movie name

3. Show me flights from Hong Kong to Shanghai leaving on July 6<sup>th</sup>.

**Intent:** Search flight

**Required Slot:** Origin city, Destination city, Date of travel



# Entity

intent

slots

utterances

```
# get_weather intent
---
type: intent
name: get_weather
slots:
  - name: city
    entity: city
utterances:
  - How is the weather in [city] (London)?
  - What is the weather in [city] (New York)?
  - Can you tell me how is the weather like in [city] (Hong Kong)?
  - I wonder how hot is it in [city] (Paris)?
```

entity

```
# city entity
---
type: entity
name: city
values:
  - Hong Kong
  - New York
  - Paris
  - London
  - Tokyo
  - Shanghai
```

# Entity

**Entity (or Slot Type)** describe the type of a slot value. It is like data type in programming.

Examples of entity and its values:

**Entity:** City

**Values:** Hong Kong, New York, London, Paris, etc.

**Entity:** Date

**Values:** 12-January-2020, 19/01/1999, 12-June-2020, etc.

**Entity:** Movie

**Values:** Star Wars, Spider-man, Titanic, etc.

Different **slots** can be of the same **entity (or slot type)**.

1. Show me flights from Hong Kong to Shanghai leaving on July 6<sup>th</sup>.

**Intent:** Search flight

**Slots:** Origin city, Destination city, Date of travel

```
# search_flight intent
---
type: intent
name: searchFlight
slots:
  - name: origin
    entity: city
  - name: destination
    entity: city
  - name: date
    entity: snips/datetime
utterances:
  - Find me a flight from [origin](Hong Kong) to [destination](New York)
  - I need a flight leaving [date](this weekend) from [origin](Hong Kong) to [destination](New York)
  - Show me flights from [origin](Hong Kong) to [destination](New York) leaving [date](this evening)
```

```
# city entity
---
type: entity
name: city
values:
  - Hong Kong
  - New York
  - Paris
  - London
  - Tokyo
  - Shanghai
```

# Create Training Dataset

The **intents** we need to create are:

- **tell\_joke**: To detect that the user is asking the virtual assistant for a joke. There are **no slots required** for this intent.
- **get\_weather**: To detect that the user is asking for current weather of a city. For this intent we need to fill a slot for **city**.
- **get\_rating**: To detect that the user is asking the rating of a movie. For this intent we need to fill a slot for **movie\_name**.
- **get\_director**: To detect that the user is asking for who is the director of a movie. For this intent we need to fill a slot for **movie\_name**.
- **get\_cast**: To detect that the user is asking for who acted in a movie. For this intent we need to fill a slot for **movie\_name**.

The **entities** we need to create are: **city**, **movie\_name**

# AI Project

Who directed the  
movie Aliens?

NLU

1. Create training dataset
2. Train the NLU engine



# Now What?

We learned about Utterances, Intents, Slots and Entities.  
But...

**What is AI?**  
**What is the role of AI here?**  
**Why aren't we using AI?**


# AI's Role

- We need AI to understand the utterance in natural language and automatically –
  - Intent classification: Classify the underlying intent of the utterance
  - Extract the entities that may be contained in the utterance




# API

- Application programming interface (API), which is a set of definitions and protocols for building and integrating application software.





# AI Project



# Further Readings

## More on Python:

- <https://www.tutorialspoint.com/python/index.htm>
- <https://docs.python.org/3/tutorial/>

## More on NLU:

- <https://snips-nlu.readthedocs.io/en/latest/tutorial.html#tutorial>
- <https://snips-nlu.readthedocs.io/en/latest/dataset.html#dataset>
- Jinjie Ni, Tom Young, Vlad Pandelea, Fuzhao Xue, Vinay Adiga, and Erik Cambria. 2021. [Recent advances in deep learning based dialogue systems: A systematic survey.](#)

# Future Teacher Training Workshops

- Hands-on Machine Learning Crash Course:


	Concept	Hands-on project	Chapter	Details
1	Machine learning basics	Algorithm	2: Fundamentals of AI	Forward pass: data split, regression, classification, loss, accuracy, Backward pass: gradient decent, learning rate, optimization, overfitting
2	Convolutional Neural Network (CNN)	Image classification	3: See	Neural network, layer, weight, tensor, neuron, fully-connected layer, convolutional layer, activation function, pooling layer, flatten layer
3	Reinforcement learning (RL)	3D VR game	8: Simulation	5 key concepts (agent, environment, action, observation, reward/punishment), deep reinforcement learning
4	Recurrent Neural Network (RNN)	Write a book	6: Read	Recurrent layer, types of RNN (one-to-one, one-to-many, many-to-one, many-to-many), word segmentation, word embedding
5	Long Short-term Memory (LSTM)	Time series forecast	7: AI reasoning	Exploding gradient problem, vanishing gradient problem, the gates of LSTM (forget gate, input gate, relevance gate, output gate), principle component analysis (PCA)
6	Generative adversarial network (GAN)	...	...	...

# Closing Jupyter Notebook

1. End virtual assistant by typing “Bye” or “bye”

2. Go to ‘Run’ and then press ‘Stop machine’


3. Press the  to close the notebook





CUHK Jockey Club AI for the Future Project  
中大賽馬會智為未來計劃

聯合主辦 Co-organized by:



The Chinese University of Hong Kong  
Faculty of Engineering  
Faculty of Education

捐助機構 Funded by:




香港賽馬會慈善信託基金  
The Hong Kong Jockey Club Charities Trust

## Python for AI Workshop Evaluation Survey (May 2022)

Please scan the QR code to fill in the  
survey

Or click the link

<https://forms.gle/esRFW8qopGf3WS6M7>



# Content



## Getting Started

1. What is Python?



## Python Basics

1. Hello World
2. Programming concepts (Variables, If-else statements, Loops, Lists, Dictionaries, Functions, and Libraries)



## AI Project

1. Create a virtual assistant (tell joke, get weather, get movie rating, get movie director, get movie cast)

14:00 ~ 15:30

Lecture & Jupyter notebook 1

15:30 ~ 15:45

Breakout room/Take break

15:45 ~ 17:15

Lecture & Jupyter notebook 2  
Survey

**17:15 ~ 17:30**

**Breakout room/Early leave**