Extra Exercises for Week 2

MH2500

August 23, 2024

Questions are taken from the textbook: A First Course in Probability (9th edition) by Sheldon Ross.

Problem 1. A president, treasurer, and secretary, all different, are to be chosen from a club consisting of 10 people. How many different choices of officers are possible if

- (a) there are no restrictions?
- (b) A and B will not serve together?
- (c) C and D will serve together or not at all?
- (d) E must be an officer?
- (e) F will serve only if he is president?

Problem 2. A committee of 6 people is to be chosen from a group consisting of 7 men and 8 women. If the committee must consist of at least 3 women and at least 2 men, how many different committees are possible?

Problem 3. How many subsets of size 4 of the set $S = \{1, 2, ..., 20\}$ contain at least one of the elements 1, 2, 3, 4, 5?

Problem 4. If there are no restrictions on where the digits (0-9) and letters (A-Z) are placed, how many 8-place license plates consisting of 5 letters and 3 digits are possible if no repetitions of letters or digits are allowed? What if the 3 digits must be placed together?

Problem 5. From 10 married couples, we want to select a group of 6 people that is not allowed to contain a married couple.

- (a) How many choices are there?
- (b) How many choices are there if the group must also consist of 3 men and 3 women?

Problem 6. The binomial theorem states that, for nonnegative integer n,

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^k b^{n-k}.$$

What is the value of

$$\binom{n}{0} - \binom{n}{1} + \ldots + (-1)^n \binom{n}{n}?$$

Problem 7. If 8 identical blackboards are to be divided among 4 schools, how many divisions are possible? How many if each school must receive at least 1 blackboard?

Problem 8. Let k, n be integers such that $0 \le k \le n$ and $n \ge 1$. Determine the number of vectors (x_1, \ldots, x_n) , such that each $x_i \in \{0, 1\}$ and

$$x_1 + x_2 + \ldots + x_n \ge k.$$

Answers (Let me know if there are any discrepancies):

- $1(a). \binom{10}{3} \cdot 3!$
- 1(b). $\left[\binom{8}{3} + \binom{8}{2} + \binom{8}{2}\right] \cdot 3!$
- 1(c). $\left[\binom{8}{1} + \binom{8}{3}\right] \cdot 3!$
- 1(d). $\binom{9}{2} \cdot 3!$
- 1(e). $\binom{9}{2} \cdot 2! + \binom{9}{3} \cdot 3!$
 - 2. $\binom{7}{3}\binom{8}{3} + \binom{7}{4}\binom{8}{2}$
 - 3. $\binom{20}{4} \binom{15}{4}$
 - 4. $\binom{26}{5}\binom{10}{3} \cdot 8!$, $\binom{26}{5}\binom{10}{3} \cdot 6! \cdot 3!$
- $5(a). \ \ 20 \cdot 18 \cdot 16 \cdot 14 \cdot 12 \cdot 10$
- $5(b). \binom{10}{3} \binom{7}{3}$
 - 6. 0
 - 7. $\binom{11}{3}$, $\binom{7}{3}$
 - 8. $\sum_{i=k}^{n} \binom{n}{i}$