(a mini-tutorial)

School of Computer Science University of Waterloo

DB2: what is it?

DB2 is a relational DBMS and a set of tools:

- a command-line interface to SQL
- an ESQL preprocessor for C language

This tutorial covers (briefly):

- How do I run it?
- Useful hints
- What if something goes wrong?

DB2 documentation:

⇒ will be available on-line from the course web page

First Steps

- DB2 is available on linux.student.cs.uwaterloo.ca ubuntu1604-002.student.cs.uwaterloo.ca ubuntu1604-006.student.cs.uwaterloo.ca ubuntu1604-008.student.cs.uwaterloo.ca
- your environment should be set up correctly:

```
sh, bash, et al:
```

\$ source ~db2inst2/sqllib/db2profile
csh, tcsh, et al:

\$ source ~db2inst2/sqllib/db2cshrc

· you don't need any DB2 password

Every CS348 student must have an account on linux.student.cs

First Steps (example)

```
softbase.cs$ ssh ubuntu1604-002.student.cs.uwaterloo.ca
[...]
$ source ~db2inst2/sqllib/db2profile
$ db2
(c) Copyright IBM Corporation 1993, 2007
Command Line Processor for DB2 Client 11.1.1.1
[...]
For more detailed help, refer to the Online Reference Manual.
dh2 =>
```

Connecting to a Database

```
db2 => connect to cs348

Database Connection Information

Database server = DB2/LINUXX8664 11.1.1.1

SQL authorization ID = DAVID
Local database alias = CS348

db2 =>
```

cs348 is the name of a database managed by DB2 for this class

Executing Queries

SQL statements can be entered directly at the db2 => prompt.

ending line with \setminus allows entering long queries ending with (<cr>) executes the query.

****** you will need this for your Assignments ******

What tables are there?

```
db2 => list tables
Table/View Schema Type Creation time
ARTICLE
        DAVID T 2008-05-08-15.53.39
           DAVID T 2008-05-08-15.53.36
AUTHOR
                     T 2008-05-08-15.53.37
BOOK
           DAVID
                      2008-05-08-15.53.38
JOURNAL
           DAVID
                     T 2008-05-08-15.53.38
PROCEEDINGS DAVID
PUBLICATION DAVID T 2008-05-08-15.53.36
                     T 2008-05-08-15.53.37
WROTE
     DAVID
 7 record(s) selected.
```

Is that all?

db2 => list tables for all			
Table/View	Schema	Туре	Creation time
ARTICLE	DAVID	T	2008-05-08-15.53.39
AUTHOR	DAVID	T	2008-05-08-15.53.36
COLCHECKS	SYSCAT	V	1999-09-10-10.55.30
SYSTABLES	SYSIBM	T	1999-09-10-10.55.12
SYSVIEWS	SYSIBM	T	1999-09-10-10.55.12
COLDIST	SYSSTAT	V	1999-09-10-10.55.39
COLUMNS	SYSSTAT	V	1999-09-10-10.55.39
FUNCTIONS	SYSSTAT	V	1999-09-10-10.55.39
INDEXES	SYSSTAT	V	1999-09-10-10.55.40
TABLES	SYSSTAT	V	1999-09-10-10.55.40
146 record(s)	selected.		

HELP (built in)

```
dh2 => 2
 ACTIVATE DATABASE
                   ECHO
                                                 PREP/PRECOMPILE
 ADD DATALINKS MANAGER EXPORT
                                                 PRUNE HISTORY/LOGFILE
 ADD NODE
                       FORCE APPLICATION
                                                 QUERY CLIENT
                      GET/RESET/UPDATE ADMIN CFG QUIESCE TABLESPACES
 ATTACH
 ATTACH TO
                      GET AUTHORIZATIONS
GET CONNECTION STATE
                                               QUIT
 BACKUP DATABASE
                                               REBIND
                      GET INSTANCE
                                                RECONCILE
 RIND
 CATALOG APPC NODE GET MONITOR SWITCHES REDISTRIBUTE NODEGROUP
 CATALOG APPCLU NODE GET SNAPSHOT
                                               REFRESH LDAP
 CATALOG APPN NODE GET/RESET/UPDATE CLI CFG REGISTER
 CATALOG DATABASE
                 GET/RESET/UPDATE DB CFG RELEASE
 CATALOG DCS DATABASE GET/RESET/UPDATE DBM CFG REORG TABLE
 CATALOG GLOBAL DATABASE HELP
                                                REORGCHK
 CATALOG IPXSPX NODE
                     IMPORT
                                                RESET MONITOR
 CATALOG LDAP DATABASE INITIALIZE TAPE
                                              RESTART DATABASE
 CATALOG LDAP NODE
                  INVOKE
                                                RESTORE DATABASE
Note: Some commands are operating system specific and may not be available.
```

? HELP - help for reading help screens
The preceding three options can be run as DB2 <option> from an OS prompt.

? OPTIONS - help for all command options

Scary, but very comprehensive help system

For further help: ? db2-command - help for specified command

More HELP

What do these funny error codes (e.g., DB21034E) mean??

db2 => blah blah
DB21034E The command was processed as an SQL statement
because it was not a valid Command Line Processor command.
During SQL processing it returned: SQL0104N An unexpected
token "blah" was found following "BEGIN-OF-STATEMENT".
Expected tokens may include: "<values>". SQLSTATE=42601

db2 => ? DB21034E

DB21034E The command was processed as an SQL statement because it was not a valid Command Line Processor command. During SQL processing it returned:

Explanation: This message is displayed before the SQL error message. The error may be caused by a syntax error in a non-SQL command.

User Response: Correct the error and resubmit the command.

Command Line Usage

Syntax: db2 <command>

```
$ db2 list tables
Table/View Schema
                       Type Creation time
ARTICLE
                        T 2000-05-08-15.53.39
               DAVTD
AUTHOR
              DAVID
                             2000-05-08-15.53.36
BOOK
              DAVTD
                             2000-05-08-15.53.37
JOURNAL.
              DAVTD
                             2000-05-08-15.53.38
                             2000-05-08-15.53.38
PROCEEDINGS
             DAVID
PUBLICATION
                             2000-05-08-15.53.36
           DAVID
                             2000-05-08-15.53.37
WROTE
               DAVTD
 7 record(s) selected.
```

special characters (e.g., *) have to be quoted

Scripts

To run code from a file batch.file use:

```
$ db2 -f batch.file
<DB2 messages here; input is NOT echoed>
```

Sample SQL from classes samples<n>.db2 Results results<n>.db2 \Rightarrow all from the "lectures" web page

This will be necessary for submitting your SQL assignments: you'll have to submit an a < n > . sql file which will then be *tested* by the TAs using the above.

Problems

Look if DB2 is running (this is how a healthy DB2 looks like):

```
$ ps -ef | grep db2
db2inst2 4896
                               00:00:03 /lib/systemd/...
                1 0 Mav18 ?
db2inst2 4897 4896 0 May18 ?
                               00:00:00 (sd-pam)
    5110
                1 0 Mav18 ?
                               00:00:00 db2wdog
root.
db2inst2 5112 5110 0 May18 ?
                               00:02:51 db2sysc
root
        5118 5110 0 May18 ? 00:00:00 db2ckpwd
root 5119 5110 0 May18 ? 00:00:00 db2ckpwd
   5120 5110 0 May18 ? 00:00:00 db2ckpwd
root
db2inst2 5122 5110 0 May18 ? 00:00:00 db2vend (PD ...
db2inst2 5131 5110 0 May18 ? 00:00:26 db2acd ,0,...
db2fenc2 14139 5110 0 May18 ? 00:00:00 db2fmp (,1,...
david 23997
                1 0 15:06 pts/12 00:00:00 /home/db2inst2/...
david 26239 22796 0 15:09 pts/12 00:00:00 grep db2
```

Contact the TAs or CFCF consultants if you can't access DB2.

13 / 13