# JAVA Simplica 1st Edition, Sudipta Kumar Das





# Contents

Ι	Introduction												
Preface													
1 History of JAVA													
II	P	re-Bas	ic of JAVA	10									
2			Class Declaration	12									
	2.1	packag											
			Syntax										
		2.1.2	Example										
	2.2	Access	modifiers										
		2.2.1	Public										
		2.2.2	Private										
		2.2.3	Protected										
		224	Default	19									

# List of Figures

Figure I	DESCRIPTIO	N														
1.1	James Gosling	g														

# List of Tables

# Part I Introduction

JAVA is a Programming language which is used mostly in offial softwares because of it's strong security system. It is a high-level language which uses JVM to convert the high-level code to a machine code. It is one of the most popular programming languages out there. Released in 1995 and still widely used today. Java has many applications, including software development, mobile applications, and large systems development. Knowing Java opens a lot of possibilities for us as a developer.

## **Preface**

JAVA knowledge is vast. People most often have to go through most of the documentations of the code then they could think of writing something. Moreover, sometimes people looses their interest in learning JAVA or write their codes in JAVA. So in that case they just give online posts and hire outsourcers to complete there school/college projects howmeworks and others. This processs is both insecure and costly. In this book I just tried to teach JAVA in a simple way and by which people can start doing their school/college projects howmeworks and others by their own having simple knowledge. Thus, they can learn the vast knowledge slowly and more interesting way.

### Chapter 1

## History of JAVA

Java was originally developed by James Gosling at Sun Microsystems and released in May 1995 as a core component of Sun Microsystems' Java platform. The original and reference implementation Java compilers, virtual machines, and class libraries were originally released by Sun under proprietary licenses. As of May 2007, in compliance with the specifications of the Java Community Process, Sun had relicensed most of its Java technologies under the GPL-2.0-only license. Oracle offers its own HotSpot Java Virtual Machine, however the official reference implementation is the OpenJDK JVM which is free open-source software and used by most developers and is the default JVM for almost all Linux distributions.



Figure 1.1: James Gosling

# $\begin{array}{c} {\rm Part~II} \\ {\rm Pre\text{-}Basic~of~JAVA} \end{array}$

 $\rm JAVA$  is a vast programming language, but it has some pre basic things, on whichs the whole language depends on. In this part we'll going to discuss It

### Chapter 2

# Package & Class Declaration

#### 2.1 package

Package is kind of a folder, where all the class files are present. we can use them by using the keyword *import packageName.subPackageName.className* or *import packageName*.\*. Here \* means all the things. we can use predefined packages of jdk or we can also import out own packages in any class from another folder.

#### 2.1.1 Syntax

import packageName.subPackageName.className

#### 2.1.2 Example

java.io.File;

#### 2.2 Access modifiers

Access modifires basically used to control the access of the variables & methods form another class or package. It is mostly used in Encapsulation. There are basically 4 Access modifiers. Those are,

- Public
- Private
- Protected
- Default

#### 2.2.1 Public

Public Keyword is used to make the variables and methods Public that means those thing can be access from anywhere, no matter where it is.

#### 2.2.2 Private

Private Keyword is used to make the variables and methods inaccessible that means those thing can be access from nowhere, no matter where it is.

#### 2.2.3 Protected

Protected Keyword is used to make the variables and methods only accessible from their children that means those thing can be access from nowhere except its child class, no matter where it is. IF a class is extended by another class then the class who extend in it, called child class of the class who got extended by the child class. And that class who got extended by the child class called parent Class.

#### 2.2.4 Default

Protected Keyword is used to make the variables and methods only accessible from their children that means those thing can be access from nowhere except its child class, no matter where it is. IF a class is extended by another class then the class who extend in it, called child class of the class who got extended by the child class. And that class who got extended by the child class called parent Class.

## Index

 $Access,\,12$ 

Child Class, 13 class libraries, 8

Encapsulation, 12

James Gosling, 8 Java compilers, 8 Java technologies, 8 JVM, 8 Linux distributions, 8

OpenJDK, 8

Parent Class, 13 Private, 13 Public, 13

virtual machines, 8

# Bibliography

- [1] Java, https://en.wikipedia.org/wiki/Java\_(programming\_language)
- [2] James Gosling, https://en.wikipedia.org/wiki/James\_Gosling
- [3] Author2, paper2, publisher2, year2
- [4] Author3, paper3, publisher3, year3