How to Install JSindo

Kiyoshi Yagi
kiyoshi.yagi@chem.tsukuba.ac.jp


Department of Chemistry
Institute of Pure and Applied Sciences,
University of Tsukuba

2026/11/11

Windows/MacOS


Download OpenJDK version 11

https://adoptium.net/index.html



Click here

Windows




Execute (double click) the downloaded file, and follow the instruction.

Download sindo-4.0_xxxx.zip from our website:
https://tms.riken.jp/en/research/software/sindo


Unzip (double click) the file, and then double click a jar file,
sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar

You will see a control panel of JSindo.



You can copy this file to any place (e.g., Desktop), so that you can easily start up the program.

MacOS



Execute (double click) the downloaded file, and follow the instruction.

Download sindo-4.0_xxxx.zip from our website:

https://tms.riken.jp/en/research/software/sindo


Unzip (double click) the file, open a terminal, then type the following command:

```
java -jar /path/to/sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar
```

or

```
java -cp /path/to/sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar JSindo
```

You will see a control panel of JSindo.



You may add the following line in your ~/.bashrc,

```
alias jsindo='java -jar /path/to/sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar'
```

After source, you can invoke the program by typing “jsindo” in the command.

```
> . ~/.bashrc
> jsindo
```

Linux

Download OpenJDK

Install Java 8 or Java 11 using the following command:

```
yum install java-1.8.0-openjdk
```

(CentOS)

```
apt install openjdk-8-jdk
```

(Debian, Ubuntu)

The newer version, Java 17, is also available through package tools, but currently JSindo doesn't work with Java 17.

Alternatively, you may obtain OpenJDK from here,

https://adoptium.net/index.html

This site provides a tarball. Extract the tarball and set the environment variables:

```
export JAVA_HOME=/path/to/jdk-11.0.14.1+1
export PATH=${JAVA_HOME}/bin:${PATH}
```

Download sindo-4.0_xxxx.zip from our website:

https://tms.riken.jp/en/research/software/sindo


Unzip (double click) the file, open a terminal, then type the following command:

```
java -jar /path/to/sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar
```

or

```
java -cp /path/to/sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar JSindo
```

You will see a control panel of JSindo.



You may add the following line in your ~/.bashrc,

```
alias jsindo='java -jar /path/to/sindo-4.0_xxxx/JSindo/jar/JSindo-4.0_fat.jar'
```

After source, you can invoke the program by typing “jsindo” in the command.


```
> . ~/.bashrc
> jsindo
```

Verify installation

Download doc-4.0_xxxx.zip from our website:
https://tms.riken.jp/en/research/software/sindo

Let's test the program. Sample files are included in doc-4.0_xxxxxx/JSindo/sample_JSindo.

In JSindo control panel, click File -> Open, choose "h2co.minfo", and click Open.





Then, goto Tools -> Harmonic Analysis. This should create a panel of “Normal modes”.


If the panel appears, you’re all set! Congratulations!

Check on ”show vibrational coordinates”, and choose a mode you want to see. Vibrational motion will be indicated by arrows. You can “Invert the arrows” by a check box, and change the magnitude using a slider.

Thanks for using JSindo!
Enjoy!







FAQ

ALL

Which version of Java should I use?

Here is a table of available combination as far as I could check.

	Win	MacOS	Linux
Java8	NO	YES	YES
Java11	YES	YES	YES
Java17	NO	YES	NO

Note that this is far from complete.
The result may also depend on the version of OS.

Linux

JSindo stops with the following error:

```
Exception in thread "main" java.awt.HeadlessException
    at java.awt.GraphicsEnvironment.checkHeadless(GraphicsEnvironment.java:204)
    …
```

Some distrubutions have a headless version of Java by default. Try the following command to install OpenJDK

```
yum install java-1.8.0-openjdk
```

(CentOS)

```
apt install openjdk-8-jdk
```

(Debian, Ubuntu)

Win

I get JSindo start up, but fonts and icons are too tiny.

This is a general issue of Java/Swing applications when using Java 8 or older with a high DPI diplay. It is fixed after Java 9, so try with a newer version.

Linux

I get JSindo start up, but cannot open minfo file with the following error:

```
Exception in thread "AWT-EventQueue-0" java.lang.InternalError: XXX0
profile[1]: GL3bc -> profileImpl GL4bc !!! not mapped
…
```

This error happened to me when I didn't have the right driver installed for my GPU card (Quadro K600). It was solved after installing a NVIDIA driver.

MacOS, Linux

How can I switch the version of Java?

The version can be specified by setting a variable $JAVA_HOME and a path to it.

In MacOS, OpenJDK is installed to /Library/Java/JavaVirtualMachines, so,

```
export JAVA_HOME=/Library/Java/JavaVirtualMachines/temurin-11.jdk/Contents/Home/
export PATH=${JAVA_HOME}/bin:${PATH}
```

In Linux, OpenJDK is installed to /usr/lib/jvm, so

```
export JAVA_HOME=/usr/lib/jvm/java-11-openjdk-xxx
export PATH=${JAVA_HOME}/bin:${PATH}
```