



Politecnico di Milano
A.A 2016-2017
Requirements Analysis and
Specifications Document

Version 1.0

PowerEnjoy

Instructor : Prof. Di Nitto

Authors:
Amico Simone
Chianella Claudia Beatrice
Giovanakis Yannick

CONTENTS

1	Introduction	4
1.1	Purpose	4
1.2	System	4
1.3	Scope	4
1.3.1	Goals	6
1.3.2	Applications	6
1.4	Reference Documents	7
1.5	Glossary	7
1.5.1	Actors	7
1.5.2	Other definitions	8
1.6	Document overview	9
2	Overall Description	10
2.1	Software overview	10
2.2	User characteristics	11
2.3	Domain assumptions	12
2.3.1	General Domain Assumptions	12
2.3.2	User Assumptions	12
2.3.3	Vehicle Assumptions	12
2.4	Constraints	12
2.4.1	Software Limitations	12
2.4.2	Hardware limitations	13
2.4.3	Concurrency	14
2.4.4	Regulatory Policies	14
2.5	Functional Requirements	14
2.6	Non functional Requirements -¿ qua o in paragrafo 3?	15
2.7	Future implementation	16
3	Specific Requirements	17
3.1	External Interface Requirements	17
3.1.1	Mobile Application	17
3.1.2	Web Application	22

3.1.3	On-Board Application (Touch)	24
3.2	Scenarios	25

1. INTRODUCTION

1.1 Purpose

The aim of this document is to give an overview of the requirements and specifications of system to be developed. The goal of the document is to describe in detail all functional and non-functional requirements of the system, analyzing the needs of the customer and explaining common use case scenarios. It will set a baseline for project planning and cost estimation, giving a detailed insight to all stakeholders which include the PowerEnjoy Board , Investors and finally engineers (present and future) involved in development, testing and maintenance.

1.2 System

The to be developed software system provides a complete support to the new PowerEnjoy car-sharing service. It will allow users to register ,log-in and use the car sharing service within the limits imposed by the below specifications.

1.3 Scope

The new PowerEnjoy software system will allow visitors to register and retrieve all necessary information of common domain (ToS , contact information...).

Once the visitor has successfully registered to the system and his/her driving license has been approved, he/she will be provided with a unique username-password combination. This enables an user to log into the system at any time , from any mobile device.

Once logged in, the user can search within a certain distance for vehicles based on his/her current location or based on an input address. Eventually the user chooses to reserve an available vehicle, which can be picked-up within a time span of one hour.

Should the user not pick-up the car within the one hour availability limit, then the system will tag the vehicle as available and charge the user a fee

of 1 Euro.

Should the user reach the car within the limit, he/she must be able to interact with the system in order to unlock the vehicle and grant the user access to the car. As soon as the engine ignites, the system starts charging the user for a given amount of money per minute. The current charge will be notified through a display inside the car.

The system stops charging the user as soon as the car is parked in a safe area and the user exits the car. At this point the system will automatically lock the car. Should the user stop in a non-safe area he/she won't be granted to end the transaction and will be charged until he/she parks in a safe area. The set of safe area parking spots is defined inside the system and must be available all the time to the user's knowledge through the on-board display.

In addition to the functionality above, the system should incentivize the virtuous behaviours of the users with some bonuses:

- If the user shares a ride with at least two other passengers , the system will detect them and will apply a discount of 10% the last ride.
- If the user parks the car in a safe area and the battery charge level is more than 50% , the system will apply a discount of 20% on the last ride.
- If the user parks the car in a safe area provided with a PowerEnjoy charging station and takes care of the recharging , the system will apply a discount of 30% on the last ride.
- If the user parks the car in a safe area with a battery charge level less than 20% or the distance to the next power grid is greater than 3 KM, the system will add a fee of 30% of the last ride to compensate for the cost required to re-charge the car on-site.
- If the user enables money saving option, he/ she can input the final destination and the system provides information about the station where to leave the car to get a discount. This station is determined to ensure a uniform distribution od the cars in the city and depends both on the destination of the user and on the availability of power plugs at the selected station.

1.3.1 Goals

The PowerEnjoy software system needs to be:

- **[G1] : Practical**

It wants to give the users a better connectivity among places in the participant cities that common public transport often can't offer.

- **[G2] : Convenient**

The service needs to be convenient: it's less expensive than taking a taxi. It's an eco-friendly solution : car-sharing reduces the number of vehicles circulating in the cities and doesn't pollute thanks to electric engines.

- **[G3] : User friendly**

The system needs to be as user friendly as possible in order to be used easily by everyone through their own intuitive knowledge.

- **[G4] : Fast**

The system needs to be fast and responsive even during high peaks of activity.

- **[G5] : Available**

The system needs to be available at every time and on the largest possible number of devices (mobile and not) with an internet connection.

1.3.2 Applications

To achieve the above mentioned goals to following software tools need to be developed:

- **Mobile Application:** to be developed for all major operating systems (iOS, Android , Windows Phone). The mobile software must allow the user to perform all the tasks in the *Scope section* (1.3).

- **Web Application:** must be compatible with all major browser applications. The user must be allowed to perform all tasks in the *Scope section* (1.3).

- **On board car application:** this application needs to handle user interaction such as displaying general car information (charge, fee, tire pressure...), letting the user validate his/her identity through a pin code and report about the status of the vehicle. Furthermore it must control if the vehicle is parked in a safe area.
- **Back-End Application:** this application handles all search and reservation requests, payment transactions and car communications. It is also an essential tool for customer support operators.

1.4 Reference Documents

- IEEE Std 830-1998: IEEE Recommended Practice for Software Requirements Specifications
- Project description: Assignments AA 2016-2017.pdf
- Alloy Language Reference : <http://alloy.mit.edu/alloy/documentation/book-chapters/alloy-language-reference.pdf>
- UML Language Reference : https://www.utdallas.edu/~chung/Fujitsu/UML_2.0/Rumbaugh--UML_2.0_Reference_CD.pdf

1.5 Glossary

1.5.1 Actors

- *Visitor:* a visitor is defined as a person who is not logged into the system.
- *Registered User:* is defined as customer who is logged into the system.
- *Car:* is defined as the mean of transport to be used by a registered user.
- *Support operator:* The support operator is an employee who is trained and has a full grasp of the different software application .

1.5.2 Other definitions

- *Valid Payment*: as payment we accept only Credit Cards (Visa, MasterCard and American Express).
The payment method must be valid : the card must not be expired nor blocked. The validity will be checked immediately during registration phase.
- *Valid Drivers License*: the user must provide a valid european drivers license. The license must be valid: it must not be expired or suspended. The validity will be checked immediately during registration phase.
- *Safe Area* : a safe area is any part of the city where the user is allowed to park. Safe areas are pre-defined and installed into the cars' on board systems. If a user parks the car in an area which is *not* safe , he/she will not be able to end the ride and will be charged until he/she parks in a safe area.
- *Money Saving Option*: when a user starts a ride he/she can enable this mode on the onboard display: he/ she can input the final destination and the system provides information about the station where to leave the car to get a discount.
- *Reserved Car*: is a vehicle currently used by a user. Reserved cars are not visible as results of a search query.
- *Time left to unlock*: as soon as a user reserves a car, he/she has one hour to unlock it. The time left is displayed on top of the user's mobile/web application.
- *Charging Station*: all PowerEnjoy's cars are provided with an electric engine. A charging station is a location where the user can park and recharge the car. All charging stations are listed in the on- board system.
- *Battery level* : the current state of the battery charge is indicated by the battery level.
- *Passenger* : is a person (not necessarily registered) who shares a ride with a registered driver. A passenger cannot drive but his presence will be detected by the system.

- *On-board application*: is the software installed on every car. The user can interact with it through a touch screen display.
- *Mobile application*: is the downloadable software that can be installed on major mobile devices.
- *Web application*: is the online software that is accessible through all common web browsers.
- *Back-End application*: is the part of the system that manages queries ,data and user-system interaction.
- *Ride*: a ride is a time span starting from the moment the user turns the car on and ends when the user parks it in a safe area after the car has automatically locked the doors.
- *Payment History* : a chronological list of all payments and rides made by a given user.
- *Available car* : a car that is not reserved or charging. These cars are shown as result of search queries and can be reserved by users.


1.6 Document overview

1. **Introduction**: this section gives a general description of the software and its characteristics
2. **Overall description**: this section gives a detailed overview of the document focusing on domain assumptions, requirements (functional and not) and the characteristics of different types of interacting users.
3. **Specifications**: this section gives a deep insight about the system's main functionality, analyzing scenarios with their relative use-cases and includes an extensive alloy model. Event flows are model using sequence and state diagrams.

2. OVERALL DESCRIPTION

The overview section highlights all the main functionality and constraints of the PowerEnjoy software.

2.1 Software overview



2.2 User characteristics

Specifies the characteristics of the different actors mentioned in *Actors section* (1.5.1)

- **Visitor:** A visitor can see only the log-in page with a registration form and some common information ,such as the company's customer office contact information and terms of service. There are no constraints about visitors : every person can access the main site and try to register.
- **User:** a want-to-be user must match the following requirements:
 - the user has to be **at least 18** years old
 - the user must have a **valid** driving license (*aggiungere link al glossario *)
 - the user must enter a valid payment method (*aggiungere link al glossario *)
- **Car:** is property of the PowerEnjoy Company. A car must be able to communicate to with the system all the time. If a car is available (i.e currently not reserved by a registered user) then its current location must be stored in the system so to be shown on all users' devices. As soon as the engine ignition starts , the car's system must time the vehicle's usage in order to charge the user the right amount of money. Once the user has parked the car inside a safe area and has exited, the car informs the system about the fee to charge ,locks the doors automatically and finally informs the system that it is available again.
- **Support Operator:** his job is to offer costumer support concerning software issues and help out in case of emergency.
Contrary to a user, he has access to the back-end software which enables him to overview the system status.

2.3 Domain assumptions

2.3.1 General Domain Assumptions

We hold the assumption that the system will be deployed in large metropolitan cities with a maximum of 3M inhabitants.

We assume that the mean highest peak of activity is around dinner time on Fridays and Saturdays. We assume that during the peak the system will be used by around 50k people , 80% of which gain access to the system through the Mobile Application, while the remaining 20% through the Web Application.

We assume that the fleet of vehicles will be proportional to the number of inhabitants, reaching a peek of 300 vehicles in the biggest area.

2.3.2 User Assumptions

We assume that all users are provided with an enabled internet connection equipped with GPS tracking which is the only way to search, reserve and unlock a car. We assume that all active users carry their driving license with them and drive following the traffic code¹.

2.3.3 Vehicle Assumptions

* chiedere se e' bisogna inserire assunsiozioni sulla carica delle macchine etc...*

2.4 Constraints

2.4.1 Software Limitations

The Mobile and Web Application can not exceed 50MB of RAM usage.

The On-Board application can not exceed 75MB of RAM usage.

The Back-End application cannot exceed 100GB of RAM usage.

¹http://www.mit.gov.it/mit/site.php?p=normativa&o=vd&id=1&id_cat=&id_dett=0

2.4.2 Hardware limitations

The Mobile Application must be available for the following mobile operating systems:

- iOS version 7.0 or higher.
- Android version 4.0 or higher.
- Windows Phone 8 or higher.

The applications must interface with Google Maps API² and follow the design guidelines provided by each platform^{3 4}.

The Web Application must be developed in order to be correctly used by the following web browsers⁵:

- Mozilla Firefox
- Google Chrome
- Safari
- Microsoft Edge
- Opera

The on-board software system must be equipped with a GPS Module and interface Google Maps API. The following safety regulations must be followed:

- **Night mode:** an automatic night mode must be implemented. This will avoid that drivers get blinded by excessive brightness of the display.
- **Safe - area parking recognition:** the system must recognize whether the vehicle is parked in a safe-area or not.
- **Additional passenger recognition:** the system must recognize passenger. This feature is crucial for bonus credit distribution to the driver.

²<https://developers.google.com/maps/documentation/javascript/>

³<https://developer.android.com/design/index.html>

⁴<https://developer.apple.com/design/>

⁵<http://www.w3schools.com/browsers/default.asp>

2.4.3 Concurrency

The back-end application must be able to handle correctly multiple user requests without creating conflicts : if two users desire to reserve the same car simultaneously ,only one can be granted a reservation.

2.4.4 Regulatory Policies

- **Privacy Policy:** Data should be collected and stored following the privacy policy guidelines provided by Mozilla Foundation https://developer.mozilla.org/en-US/Marketplace/PublishingPolicies_and_Guidelines/Privacy_policies
- Network connections must be encrypted.
- Data storage on PowerEnjoy databases must be encrypted

2.5 Functional Requirements

1. Mobile and Web Application

- [R1.1]: Allow a guest to register entering all relevant personal data and a valid driving license whose validity will be checked on the spot
- [R1.2]: Allow a registered user to log-in
- [R1.3]: Allow a registered user to update his personal information
- [R1.4]: Allow a registered user to search for an available vehicle given his position within a selected distance
- [R1.5]: Allow a registered user to search for an available vehicle given an input position within a selected distance
- [R1.6]: Allow a registered user to reserve a selected vehicle.
- [R1.7]: Allow a registered user to check his payment history
- [R1.8]: Allow a registered user to recover his account log-in information in a secure way
- [R1.9]: Allow a registered user to search for an available vehicle given an input position.

- [R1.10]: Allow a registered user to unlock *his/her* reserved car if the user is nearby.
- [R1.11]: **Chiedere per cancellazione prenotazioni**

2.On-Board Application

- [R2.1]: Allow a registered user to correctly identify himself/herself by entering a user specific pin-code
- [R2.2]: Enable a registered user to keep track of the distance covered , time spent using the car ,the current owed fee and the remaining battery charge.

3.Back-End Application

- [R3.1]: .

2.6 Non functional Requirements -*z* qua o in paragrafo 3?

Some non functional requirements have been to be necessary in the to be developed system in order to provider a correct operation flow and an optimized UX.

- *User friendliness*: the Mobile/Web as well as the On-Board Application must be easily handled by the average web user with basic web knowledge.
- *Performance*: to supply a suitable service the system must be responsive even at peak activity times. To achieve this client-server transaction must be reduced to a minimum.
- *Reliability*: the PowerEnjoy service must be active 24h/24h . Maintenance must be performed without compromising functionality. At all the time , a user must be able to be charged the owed fee.
- *Data integrity and availability*: Data have to be always available and accessible.Data availability can be achieved by duplicating data on back-up servers. For instance the use of RAID, mirroring and backup could present a valid solution.

- *Maintainability*: the software should be implemented so as to be as modular as possible to allow future expansions and easy modifications.

Google API are required but can be easily updated from time to time on all systems.

- *Security*: user accounts are provided with two factor authentication with a code sent to the user's mobile phone to add a secure connection method to the system. Sensible user information are stored using a hashing mechanism .

User data input should be filtered to avoid malicious modifications (i.e SQL Injections).

All connections should be encrypted and run on a secure HTTPS protocol with valid certificates that uses the secure TSL protocol to avoid Man in the Middle Attacks.

2.7 Future implementation

The system must be as scalable as possible: future implementations can require a deployment in very large metropolitan cities that exceed by far the maximum amount of planned users.

An important thing to keep in mind is that the nature of vehicles could change in the distant future : not only cars , but also electric powered motorcycles could be added to the PowerEnjoy vehicle fleet.This means that the on-board software should be as expandable as possible using for instance Hierarchy Design Patterns in the vehicle type definition.

3. SPECIFIC REQUIREMENTS

3.1 External Interface Requirements

This section is dedicated to illustrate the mockups of the user interfaces.

3.1.1 Mobile Application




Figure 1: Home

The sign up screen of the PowerEnjoy mobile application. At the top, there is a navigation bar with icons for signal strength, battery level (42%), and time (9:41 AM). The title "Sign Up" is centered at the top. Below the title is a back arrow icon. The form consists of several input fields: "NAME" and "SURNAME" (each with a single-line text input field), "DRIVER LICENSE NUMBER" (with a single-line text input field), "CREDIT CARD" (with a "Card Number" input field and three smaller input fields for "Code", "Exp...", and "Card Holder"), and a standard iOS-style keyboard at the bottom. The keyboard includes letters Q-W-E-R-T-Y-U-I-O-P, A-S-D-F-G-H-J-K-L, Z-X-C-V-B-N-M, and function keys 123, ., @, space, and return.

Figure 2: Sign Up




Figure 3: Sign In




Figure 4: Search




Figure 5: Address input




Figure 6: Car Selection




Figure 7: Confirm selection




Figure 8: Time left to unlock




Figure 9: Unlock car




Figure 10: Menu

3.1.2 Web Application




Figure 11: Homepage




Figure 12: Main page with map an car locations




Figure 13: Main page with car selection




Figure 14: Main page with account info bar

3.1.3 On-Board Application (Touch)




Figure 15: Welcome screen




Figure 16: Pin request




Figure 17: Main screen

3.2 Scenarios