The Complex Organic Molecules of Embedded Protostars at Perseus

Yao-Lun Yang^{1, 2}

¹RIKEN Cluster for Pioneering Research, Wako-shi, Saitama, 351-0106, Japan ²Department of Astronomy, University of Virginia, Charlottesvile, VA 22904-4235, USA

1. INTRODUCTION

Planet formation may start during the embedded phase of star formation. In the scenario where planets form from the embedded disks, resulting in substructures, the chemistry of embedded disks may play a significant role for the chemical composition of the forming planets. In the recent years, observations discover the emission of carbon-chain molecules and complex organic molecules (COMs) toward the center of several embedded protostars, indicating that embedded protostars have developed a complex chemistry at the disk-forming region. If the forming planets inherit the chemistry of embedded disks, the abundance of complex organic molecules may implicate future developments of organics on the planets.

Heavier or more complex molecules, such as cyclic- C_3H_2 , SO, and complex organic molecules (COMs), are in the gas phase at the inner protostellar envelope ($T \gtrsim 100 \,\mathrm{K}$), exclusively tracing the properties of the inner envelope where a disk may be forming (Aikawa 2013; Sakai et al. 2014). The kinematics of a rotating infalling envelope has been analyzed with the observations of heavier or more complex molecules, such as CH₃OH and CH₂DOH for HH 212 (Lee et al. 2017), CS for IRAS 04365+2535 (Sakai et al. 2016) and L483 (Oya et al. 2017), cyclic- C_3H_2 for L1527 (Sakai et al. 2014), OCS for IRAS 16293-2422 A (Oya et al. 2016), and methanol and HCOOH for B335 (Imai et al. 2019).

In the review by Herbst & van Dishoeck (2009), complex molecules are defined as carbon-bearing molecules that contain six atoms or more. Saturated complex molecules are rich in hydrogen atoms, often called complex organic molecules (COMs), while the unsaturated complex molecules are lack of hydrogen atoms, mostly in the form of long carbon-chain molecules. While recent observations show several embedded protostars with rich spectra of complex molecules, the occurrence of complex molecules at embedded protostars and its relation-

Corresponding author: Yao-Lun Yang yaolunyang.astro@gmail.com

ship to the star formation process remain poorly understand. Several protostars are rich in COMs but show little emission of long carbon-chain molecules, such as IRAS 16293–2422 (Jørgensen et al. 2016), NGC 1333 IRAS 4A (Bottinelli et al. 2004), B335 (Imai et al. 2016, 2019), and BHR 71 (Yang et al. 2020 accepted); some protostars are rich in long carbon-chain molecules but not in COMs, such as L1527 (Sakai et al. 2010) and IRAS 15398–3359 (Sakai et al. 2009). While the bimodal chemical appearance hints a bimodal evolutionary path, the chemical evolution at the embedded protostars remain ill-constrained as a few protostars show the emission of both COMs and long carbon-chain molecules at different scales, such as L483 (Oya et al. 2017).

The Perseus ALMA Chemistry Survey (PEACHES) aims to provide the statistics on the occurrence of complex molecules at embedded protostars. This program unbiasedly observes 51 embedded protostars with ALMA around 260 GHz, covering the emission of simple molecules such as CS and H¹³CN as well as the emission of complex molecules including CH₃OH and CH₃OCHO.

2. OBSERVATIONS

3. RESULTS

The ALMA image cubes are post-processed to extract 1D spectra for identifying the emission of complex molecules and more in-depth analyses. Because the complex molecules only sublime at the temperature greater than $\sim\!100\,\mathrm{K}$, we focus on the spectra toward the continuum sources. Four steps of post-processing reduces the image cubes to 1D spectra, which are summarized below.

• Continuum fitting: We use the CASA task imfit to iteratively fit for continuum sources down to 5σ of the residual image within the central 70% of the primary beam size (20"). For Set3-ID09, the fitting uses a threshold of 4σ and extends the mask to the entire primary beam as a continuum source is detected toward the edge of the primary beam where the noise is elevated.

Table 1. PEACHES Sample

Source	R.A. (J2000)	Decl. (J2000)	$v_{ m lsr}$	Beam	Cont. Size	$T_{ m cont}$	Ref. $(v_{\rm lsr})$
	(hh:mm:ss)	(dd:mm:ss)	$({\rm km\ s^{-1}})$	(")	(")	(K)	
Per-emb-22-B	03:25:22.35	30:45:13.11	4.3	0."64×0."39	0."95×0."51	0.92	S19
Per-emb-22-A	03:25:22.41	30:45:13.26	4.3	0.64×0.39	$0.''86 \times 0.''65$	1.71	S19
L1448NW	03:25:35.67	30:45:34.16	4.2	0.64×0.39	$0.''83 \times 0.''47$	3.15	H18
Per-emb-33B/C	03:25:36.32	30:45:15.19	5.3	0.64×0.39	0.75×0.48	5.55	S19
Per-emb-33-A	03:25:36.38	30:45:14.72	5.3	0.64×0.39	$0.''73 \times 0.''45$	10.33	S19
$L1448\mathrm{IRS3A}$	03:25:36.50	30:45:21.90	4.6	0.64×0.39	0.85×0.59	3.21	H18
Per-emb-26	03:25:38.88	30:44:05.28	5.4	0.64×0.39	0.69×0.45	8.03	S19
Per-emb-42	03:25:39.14	30:43:57.90	5.8	0.64×0.39	0.64×0.39	0.66	S19
Per-emb-25	03:26:37.51	30:15:27.81	5.5	0.64×0.39	0.69×0.41	5.27	S18
Per-emb-17	03:27:39.11	30:13:02.96	6.0	0.64×0.40	$0.''79 \times 0.''48$	2.00	S19
Per-emb-20	03:27:43.28	30:12:28.88	5.3	0.64×0.40	$1.''29 \times 0.''78$	0.14	S19
$L1455\mathrm{IRS2}$	03:27:47.69	30:12:04.33	5.1	0.64×0.40	0.60×0.38	0.13	H18
Per-emb-35-A	03:28:37.10	31:13:30.77	7.4	0.66×0.42	0.75×0.51	0.93	Y20
Per-emb-35-B	03:28:37.22	31:13:31.74	7.3	0.66×0.42	0.78×0.53	0.75	Y20
Per-emb-27	03:28:55.57	31:14:36.97	6.5	0.66×0.42	$0.''93 \times 0.''66$	5.79	Y20
EDJ2009-172	03:28:56.65	31:18:35.43		0.66×0.42	0.69×0.44	0.62	
Per-emb-36	03:28:57.37	31:14:15.77	6.9	0.66×0.42	$0.''73 \times 0.''46$	5.56	S19
Per-emb-54	03:29:01.55	31:20:20.49	7.9	0.66×0.42	0.69×0.40	0.07	S19
SVS13B	03:29:03.08	31:15:51.73	8.5	0.66×0.42	$0.''87 \times 0.''68$	6.64	S19
SVS13A2	03:29:03.39	31:16:01.58	8.4	0.66×0.42	$0.''86 \times 0.''53$	0.61	S18
Per-emb-44	03:29:03.76	31:16:03.70	8.7	0.66×0.42	$0.''98 \times 0.''79$	6.84	S19
Per-emb-15	03:29:04.06	31:14:46.23	6.8	0.66×0.42	$0.''89 \times 0.''70$	0.17	S19
Per-emb-50	03:29:07.77	31:21:57.11	9.3	0.66×0.42	$0.''73 \times 0.''44$	4.13	Y20
Per-emb-12-B	03:29:10.44	31:13:32.08	6.9	0.66×0.42	$1.''33 \times 0.''81$	10.04	S19
Per-emb-12-A	03:29:10.54	31:13:30.93	6.9	0.66×0.42	$1.''11 \times 0.''98$	21.85	S19
Per-emb-21	03:29:10.67	31:18:20.16	8.6	0.66×0.42	$0.''74 \times 0.''48$	2.05	Y20
Per-emb-18	03:29:11.27	31:18:31.09	8.1	0.66×0.42	0.84×0.73	3.42	S19
Per-emb-13	03:29:12.02	31:13:07.99	7.1	0.66×0.42	$1.''07 \times 0.''83$	14.76	S19
IRAS4B'	03:29:12.85	31:13:06.87	7.1	0.66×0.42	0.283×0.274	7.13	S19
Per-emb-14	03:29:13.55	31:13:58.12	7.9	0.66×0.42	0.79×0.50	3.05	S19
EDJ2009-235	03:29:18.26	31:23:19.73	7.7	0.67×0.42	0.66×0.44	0.26	Y20
EDJ2009-237	03:29:18.74	31:23:25.24		0.67×0.42	0.67×0.42	0.12	
Per-emb-37	03:29:18.97	31:23:14.28	7.5	0.67×0.42	0.82×0.57	0.56	Y20
Per-emb-60	03:29:20.05	31:24:07.35		0.67×0.42	0.73×0.47	0.08	
Per-emb-5	03:31:20.94	30:45:30.24	7.3	0.45×0.30	0.756×0.741	15.29	S19
Per-emb-2	03:32:17.92	30:49:47.81	7.0	0.45×0.30	$1.''35 \times 0.''97$	7.41	S19
Per-emb-10	03:33:16.43	31:06:52.01	6.4	0.46×0.30	0.49×0.32	1.82	S19
Per-emb-40	03:33:16.67	31:07:54.87	7.4	0.46×0.30	0.47×0.32	1.44	S19
Per-emb-29	03:33:17.88	31:09:31.74	6.1	0.46×0.30	0.756×0.739	8.41	Y20
B1-bN	03:33:21.21	31:07:43.63	6.6	0.46×0.30	0.756×0.747	7.67	C16
B1-bS	03:33:21.36	31:07:26.34	6.6	0.46×0.30	0.63×0.53	14.79	C16
Per-emb-16	03:43:50.97	32:03:24.12	8.8	0.750×0.732	0.61×0.52	0.35	S19
Per-emb-28	03:43:51.01	32:03:08.02	8.6	0.750×0.732	0.756×0.732	1.52	S19
Per-emb-1	03:43:56.81	32:00:50.16	9.4	0.49×0.32	0''68×0''48	4.57	S19
Per-emb-11-B	03:43:56.88	32:03:03.08	9.0	0.750×0.733	0.92×0.69	0.40	S19
${\bf Per\text{-}emb\text{-}11\text{-}A}$	03:43:57.07	32:03:04.76	9.0	0.750×0.733	0.61×0.48	10.47	S19
Per-emb-11-C	03:43:57.70	32:03:09.82	9.0	0.750×0.733	1"10×0"86	0.34	S19
Per-emb-55	03:44:43.30	32:01:31.22	12.0	0.750×0.732	0.49×0.33	0.32	S19
Per-emb-8	03:44:43.98	32:01:35.19	11.0	0.750×0.732	0.49×0.36	8.51	S19
Per-emb-53	03:47:41.59	32:51:43.62	10.2	0"51×0"33	0.758×0.742	1.55	Y20

References—C16=Carney et al. (2016); H18=Higuchi et al. (2018); S18=Stephens et al. (2018); S19=Stephens et al. (2019); Y20=this study.

Table 2. PEACHES Sample

PEACHES ID	Source	R.A. (J2000)	Decl. (J2000)	$v_{ m lsr}$	Beam	Cont. Size	T_{cont}	Ref. $(v_{\rm lsr})$
		(hh:mm:ss)	(dd:mm:ss)	$({\rm km\ s^{-1}})$	(")	(")	(K)	
Set1_ID00	L1448NW	03:25:35.67	30:45:34.16	4.2	064×039	0."83×0."47	3.15	H18
$Set1_ID01_3$	Per-emb-33-A	03:25:36.38	30:45:14.72	5.3	0.64×0.39	0.73×0.45	10.33	S19
$Set1_ID01_4$	Per-emb-33B/C	03:25:36.32	30:45:15.19	5.3	0.64×0.39	0.75×0.48	5.55	S19
$Set1_ID01_2$	$L1448\mathrm{IRS3A}$	03:25:36.50	30:45:21.90	4.6	0.64×0.39	$0.''85 \times 0.''59$	3.21	H18
$Set1_ID02$	Per-emb-26	03:25:38.88	30:44:05.28	5.4	0.64×0.39	$0.''69 \times 0.''45$	8.03	S19
$Set1_ID02_2$	Per-emb-42	03:25:39.14	30:43:57.90	5.8	0.64×0.39	0.64×0.39	0.66	S19
$Set1_ID03$	Per-emb-22-A	03:25:22.41	30:45:13.26	4.3	0.64×0.39	$0.''86 \times 0.''65$	1.71	S19
$Set1_ID03_2$	Per-emb-22-B	03:25:22.35	30:45:13.11	4.3	0.64×0.39	$0.''95 \times 0.''51$	0.92	S19
$Set1_ID05$	Per-emb-25	03:26:37.51	30:15:27.81	5.5	0.64×0.39	0.69×0.41	5.27	S18
$Set1_ID06$	Per-emb-17	03:27:39.11	30:13:02.96	6.0	0.64×0.40	0.79×0.48	2.00	S19
$Set1_ID07$	Per-emb-20	03:27:43.28	30:12:28.88	5.3	0.64×0.440	1.29×0.78	0.14	S19
$Set1_ID08$	$L1455\mathrm{IRS2}$	03:27:47.69	30:12:04.33	5.1	0.64×0.40	0.60×0.38	0.13	H18
$Set2_ID00$	Per-emb-44	03:29:03.76	31:16:03.70	8.7	0.66×0.42	$0.''98 \times 0.''79$	6.84	S19
$\rm Set2_ID00_2$	SVS13A2	03:29:03.39	31:16:01.58	8.4	0.66×0.42	$0.''86 \times 0.''53$	0.61	S18
$Set2_ID01$	Per-emb-12-A	03:29:10.54	31:13:30.93	6.9	0.66×0.42	$1.''11 \times 0.''98$	21.85	S19
$\rm Set2_ID01_2$	Per-emb-12-B	03:29:10.44	31:13:32.08	6.9	0.66×0.42	$1.''33 \times 0.''81$	10.04	S19
${\rm Set}2_{\rm ID}02$	Per-emb-13	03:29:12.02	31:13:07.99	7.1	0.66×0.42	1."07×0."83	14.76	S19
$\rm Set2_ID02_2$	IRAS4B'	03:29:12.85	31:13:06.87	7.1	0.66×0.42	$0.''83 \times 0.''74$	7.13	S19
$Set2_ID03$	Per-emb-27	03:28:55.57	31:14:36.97	6.5	0.66×0.42	0."93×0."66	5.79	Y20
$Set2_ID04$	Per-emb-54	03:29:01.55	31:20:20.49	7.9	0.66×0.42	0.69×0.40	0.07	S19
${\rm Set2_ID05}$	Per-emb-21	03:29:10.67	31:18:20.16	8.6	0.66×0.42	0.74×0.48	2.05	Y20
$Set2_ID06$	Per-emb-14	03:29:13.55	31:13:58.12	7.9	0.66×0.42	0.79×0.50	3.05	S19
$Set2_ID07$	Per-emb-35-A	03:28:37.10	31:13:30.77	7.4	0.66×0.42	0.75×0.51	0.93	Y20
$\rm Set2_ID07_2$	Per-emb-35-B	03:28:37.22	31:13:31.74	7.3	0.66×0.42	0.78×0.53	0.75	Y20
$Set2_ID08$	SVS13B	03:29:03.08	31:15:51.73	8.5	0.66×0.42	087×068	6.64	S19
$Set2_ID09$	Per-emb-15	03:29:04.06	31:14:46.23	6.8	0.66×0.42	$0.''89 \times 0.''70$	0.17	S19
$Set2_ID11$	Per-emb-50	03:29:07.77	31:21:57.11	9.3	0.66×0.42	0.73×0.44	4.13	Y20
${\rm Set}2_{\rm ID}12$	Per-emb-18	03:29:11.27	31:18:31.09	8.1	0.66×0.42	$0.''84 \times 0.''73$	3.42	S19
$Set2_ID13$	Per-emb-37	03:29:18.97	31:23:14.28	7.5	0.67×0.42	$0.''82 \times 0.''57$	0.56	Y20
${\rm Set2_ID13_2}$	EDJ2009-235	03:29:18.26	31:23:19.73	7.7	0.67×0.42	0.66×0.44	0.26	Y20
$Set2_ID13_3$	EDJ2009-237	03:29:18.74	31:23:25.24		0.67×0.42	0.67×0.42	0.12	
$Set2_ID14$	Per-emb-60	03:29:20.05	31:24:07.35		0.67×0.42	0.73×0.47	0.08	
${\bf Set2_ID15}$	EDJ2009-172	03:28:56.65	31:18:35.43		0.66×0.42	0.69×0.44	0.62	
$Set2_ID16$	Per-emb-36	03:28:57.37	31:14:15.77	6.9	0.66×0.42	0.73×0.46	5.56	S19
$Set3_ID00$	B1-bS	03:33:21.36	31:07:26.34	6.6	0.46×0.30	0.63×0.53	14.79	C16
$\rm Set 3_ID 00_2$	B1-bN	03:33:21.21	31:07:43.63	6.6	0.46×0.30	$0.''56 \times 0.''47$	7.67	C16
$Set3_ID01$	Per-emb-29	03:33:17.88	31:09:31.74	6.1	0.46×0.30	0.756×0.739	8.41	Y20
$Set3_ID02$	Per-emb-10	03:33:16.43	31:06:52.01	6.4	0.46×0.30	$0.''49 \times 0.''32$	1.82	S19
$Set3_ID03$	Per-emb-40	03:33:16.67	31:07:54.87	7.4	0.46×0.30	0.47×0.32	1.44	S19
$Set3_ID04$	Per-emb-2	03:32:17.92	30:49:47.81	7.0	0.45×0.30	$1.''35 \times 0.''97$	7.41	S19
$Set3_ID05$	Per-emb-5	03:31:20.94	30:45:30.24	7.3	0.45×0.30	0.756×0.741	15.29	S19
${\bf Set 3_ID06}$	Per-emb-1	03:43:56.81	32:00:50.16	9.4	0.49×0.32	0.68×0.48	4.57	S19
${\bf Set 3_ID07}$	${\bf Per\text{-}emb\text{-}11\text{-}A}$	03:43:57.07	32:03:04.76	9.0	0.50×0.33	$0.''61 \times 0.''48$	10.47	S19
$\rm Set 3_ID 07_2$	Per-emb-11-B	03:43:56.88	32:03:03.08	9.0	0.50×0.33	$0.''92 \times 0.''69$	0.40	S19
$Set 3_ID 07_3$	${\bf Per\text{-}emb\text{-}11\text{-}C}$	03:43:57.70	32:03:09.82	9.0	0.50×0.33	$1.''10 \times 0.''86$	0.34	S19
${\bf Set 3_ID08}$	Per-emb-8	03:44:43.98	32:01:35.19	11.0	0.50×0.32	$0.''49 \times 0.''36$	8.51	S19
$\rm Set 3_ID 08_2$	Per-emb-55	03:44:43.30	32:01:31.22	12.0	0.50×0.32	0.49×0.33	0.32	S19
${\bf Set 3_ID 09}$	Per-emb-16	03:43:50.97	32:03:24.12	8.8	0.50×0.32	0.61×0.52	0.35	S19
$\rm Set 3_ID 09_2$	Per-emb-28	03:43:51.01	32:03:08.02	8.6	0.50×0.32	$0.''56 \times 0.''32$	1.52	S19
$Set3_ID10$	Per-emb-53	03:47:41.59	32:51:43.62	10.2	0.751×0.733	$0.''58 \times 0.''42$	1.55	Y20

 $\begin{array}{l} \textbf{References} - \text{C16} = \text{Carney et al. (2016); H18} = \text{Higuchi et al. (2018); S18} = \text{Stephens et al. (2018); S19} = \text{Stephens et al. (2019); Y20} = \text{this study.} \end{array}$

• Extracting spectra: We use the CASA task specflux to extract the mean flux density within the ellipse which has the same major and minor axes as well as the position angle as the fitted continuum sources.

- Baseline calibration: The continuum has been removed before the imaging process; however, the extracted spectra sometimes still show imperfect baselines. The spectra show significant differences from one to another such as rich emission lines, lack of emission, and broad emission features. Thus, we manually select the frequency ranges for baseline calibration for each spectral window and each field.
- Velocity correction: Finally, the frequency of the extracted spectra are corrected according to the source velocities. We collect the source velocities from the literature as well as from the strong emission lines in our spectra. Table 1 lists the adopted source velocities and the corresponding references.

Figure 1 shows the images of the continuum along with the fitted shapes, while the properties of the continuum sources are listed in Table 1. Our observations detect 50 continuum sources. The continuum emission appears as compact circular or elliptical shape with no sub-structure. Some sources show extended continuum emission resembling the shape of outflow cavities.

Three sources, EDJ2009-237, Per-emb-60, and EDJ2009-172, have no spectral line detected; therefore, we exclude them from spectral extraction as well as the line identification and modeling. These three sources still need to be included for detection number statistics.

3.1. Line Identifications and Modeling

Line identification starts with manual identification and verification for a few sources with rich spectra, including Per-emb-12B and B1-bS. We use SPLATALOGUE¹ to identity the molecular species and use XCLASS (Möller et al. 2017) to verify the identification. The XCLASS package is a LTE radiative transfer code that uses the molecular data from the Cologne Database of Molecular Spectroscopy (CDMS; Müller et al. 2001, 2005; Endres et al. 2016) and the Jet Propulsion Laboratory (JPL; Pickett et al. 1998). An identification needs to satisfy the following criteria.

• The spectra agree with the predicted strengths of the model.

- The spectral lines are not all blended with other emission, such as other molecules and the SiO emission tracing the outflows. The emission of a few species, such as HDCO & ¹³CH₃OH, CH₃CHO & CH₂DOH, ³⁴SO & C₂H₅OH, and CH₃OCH₃ & CH₂DCN, are partially blended (blending occurs at a few lines but other lines remain isolated). The fittings of those species are performed together to verify their identification.
- Identified molecules need to be already found toward young stellar objects as summarized in McGuire (2018).

Table 3 lists the identified species and transitions. Only identifiable transitions are listed. The XCLASS modeling includes all the transitions in our frequency coverage regardless their Einstein-A values and upper energy levels.

Systematic spectral fitting using XCLASS is then applied to all sources using a list of species, compiled from those identifications. The catalogs used in this study are listed in Appendix A The fitting function in XCLASS includes several optimization algorithms that can be used in series to reduce biases. We configure the algorithm chain that starts with the genetic algorithm followed by the Levenberg-Marquardt χ^2 minimization. The genetic algorithm searches the best-fitting parameters iteratively with generations that evolve like a natural selection, where the better fitting models get less modification over generations. We setup the genetic algorithm to search for the three best-fitting models after five generations. Then, the Levenberg-Marquardt χ^2 minimization applies to the three best-fitting models for 50 iterations to the best-fitting models. We assume the COMs are all concentrated at the center, simplified as a 2D thin circular disk. There are four parameters for the XCLASS modeling, the size of the emitting molecule (r_{COM}) , the excitation temperature (T_{ex}) , the column density (N_{COM}) , and the line width $(\Delta \nu)$. Due to the limited frequency coverage, many species only have a few lines detected, we fix r_{COM} as 0".5, similar to our beam size, and optimize the model with five excitation temperatures, 100, 150, 200, 250, and 300 K. We allow the line width varying between 1.2 km s^{-1} to 3.5 km s^{-1} for better fitting quality, and the range of the column density for each molecule is chosen according to the strength of the emission. The range of fitted column densities at different temperatures indicates the uncertainty of the column densities.

The uncertainty from the fitting.

¹ http://www.splatalogue.net/




Figure 1. The continuum images of all PEACHES protostars. Non-detections toward L1448 IRS 2E and NGC 1333 SVS 3 are not shown. The dashed ellipses illustrate the size of fitted continuum, which is the region for extracting 1D spectra.

Table 3. Line Identification

Frequency (MHz)	Transition ^a	log(Einstein-A)	<i>E</i> _u (K)	$g_{ m u}$	Ref.					
	Ethynyl (Co	CH)								
262065.00 (0.05)	$[3, 5/2, 3] \rightarrow [2, 3/2, 2]^{b}$	-4.31	25.16	7	CDMS					
262067.47 (0.05)	$[3, 5/2, 2] \rightarrow [2, 3/2, 1]^{b}$	-4.35	25.16	5	CDMS					
262078.93 (0.02)	$[3, 5/2, 2] \rightarrow [2, 3/2, 2]^{b}$	-5.22	25.16	5	CDMS					
	Cyclopropenyliden	e (c-C ₃ H ₂)								
244222.15 (0.01)	$[3, 2, 1] \rightarrow [2, 1, 2]$	-4.23	18.17	21	CDMS					
246557.77 (0.02)	$[16, 10, 7] \rightarrow [16, 9, 8]$	-3.36	397.83	99	CDMS					
260479.75 (0.02)	$[5, 3, 2] \rightarrow [4, 4, 1]$	-3.79	44.72	33	CDMS					
	Methanol (CH $_3$ OH $v_{ m t}=0)$									
243915.79 (0.01)	$[5, 1, 4] \rightarrow [4, 1, 3] A$	-4.22	49.66	44	CDMS					
$246873.30 \ (0.02)$	$[19, 3, 16] \rightarrow [19, 2, 17] A$	-4.08	490.65	156	CDMS					
261805.68 (0.01)	$[2, 1, 1] \rightarrow [1, 0, 1] E$	-4.25	28.01	20	CDMS					
-	Methanol (¹³ CH ₃ C	OH $v_{\rm t} = 0$)								
$246426.12 \ (0.22)$	$[23, 4, 19] \rightarrow [22, 5, 18]$	-4.58	721.02	47	CDMS					
247086.3 (0.5)	$[23,3,20] {\to} [23,2,21] \ {\rm A} {-} {\to} \ {\rm A} {+}$	-4.07	674.86	47	CDMS					
259036.49 (0.17)	$[17, 3, 15] \rightarrow [17, 2, 16] A+\rightarrow A-$	-4.04	396.48	35	CDMS					
	Methanol (CH ₂ DC	OH $v_{\rm t} = 0$)								
$243514.31 \ (0.01)$	$[9, 2, 8] \rightarrow [10, 1, 10] o_1$	-5.17	131.85	19	$_{ m JPL}$					
$246973.11 \ (0.01)$	$[4, 1, 4] \rightarrow [4, 1, 3] e_1$	-4.67	37.69	9	$_{ m JPL}$					
260543.63 (0.01)	$[3, 2, 1] \rightarrow [3, 1, 2] o_1$	-4.65	48.34	7	JPL					
	Methanol ($CH_3^{18}O$	$H v_{\rm t} = 0)$								
246256.60 (0.04)	$[11. \ 2. \ 10] \rightarrow [10, \ 3, \ 7] \ A$	-4.64	184.27	92	CDMS					
	Sulfur monoxide	$(SO^3\Sigma)$								
$258255.83 \ (0.01)$	$[N, J] = [6, 6] \rightarrow [5, 5]$	-3.67	56.50	13	CDMS					
261843.72 (0.03)	$[N, J] = [7, 6] \rightarrow [6, 5]$	-3.64	47.55	15	CDMS					
	Sulfur monoxide	e (³⁴ SO)								
246663.47 (0.1)	$[N, J] = [5, 6] \rightarrow [4, 5]$	-3.74	49.89	11	CDMS					
	Sulfur dioxide	(SO_2)								
244254.22 (0.01)	$[14, 0, 14] \rightarrow [13, 1, 13]$	-3.79	93.90	29	CDMS					
	Hydrogen cyanide	(H ¹³ CN)								
$259010.26 \ (0.01)$	$[J, F] = [3, 3] \rightarrow [2, 3]$	-4.07	24.86	7	CDMS					
259011.55 (0.01)	$[J, F] = [3, 2] \rightarrow [2, 1]$	-3.19	24.86	5	CDMS					
259011.80 (0.01)	$[J, F] = [3, 3] \rightarrow [2, 2]$	-3.16	24.86	7	CDMS					
259011.86 (0.01)	$[J, F] = [3, 4] \rightarrow [2, 3]$	-3.11	24.86	9	CDMS					
$259012.34\ (0.01)$	$[J, F] = [3, 2] \rightarrow [2, 3]$	-5.46	24.86	5	CDMS					
259013.89 (0.01)	$[J, F] = [3, 2] \rightarrow [2, 2]$	-3.92	24.86	5	CDMS					
	Carbon Monosuli									
244935.56 (0.01)	$[J]=[5] \rightarrow [4]$	-3.53	35.27	11	CDMS					
	Formaldehyde (·								
246924.6 (0.1)	$[4, 1, 4] \rightarrow [3, 1, 3]$	-3.40	37.60	9	CDMS					
259034.9 (0.1)	$[4, 2, 2] \rightarrow [3, 2, 1]$	-3.44	62.86	9	CDMS					
	Methyl formate (C									
245883.2 (0.1)	$[20, 13, 7] \rightarrow [19, 13, 6] E$	-3.89	235.98	82	$_{ m JPL}$					
245885.2 (0.1)	$[20, 13, 7] \rightarrow [19, 13, 6] A$	-3.89	235.98	82	JPL					
245885.2 (0.1)	$[20, 13, 8] \rightarrow [19, 13, 7] \text{ A}$	-3.89	235.98	82	JPL					
246027.5 (0.1)	$[21, 2, 19] \rightarrow [20, 3, 18] E$	-4.63	139.85	86	JPL					
246038.9 (0.1)	$[21, 2, 19] \rightarrow [20, 3, 18] A$	-4.63	139.85	86	JPL					
246054.8 (0.1)	$[20, 12, 8] \rightarrow [19, 12, 7] E$	-3.84	219.43	82	JPL					
246060.8 (0.1)	$[20, 12, 8/9] \rightarrow [19, 12, 7/8] \text{ A}$	-3.84	219.43	82	JPL					
246076.9 (0.1)	$[20, 12, 9] \rightarrow [19, 12, 8] E$	-3.84	219.41	82	JPL					
246285.4 (0.1)	$[20, 11, 9] \rightarrow [19, 11, 8] E$	-3.80	204.21	82	JPL					

 $Table \ 3 \ continued$

PEACHES **Table 3** (continued)

Frequency (MHz)	Transition ^a	log(Einstein-A)	$E_{\rm u}$ (K)	$g_{ m u}$	Ref
246295.1 (0.1)	[20, 11, 10]→[19, 11, 9] A	-3.80	204.21	82	JPL
246295.1 (0.1)	$[20, 11, 9] \rightarrow [19, 11, 8] A$	-3.80	204.21	82	JPI
246308.3 (0.1)	$[20, 11, 10] \rightarrow [19, 11, 9] E$	-3.80	204.20	82	JPI
$246456.1 \ (0.1)$	$[10, 5, 6] \rightarrow [9, 4, 5] E$	-5.52	49.09	42	JPI
246600.0 (0.1)	$[20, 10, 10] \rightarrow [19, 10, 9] E$	-3.77	190.34	82	JPI
$246613.4\ (0.1)$	$[20, 10, 11] \rightarrow [19, 10, 10] A$	-3.77	190.34	82	JPI
$246613.4\ (0.1)$	$[20, 10, 10] \rightarrow [19, 10, 9] A$	-3.77	190.34	82	JPI
246623.2 (0.1)	$[20, 10, 11] \rightarrow [19, 10, 10] E$	-3.77	190.34	82	JPI
246630.0 (0.1)	$[35, 6, 30] \rightarrow [35, 5, 31] A$	-4.77	397.98	142	JPI
246660.5 (0.1)	$[10, 5, 6] \rightarrow [9, 4, 5] A$	-4.74	49.08	42	JPI
$246675.4\ (0.1)$	$[15, 4, 12] \rightarrow [14, 3, 11] E$	-4.93	81.85	62	JPI
246683.5 (0.1)	$[15, 4, 12] \rightarrow [14, 3, 11] A$	-4.93	81.84	62	JPI
246752.9(0.1)	$[10, 5, 5] \rightarrow [9, 4, 5] E$	-4.90	49.10	42	JPI
246891.6 (0.1)	$[19, 4, 15] \rightarrow [18, 4, 14] E$	-3.66	126.22	78	JPI
246914.7 (0.1)	$[19, 4, 15] \rightarrow [18, 4, 14] A$	-3.66	126.22	78	JPI
246945.7(0.1)	$[10, 5, 6] \rightarrow [9, 4, 6] E$	-4.90	49.09	42	JPI
247040.7 (0.1)	$[20, 9, 11] \rightarrow [19, 9, 10] E$	-3.74	177.83	82	JPI
247044.1 (0.1)	$[21, 3, 19] \rightarrow [20, 3, 18] E$	-3.66	139.90	86	JPI
247053.5 (0.1)	$[21, 3, 19] \rightarrow [20, 3, 18] A$	-3.66	139.89	86	JPI
247057.3 (0.1)	$[20, 9, 12] \rightarrow [19, 9, 11] A$	-3.74	177.83	82	JPI
247057.7(0.1)	$[20, 9, 11] \rightarrow [19, 9, 10] A$	-3.74	177.83	82	JPI
247063.7(0.1)	$[20, 9, 12] \rightarrow [19, 9, 11] E$	-3.74	177.83	82	JPI
247124.3 (0.1)	$[10, 5, 5] \rightarrow [9, 4, 6] E$	-4.74	49.08	42	JPI
258275.0 (0.1)	$[21, 13, 8] \rightarrow [20, 13, 7] E$	-3.79	248.37	86	JPI
258277.4(0.1)	$[21, 13, 8] \rightarrow [20, 13, 7] A$	-3.79	248.37	86	JPI
258277.4(0.1)	$[21, 13, 9] \rightarrow [20, 13, 8] A$	-3.79	248.37	86	JPI
259341.9(0.1)	$[24, 0, 24] \rightarrow [23, 1, 23] E$	-4.37	158.23	98	JPI
259342.0 (0.1)	$[24, 1, 24] \rightarrow [23, 1, 23] E$	-3.58	158.23	98	JPI
259342.1 (0.1)	$[24, 0, 24] \rightarrow [23, 0, 23] E$	-3.58	158.23	98	JPI
259342.3 (0.1)	$[24, 1, 24] \rightarrow [23, 0, 23] E$	-4.37	158.23	98	JPI
259342.7 (0.1)	$[24, 0, 24] \rightarrow [23, 1, 23] \text{ A}$	-4.37	158.22	98	JPI
259342.9(0.1)	$[24, 1, 24] \rightarrow [23, 1, 23] A$	-3.58	158.22	98	JPI
$259343.0 \ (0.1)$	$[24, 0, 24] \rightarrow [23, 0, 23] A$	-3.58	158.22	98	JPI
259343.2 (0.1)	$[24, 1, 24] \rightarrow [23, 0, 23] A$	-4.37	158.22	98	JPI
261822.3 (0.1)	$[17, 10, 7] \rightarrow [17, 9, 8] A$	-4.73	156.63	70	JPI
262088.2 (0.1)	$[16, 10, 6] \rightarrow [16, 9, 7] A$	-4.76	146.59	66	JPI
262088.2 (0.1)	$[16, 10, 7] \rightarrow [16, 9, 8] A$	-4.76	146.59	66	JPI
	Methyl formate (CH ₃	OCHO v = 1)			
243511.5 (0.1)	$[20, 12, 8] \rightarrow [19, 12, 7] E$	-3.85	407.25	82	JPI
245846.9 (0.1)	$[21, 3, 19] \rightarrow [20, 3, 18] E$	-3.66	326.30	86	JPI
246106.8 (0.1)	$[20, 7, 14] \rightarrow [19, 7, 13] \text{ A}$	-3.70	343.77	82	JPI
246184.2 (0.1)	$[20, 8, 13] \rightarrow [19, 8, 12] E$	-3.72	353.27	82	JPI
246187.0 (0.1)	$[21, 2, 19] \rightarrow [20, 2, 18] \text{ A}$	-3.66	326.62	86	JPI
246233.6 (0.1)	$[20, 7, 13] \rightarrow [19, 7, 12] A$	-3.70	343.79	82	JPI
246274.9 (0.1)	$[20, 7, 13] \rightarrow [19, 7, 12] E$	-3.70	343.86	82	JPI
246410.95 (0.01)	$[10, 5, 5] \rightarrow [9, 4, 6] \text{ A}$	-4.73	236.70	42	JPI
246422.7 (0.1)	$[22, 1, 21] \rightarrow [21, 2, 20] A$	-4.51	330.43	90	JPI
246461.2 (0.1)	$[22, 2, 21] \rightarrow [21, 2, 20] A$	-3.65	330.43	90	JPI
246488.4 (0.1)	$[22, 1, 21] \rightarrow [21, 1, 20] A$	-3.65	330.43	90	JPI
246562.9 (0.1)	$[21, 2, 19] \rightarrow [20, 2, 18] E$	-3.66	326.24	86	JPI
246706.5 (0.1)	$[22, 2, 21] \rightarrow [21, 2, 20] E$	-3.65	329.89	90	JPI
246731.7 (0.1)	$[22, 1, 21] \rightarrow [21, 1, 20] E$	-3.65	329.89	90	JPI
246985.2 (0.1)	$[20, 6, 15] \rightarrow [19, 6, 14] \text{ A}$	-3.68	335.37	82	JPI
259003.9 (0.1)	$[20, 0, 10] \rightarrow [10, 0, 14] \land 1$ $[21, 7, 14] \rightarrow [20, 7, 13] \land 1$	-3.63	356.22	86	JPI

 $Table \ 3 \ continued$

Table 3 (continued)

	Table 3 (con	iiiided)			
Frequency (MHz)	Transition ^a	log(Einstein-A)	<i>E</i> _u (K)	$g_{ m u}$	Ref.
259025.8 (0.1)	[21, 7, 14]→[20, 7, 13] E	-3.63	356.29	86	JPL
260479.6 (0.1)	$[44, 9, 36] \rightarrow [44, 8, 37] A$	-4.59	828.74	178	$_{ m JPL}$
	Dimethyl ether (C	H ₃ OCH ₃)			
246499.29 (0.01)	[37, 6, 31]→[37, 5, 12] AA	-4.01	693.72	750	CDMS
246505.09 (0.01)	$[37, 6, 31] \rightarrow [37, 5, 12] AE$	-4.01	693.72	450	CDMS
246505.09 (0.01)	$[37, 6, 31] \rightarrow [37, 5, 12] EA$	-4.01	693.72	300	CDMS
$246697.43 \ (0.01)$	$[27, 4, 23] \rightarrow [26, 5, 21] \text{ AA}$	-4.70	367.61	330	CDMS
246697.87 (0.01)	$[27, 4, 23] \rightarrow [26, 5, 21] \text{ EE}$	-4.70	367.61	880	CDMS
246698.31 (0.01)	$[27, 4, 23] \rightarrow [26, 5, 21] \text{ AE}$	-4.70	367.61	110	CDMS
246698.31 (0.01)	$[27, 4, 23] \rightarrow [26, 5, 21] EA$	-4.70	367.61	220	CDMS
$259305.22 \ (0.01)$	$[33, 3, 31] \rightarrow [34, 6, 28] \text{ AA}$	-6.61	563.02	670	CDMS
259308.39 (0.01)	$[33, 3, 31] \rightarrow [34, 6, 28] AE$	-6.61	563.02	402	CDMS
259308.39 (0.01)	$[33, 3, 31] \rightarrow [34, 6, 28] EA$	-6.61	563.02	268	CDMS
259309.47 (0.01)	$[17, 5, 12] \rightarrow [17, 4, 13] \text{ AE}$	-4.06	174.54	210	CDMS
259309.76 (0.01)	$[17, 5, 12] \rightarrow [17, 4, 13] EA$	-4.06	174.54	140	CDMS
259311.95 (0.01)	$[17, 5, 12] \rightarrow [17, 4, 13] \text{ EE}$	-4.06	174.54	560	CDMS
259314.28 (0.01)	$[17, 5, 12] \rightarrow [17, 4, 13] \text{ AA}$	-4.06	174.54	350	CDMS
	Acetone (CH ₃ C	COCH ₃)			
244218.91 (0.01)	[20, 5, 15]→[19, 6, 14] AE	-3.32	139.69	82	JPL
244218.91 (0.01)	$[20, 6, 15] \rightarrow [19, 5, 14] \text{ AE}$	-3.32	139.69	250	$_{ m JPL}$
244218.92 (0.01)	$[20, 5, 15] \rightarrow [19, 6, 14] EA$	-3.32	139.69	160	$_{ m JPL}$
244218.92 (0.01)	$[20, 6, 15] \rightarrow [19, 5, 14] EA$	-3.32	139.69	160	$_{ m JPL}$
246400.99 (0.05)	$[34, 7, 28] \rightarrow [34, 5, 29] EE$	-4.17	364.98	1100	$_{ m JPL}$
246400.99 (0.05)	$[34, 6, 28] \rightarrow [34, 5, 29] \text{ EE}$	-4.03	364.98	1100	$_{ m JPL}$
246400.99 (0.05)	$[34, 7, 28] \rightarrow [34, 6, 29] EE$	-4.03	364.98	1100	$_{ m JPL}$
246400.99 (0.05)	$[34, 6, 28] \rightarrow [34, 6, 29] \text{ EE}$	-4.17	364.98	1100	$_{ m JPL}$
246404.27 (0.01)	$[22, 3, 19] \rightarrow [21, 4, 18] AE$	-3.23	149.62	90	$_{ m JPL}$
$246404.27 \ (0.01)$	$[22, 4, 19] \rightarrow [21, 3, 18] AE$	-3.23	149.62	270	$_{ m JPL}$
$246404.29 \ (0.01)$	$[22, 3, 19] \rightarrow [21, 4, 18] EA$	-3.23	149.62	180	$_{ m JPL}$
246404.29 (0.01)	$[22, 4, 19] \rightarrow [21, 3, 18] EA$	-3.23	149.62	180	$_{ m JPL}$
$246450.40 \ (0.01)$	$[22, 4, 19] \rightarrow [21, 3, 18] EE$	-3.23	149.57	720	$_{ m JPL}$
$246450.40 \ (0.01)$	$[22, 3, 19] \rightarrow [21, 3, 18] EE$	-5.09	149.57	720	$_{ m JPL}$
$246450.40 \ (0.01)$	$[22, 3, 19] \rightarrow [21, 4, 18] EE$	-3.24	149.57	720	$_{ m JPL}$
$246450.40 \ (0.01)$	$[22, 4, 19] \rightarrow [21, 4, 18] \text{ EE}$	-4.92	149.57	720	$_{ m JPL}$
246496.17 (0.46)	$[25, 14, 12] \rightarrow [24, 15, 9] AE$	-5.01	257.11	100	$_{ m JPL}$
246496.47 (0.02)	$[22, 3, 19] \rightarrow [21, 4, 18] AA$	-3.23	149.51	270	$_{ m JPL}$
246496.47 (0.02)	$[22, 4, 19] \rightarrow [21, 3, 18] AA$	-3.23	149.51	450	$_{ m JPL}$
$246714.12 \ (0.05)$	$[9, 8, 1] \rightarrow [8, 5, 4] EA$	-5.84	40.59	76	$_{ m JPL}$
$246714.94 \ (0.05)$	$[32, 4, 28] \rightarrow [32, 4, 29] EA$	-3.97	305.61	260	$_{ m JPL}$
$246714.94 \ (0.05)$	$[32, 5, 28] \rightarrow [32, 3, 29] EA$	-3.97	305.61	260	$_{ m JPL}$
$246715.04 \ (0.05)$	$[32, 5, 28] \rightarrow [32, 4, 29] AE$	-3.97	305.61	390	$_{ m JPL}$
$246715.04 \ (0.05)$	$[32, 4, 28] \rightarrow [32, 3, 29] EA$	-3.97	305.61	130	$_{ m JPL}$
246719.92 (0.04)	$[33, 6, 28] \rightarrow [33, 4, 29] EE$	-5.62	344.85	1100	$_{ m JPL}$
$246719.92 \ (0.04)$	$[33, 5, 28] \rightarrow [33, 4, 29] EE$	-3.87	344.85	1100	$_{ m JPL}$
$246719.92 \ (0.04)$	$[33, 6, 28] \rightarrow [33, 5, 29] EE$	-3.87	344.85	1100	$_{ m JPL}$
$246719.92\ (0.04)$	$[33, 5, 28] \rightarrow [33, 5, 29] \text{ EE}$	-5.61	344.85	1100	$_{ m JPL}$
$261818.11\ (0.01)$	$[20, 7, 13] \rightarrow [19, 8, 12] EA$	-3.31	151.17	160	$_{ m JPL}$
$261818.17\ (0.01)$	$[20, 7, 13] \rightarrow [19, 8, 12] \text{ AE}$	-3.31	151.17	82	$_{ m JPL}$
261819.09 (0.01)	$[20,8,13]{\to}[19,7,12]~{\rm EA}$	-3.31	151.17	160	$_{ m JPL}$
261819.17 (0.01)	$[20, 8, 13] \rightarrow [19, 7, 12] \text{ AE}$	-3.31	151.17	250	$_{ m JPL}$
	Methyl cyanide (CH ₃ CN)			
257507.56 (0.01)	$[N,\;K]{=}[14,\;2]{\to}[13,\;2]$	-3.00	121.28	58	$_{ m JPL}$
257522.43 (0.01)	$[N, K] = [14, 1] \rightarrow [13, 1]$	-2.99	99.84	58	$_{ m JPL}$
	[11, 11] [11, 1] /[10, 1]			00	01 11

 $Table\ 3\ continued$

Table 3 (continued)

$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Frequency (MHz)	Transition ^a	log(Einstein-A)	<i>E</i> _u (K)	$g_{ m u}$	Ref.			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Acetaldehyde (CH ₃ CHO $v_{\rm t}=0$)								
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	246330.73 (0.01)	[15, 3, 13]→[15, 2, 14] A	-4.29	131.49	62	JPL			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	260530.40 (0.01)	$[14, 1, 14] \rightarrow [13, 1, 13] E$	-3.20	96.39	58	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	260544.02 (0.01)	$[14, 1, 14] \rightarrow [13, 1, 13] A$	-3.20	96.32	58	$_{ m JPL}$			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	260547.46 (2.07)	$[9, 4, 5] \rightarrow [9, 3, 7] E, v_t = 2$	-6.06	456.38	38	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		gauche-Ethanol (g-	$C_2H_5OH)$						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	246414.76 (0.05)	$[14, 3, 11] \rightarrow [13, 3, 10] v_t = 0 \rightarrow 0$	-3.89	155.72	29	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$246524.28 \ (0.01)$	$[13, 2, 12] \rightarrow [12, 1, 12] v_t = 0 \rightarrow 1$	-4.50	136.95	27	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	246658.18 (0.01)	$[32, 5, 28] \rightarrow [32, 4, 29] v_t = 0 \rightarrow 0$	-6.33	527.94	65	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	246662.98 (0.01)	$[4, 2, 3] \rightarrow [3, 1, 3] v_t = 1 \rightarrow 0$	-4.36	74.77	9	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	259322.64 (0.01)	$[14, 3, 11] \rightarrow [13, 2, 11] v_t = 0 \rightarrow 1$	-4.39	155.72	29	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	260457.73 (0.01)	[15. 4. 12] \rightarrow [14, 4, 11] $v_{\rm t} = 1 \rightarrow 1$	-3.83	181.10	31	$_{ m JPL}$			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		trans-Ethanol (C	₂ H ₅ OH)						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$246663.62\ (0.05)$	$[24, 1, 23] \rightarrow [24, 0, 24]$	-3.73	252.35	49	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	261815.99 (0.05)	$[28, 3, 26] \rightarrow [28, 2, 27]$	-3.96	350.98	57	$_{ m JPL}$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Glycolaldehyde (cis -C	H ₂ OHCHO)						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	246773.09 (0.02)	$[30, 2, 28] \rightarrow [30, 1, 29]$	-4.04	252.68	61	CDMS			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$246778.28 \ (0.02)$	$[30, 3, 28] \rightarrow [30, 2, 29]$	-4.04	252.68	61	CDMS			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$262056.78 \ (0.01)$	$[25, 2, 24] \rightarrow [24, 1, 23]$	-3.34	158.25	51	CDMS			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$261795.48 \ (0.01)$	$[25, 11, 14] \rightarrow [25, 10, 15]$	-3.57	254.23	51	CDMS			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	261798.96 (0.01)	$[25, 11, 15] \rightarrow [25, 10, 16]$	-3.57	254.23	51	CDMS			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Methyl cyanide (C	$H_2DCN)$						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$259315.51\ (0.01)$	$[15, 1, 15] \rightarrow [14, 1, 14]$	-2.82	104.97	31	CDMS			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	260523.05 (0.01)	$[15, 2, 13] \rightarrow [14, 2, 12]$	-2.82	121.60	31	CDMS			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Ethyl cyanide (CH:	3CH ₂ CN)						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$246268.74\ (0.01)$	$[27, 2, 25] \rightarrow [26, 2, 24]$	-2.90	169.80	55	CDMS			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$246421.92 \ (0.01)$	$[28, 2, 27] \rightarrow [27, 2, 26]$	-2.90	177.26	57	CDMS			
Formamide (NH ₂ CHO)	$246548.70 \ (0.01)$	$[27, 3, 24] \rightarrow [26, 3, 23]$	-2.90	174.06	55	CDMS			
243521.04 (0.01) [12, 1, 12] \rightarrow [11, 1, 11] -2.98 79.19 25 CDMS Formic acid (t-HCOOH)	260535.69 (0.05)	$[29, 5, 25] \rightarrow [28, 5, 24]$	-2.84	215.06	59	CDMS			
Formic acid (t-HCOOH)	Formamide (NH ₂ CHO)								
	243521.04 (0.01)	$[12, 1, 12] \rightarrow [11, 1, 11]$	-2.98	79.19	25	CDMS			
262103.48 (0.01) $[12, 0, 12] \rightarrow [11, 0, 11]$ -3.69 82.77 25 CDMS		Formic acid (t -H	COOH)						
	262103.48 (0.01)	$[12, 0, 12] \rightarrow [11, 0, \overline{11}]$	-3.69	82.77	25	CDMS			

^a The typical quantum numbers are listed as $[J, K_a, K_c]$ unless specified.

4. CONTINUUM OPACITY

5. DETECTION STATISTICS

We summarize the fraction of sources with detections of molecules in Figure 2. The detection statistics include COMs, carbon-chain molecules, and the simple organic molecules, such as CS, H¹³CN, SO, ³⁴SO, and SO₂. The PEACHES protostars show a great chemical diversity from no molecule detected (B1-bN) to rich spectra of COMs (e.g. Per-emb-12B). Detections of COMs and the number of COMs detected show no obvious correlation with the bolometric luminosity and bolometric temperature of the protostars, which are conventional evolutionary indicators. Low luminosity sources have fewer COMs detected; however, if COMs mostly come from

thermally desorption, the region with $T > T_{\rm desorption}$ may be smaller for the low luminosity sources, making the emission of COMs fainter and reducing our sensitivity to detect COMs. We also compare the detection statistics with the mass derived from 9 mm observations that resolved the sources as a proxy of the central mass (Tychoniec et al. 2018). The detection statistics show no clear correlation with the central mass; however, the sources with smaller central mass have fewer detections of COMs, which may due to their low luminosity.

6. CORRELATIONS OF COMS

The chemical evolution of protostars may leave certain patterns in the abundance of molecules as the dynamical evolution determines the density and temperature structures, regulating chemical reactions. Thus, the abundance of COMs and their correlations provide

^b The quantum numbers are [N, J, F]




Figure 2. The detection statistics sorted by their bolometric luminosity.

critical information to constrain the chemical evolution at embedded protostars. The fitted column density of COMs indicates the abundance of COMs around protostars. Typically COMs are locked into the ices on dust grains at outer envelope. The formation of COMs at diffuse clouds relies on non-thermal process, such as cosmic rays, whose contribution is negligible compared to the central warm region. Therefore, we take the column density of COMs as a proxy of the abundance of COMs.

As described in Section 3.1, we fit the column density and line width with different excitation temperatures, which result in a range of column density as its uncertainty. The comparison between CCH and $\rm CH_3OH$

shows no correlation between these two molecules (Figure 3), similar to the conclusion in Higuchi et al. (2018). The single dish survey by Graninger et al. (2016) shows a correlation between C₄H, a more complex carbon-chain molecules, and CH₃OH. Outflow activity can promote the formation of CCH, which is more efficiency at warm temperature. In face, the morphology of CCH often traces the outflow cavities seen from CS. Therefore, the lack of correlation between CCH and CH₃OH may be affected by outflows.

Figure 4 shows the correlations of several COMs selected from their detection rates. The column density of CH₃OH best correlates with that of CH₃CN. Belloche




Figure 2 (Cont.). The same figure as Figure 2 but sorted by their bolometric temperature.

et al. (2020) also found the tight correlation between these two molecules.

7. SPATIAL EXTENT OF COMS

8. DISCUSSION

8.1. Complex Chemistry throughout Star Formation 8.2. 1D Spectra

Y.-L. Yang acknowledges the supports the JSPS Postdoctoral Fellowship from Japan Society for the Promotion of Science. This paper makes use of the following ALMA data: ADS/JAO.ALMA#2016.0.00391.S. ALMA is a partnership of ESO (representing its member states), NSF (USA) and NINS (Japan), together with NRC (Canada), MOST and ASIAA (Taiwan), and KASI (Republic of Korea), in cooperation with the Republic of Chile. The Joint ALMA Observatory is operated by ESO, AUI/NRAO and NAOJ. The National Radio Astronomy Observatory is a facility of the National Science Foundation operated under cooperative agreement by Associated Universities, Inc.

Facilities: ALMA

Software: astropy, XCLASS, spectral-cube, CASA




Figure 2 (Cont.). The same figure as Figure 2 but sorted by their mass derived from their 9 mm observations (Tychoniec et al. 2018).

APPENDIX

A. CATALOGS FOR MOLECULAR DATA

REFERENCES

Aikawa, Y. 2013, Chemical Reviews, 113, 8961

Belloche, A., Maury, A. J., Maret, S., et al. 2020, A&A, 635, A198

Bottinelli, S., Ceccarelli, C., Lefloch, B., et al. 2004, ApJ, 615, 354

Carney, M. T., Yıldız, U. A., Mottram, J. C., et al. 2016, A&A, 586, A44 Endres, C. P., Schlemmer, S., Schilke, P., Stutzki, J., & Müller, H. S. P. 2016, Journal of Molecular Spectroscopy, 327, 95

Graninger, D. M., Wilkins, O. H., & Öberg, K. I. 2016, ApJ, 833, 125

Herbst, E., & van Dishoeck, E. F. 2009, ARA&A, 47, 427Higuchi, A. E., Sakai, N., Watanabe, Y., et al. 2018, ApJS, 236, 52

Imai, M., Oya, Y., Sakai, N., et al. 2019, ApJL, 873, L21




Figure 3. Correlation of the column densities of CCH and CH₃OH fitted from the PEACHES protostars. The sources where both molecules are detected are shown in black; the sources where only one molecule is detected are shown in magenta; finally, the sources where both molecules are not detected are shown in black for the corresponding upper limits.

Imai, M., Sakai, N., Oya, Y., et al. 2016, ApJL, 830, L37
Jørgensen, J. K., van der Wiel, M. H. D., Coutens, A., et al. 2016, A&A, 595, A117

Lee, C.-F., Li, Z.-Y., Ho, P. T. P., et al. 2017, ApJ, 843, 27
McGuire, B. A. 2018, ApJS, 239, 17

Möller, T., Endres, C., & Schilke, P. 2017, A&A, 598, A7 Müller, H. S. P., Schlöder, F., Stutzki, J., & Winnewisser, G. 2005, Journal of Molecular Structure, 742, 215

Müller, H. S. P., Thorwirth, S., Roth, D. A., & Winnewisser, G. 2001, A&A, 370, L49

Oya, Y., Sakai, N., López-Sepulcre, A., et al. 2016, ApJ, 824, 88

Oya, Y., Sakai, N., Watanabe, Y., et al. 2017, ApJ, 837, 174
Pickett, H. M., Poynter, R. L., Cohen, E. A., et al. 1998,
JQSRT, 60, 883

Sakai, N., Sakai, T., Hirota, T., Burton, M., & Yamamoto, S. 2009, ApJ, 697, 769

Sakai, N., Sakai, T., Hirota, T., & Yamamoto, S. 2010, ApJ, 722, 1633

Sakai, N., Sakai, T., Hirota, T., et al. 2014, Nature, 507, 78
Sakai, N., Oya, Y., López-Sepulcre, A., et al. 2016, ApJL, 820, L34

Stephens, I. W., Dunham, M. M., Myers, P. C., et al. 2018, ApJS, 237, 22

Stephens, I. W., Bourke, T. L., Dunham, M. M., et al. 2019, ApJS, 245, 21

Tychoniec, L., Tobin, J. J., Karska, A., et al. 2018, ApJS, 238, 19




Figure 4. Corner plot of the correlations of the column densities between CH_3OH , CH_3CN , CH_3OCHO , CH_3OCH_3 , CH_3CHO , CH_3CH_2CN , and t-HCOOH. The color code follows that in Figure ??. The dashed line indicates equality.