

# Create and run JUnit 5 Test Case

This lessons focuses on creating and running JUnit 5 test cases in Maven.

## WE'LL COVER THE FOLLOWING



- Create a Java class
- Create method inside Calculator class
- Create a Java Test class
- Add a @Test method

## Create a Java class #

After adding the required dependencies, let's create a Java class. It will be our class under test.

**Step 1** - Expand the *junit5-maven-starter* project. In order to create a new Java class, right-click on **src/main/java** traverse to New --> Class. Click on Class to add a new Java class.


**Step 2** - New Java Class popup window will be opened.

**Step 3** - Provide **Package** name of your choice.

**Step 4** - Enter Name of class as, **Calculator**.

**Step 5** - Click Finish.

A Java class by name **Calculator.java** will be created in Eclipse IDE. See the demonstration of steps below.




## Create method inside Calculator class #

**Step 1** - Create a method by name, **addition()** into **Calculator** class. For this method, we will write and execute JUnit 5 test cases in Maven.

**Step 2** - **addition()** takes in two integer arguments say, num1 and num2.

**Step 3** - It will calculate the sum of num1 and num2 and will return it.


See the demonstration of steps below.

 Calculator.java

```
package com.hubberspot.junit5;

public class Calculator {
    public int addition(int num1, int num2) {
        return num1 + num2;
    }
}
```





## Create a Java Test class #

Let's create a Java Test class. It will test **Calculator.java** class.

**Step 1** - Expand the **junit5-maven-starter** project. In order to create a new Java Test class, right-click on **src/test/java** traverse to New --> Class. Click on Class to add a new Java class.

**Note** -The test class will be created in **src/test/java**, as it will allow separation of concerns, i.e. keeping source files separate from the test files.


**Step 2** - New Java Class popup window will be opened.

**Step 3** - As a best practice, we keep the same **Package** name of the test class and src class. Thus, folder names are different but package names are same.

**Step 4** - As it is a test class and it provides test methods for **Calculator** class therefore, we keep Name of class as, **CalculatorTest**.

## Step 5 - Click Finish.

A Java class by name **CalculatorTest.java** will be created in Eclipse IDE. See demonstration of steps below.



## Add a @Test method #

In **CalculatorTest.java** class create a test method **givenTwoNumbers3And4\_whenAdditionIsCalled\_then7IsReturned()**. This method is created using **given/when/then** format, which we will discuss more in upcoming lessons. This method is marked with **@Test** annotation, which signifies that it is a test method. This method tests addition of two numbers by calling **addition()** method of **Calculator** class.

It passes two numbers as, 3 and 4 and expects 7 to be returned from **addition()** method. It asserts return value using **assertEquals()** method present in Assertions API, which we will discuss more in upcoming lessons.

On running **mvn test** command. It executes **@Test** method using Maven.

```
package com.hubberspot.junit5;

import static org.junit.jupiter.api.Assertions.assertEquals;

import org.junit.jupiter.api.Test;

public class CalculatorTest {

    @Test
    public void givenTwoNumbers3And4_whenAdditionIsCalled_then7IsReturned() {
        Calculator calculator = new Calculator();
        assertEquals(7, calculator.addition(3, 4));
    }

}
```

