

Basic Operators

This lesson will introduce you to types of operators in C# such as relational, unary, binary etc

WE'LL COVER THE FOLLOWING ^

- Table of Operators

Until now we've used hardcoded values to output information to the screen. Now we'll use math on those values to force the computer to perform some *mathematical* grunt work.

A computer uses the same laws for math as we do. The **C#** language follows the rule of **PEMDAS** hence the *operations* on the **left** are executed before the operations to the **right**.

Table of Operators

The following table describes the allowable *operators*, their *precedence*, and *associativity*.

Category (by precedence)	Operator(s)	Associativity
Primary	<code>x.y</code> <code>f(x)</code> <code>a[x]</code> <code>x++</code> <code>x-</code> new typeof default checked unchecked delegate	left
Unary	<code>+</code> <code>-</code> <code>!</code> <code>~</code> <code>++x</code> <code>-x</code> <code>(T)x</code>	right
Multiplicative	<code>*</code> <code>/</code> <code>%</code>	left

Additive	+ -	left
Shift	<< >>	left
Relational	< > <= >= is as	left
Equality	== !=	right
Logical AND	&	left
Logical XOR	^	left
Logical OR		left
Conditional AND	&&	left
Conditional OR		left
Null Coalescing	??	left
Ternary	?:	right
Assignment	= *= /= %= += -= <<= >>= &= ^= = =>	right

Note: **Left associativity** means that *operations* are evaluated from **left** to **right**. **Right associativity** means all *operations* occur from **right** to **left**, such as *assignment operators* where everything to the **right** is evaluated before the result is placed into the variable on the **left**.

Now that you've taken a look at the basic *operators* in **C#** lets take a look at **unary operators** in detail in the next lesson.

