

- Exercise

Let's solve a quick exercise on class templates.

WE'LL COVER THE FOLLOWING ^

- Problem Statement

Problem Statement

Uncomment the final assignment `doubleArray = strArray` in line 41 and use the function `static_assert` in combination with the function `std::is_convertible` to catch the erroneous instantiation at compile-time.

```
#include <algorithm>
#include <iostream>
#include <vector>

template <typename T, int N>
class Array{
public:
    Array()= default;

    template <typename T2>
    Array<T, N>& operator=(const Array<T2, N>& arr){
        // write your code here
        // uncomment line 41 to check if your code runs fine

        elem.clear();
        elem.insert(elem.begin(), arr.elem.begin(), arr.elem.end());
        return *this;
    }

    int getSize() const;

    std::vector<T> elem;
};

template <typename T, int N>
int Array<T, N>::getSize() const {
    return N;
}

int main(){
```

```
Array<double, 10> doubleArray{};
Array<int, 10> intArray{};

doubleArray= intArray;

Array<std::string, 10> strArray{};
Array<int, 100> bigIntArray{};

//doubleArray= strArray;           // ERROR: cannot convert 'const std::basic_string<char>' to 'double'
// doubleArray= bigIntArray;       // ERROR: no match for 'operator=' in 'doubleArray = b

}
```



In the next lesson, we'll look at the solution to this problem.