

Obs	X1	X2	X3	X4	X5	X6	X7
1	4.1	0.6	6.9	4.7	2.4	2.3	5.2
2	1.8	3.0	6.3	6.6	2.5	4.0	8.4
3	3.4	5.2	5.7	6.0	4.3	2.7	8.2
4	2.7	1.0	7.1	5.9	1.8	2.3	7.8
5	6.0	0.9	9.6	7.8	3.4	4.6	4.5
6	1.9	3.3	7.9	4.8	2.6	1.9	9.7
7	4.6	2.4	9.5	6.6	3.5	4.5	7.6
8	1.3	4.2	6.2	5.1	2.8	2.2	6.9
9	5.5	1.6	9.4	4.7	3.5	3.0	7.6
10	4.0	3.5	6.5	6.0	3.7	3.2	8.7
11	2.4	1.6	8.8	4.8	2.0	2.8	5.8
12	3.9	2.2	9.1	4.6	3.0	2.5	8.3
13	2.8	1.4	8.1	3.8	2.1	1.4	6.6
14	3.7	1.5	8.6	5.7	2.7	3.7	6.7
15	4.7	1.3	9.9	6.7	3.0	2.6	6.8
16	3.4	2.0	9.7	4.7	2.7	1.7	4.8
17	3.2	4.1	5.7	5.1	3.6	2.9	6.2
18	4.9	1.8	7.7	4.3	3.4	1.5	5.9
19	5.3	1.4	9.7	6.1	3.3	3.9	6.8
20	4.7	1.3	9.9	6.7	3.0	2.6	6.8
21	3.3	0.9	8.6	4.0	2.1	1.8	6.3
22	3.4	0.4	8.3	2.5	1.2	1.7	5.2
23	3.0	4.0	9.1	7.1	3.5	3.4	8.4
24	2.4	1.5	6.7	4.8	1.9	2.5	7.2
25	5.1	1.4	8.7	4.8	3.3	2.6	3.8
26	4.6	2.1	7.9	5.8	3.4	2.8	4.7
27	2.4	1.5	6.6	4.8	1.9	2.5	7.2
28	5.2	1.3	9.7	6.1	3.2	3.9	6.7
29	3.5	2.8	9.9	3.5	3.1	1.7	5.4
30	4.1	3.7	5.9	5.5	3.9	3.0	8.4
31	3.0	3.2	6.0	5.3	3.1	3.0	8.0
32	2.8	3.8	8.9	6.9	3.3	3.2	8.2
33	5.2	2.0	9.3	5.9	3.7	2.4	4.6
34	3.4	3.7	6.4	5.7	3.5	3.4	8.4
35	2.4	1.0	7.7	3.4	1.7	1.1	6.2
36	1.8	3.3	7.5	4.5	2.5	2.4	7.6
37	3.6	4.0	5.8	5.8	3.7	2.5	9.3
38	4.0	0.9	9.1	5.4	2.4	2.6	7.3

Obs	X1	X2	X3	X4	X5	X6	X7
39	0.0	2.1	6.9	5.4	1.1	2.6	8.9
40	2.4	2.0	6.4	4.5	2.1	2.2	8.8
41	1.9	3.4	7.6	4.6	2.6	2.5	7.7
42	5.9	0.9	9.6	7.8	3.4	4.6	4.5
43	4.9	2.3	9.3	4.5	3.6	1.3	6.2
44	5.0	1.3	8.6	4.7	3.1	2.5	3.7
45	2.0	2.6	6.5	3.7	2.4	1.7	8.5
46	5.0	2.5	9.4	4.6	3.7	1.4	6.3
47	3.1	1.9	10.0	4.5	2.6	3.2	3.8
48	3.4	3.9	5.6	5.6	3.6	2.3	9.1
49	5.8	0.2	8.8	4.5	3.0	2.4	6.7
50	5.4	2.1	8.0	3.0	3.8	1.4	5.2
51	3.7	0.7	8.2	6.0	2.1	2.5	5.2
52	2.6	4.8	8.2	5.0	3.6	2.5	9.0
53	4.5	4.1	6.3	5.9	4.3	3.4	8.8
54	2.8	2.4	6.7	4.9	2.5	2.6	9.2
55	3.8	0.8	8.7	2.9	1.6	2.1	5.6
56	2.9	2.6	7.7	7.0	2.8	3.6	7.7
57	4.9	4.4	7.4	6.9	4.6	4.0	9.6
58	5.4	2.5	9.6	5.5	4.0	3.0	7.7
59	4.3	1.8	7.6	5.4	3.1	2.5	4.4
60	2.3	4.5	8.0	4.7	3.3	2.2	8.7
61	3.1	1.9	9.9	4.5	2.6	3.1	3.8
62	5.1	1.9	9.2	5.8	3.6	2.3	4.5
63	4.1	1.1	9.3	5.5	2.5	2.7	7.4
64	3.0	3.8	5.5	4.9	3.4	2.6	6.0
65	1.1	2.0	7.2	4.7	1.6	3.2	10.0
66	3.7	1.4	9.0	4.5	2.6	2.3	6.8
67	4.2	2.5	9.2	6.2	3.3	3.9	7.3
68	1.6	4.5	6.4	5.3	3.0	2.5	7.1
69	5.3	1.7	8.5	3.7	3.5	1.9	4.8
70	2.3	3.7	8.3	5.2	3.0	2.3	9.1
71	3.6	5.4	5.9	6.2	4.5	2.9	8.4
72	5.6	2.2	8.2	3.1	4.0	1.6	5.3
73	3.6	2.2	9.9	4.8	2.9	1.9	4.9
74	5.2	1.3	9.1	4.5	3.3	2.7	7.3
75	3.0	2.0	6.6	6.6	2.4	2.7	8.2
76	4.2	2.4	9.4	4.9	3.2	2.7	8.5

Obs	X1	X2	X3	X4	X5	X6	X7
77	3.8	0.8	8.3	6.1	2.2	2.6	5.3
78	3.3	2.6	9.7	3.3	2.9	1.5	5.2
79	1.0	1.9	7.1	4.5	1.5	3.1	9.9
80	4.5	1.6	8.7	4.6	3.1	2.1	6.8
81	5.5	1.8	8.7	3.8	3.6	2.1	4.9
82	3.4	4.6	5.5	8.2	4.0	4.4	6.3
83	1.6	2.8	6.1	6.4	2.3	3.8	8.2
84	2.3	3.7	7.6	5.0	3.0	2.5	7.4
85	2.6	3.0	8.5	6.0	2.8	2.8	6.8
86	2.5	3.1	7.0	4.2	2.8	2.2	9.0
87	2.4	2.9	8.4	5.9	2.7	2.7	6.7
88	2.1	3.5	7.4	4.8	2.8	2.3	7.2
89	2.9	1.2	7.3	6.1	2.0	2.5	8.0
90	4.3	2.5	9.3	6.3	3.4	4.0	7.4
91	3.0	2.8	7.8	7.1	3.0	3.8	7.9
92	4.8	1.7	7.6	4.2	3.3	1.4	5.8
93	3.1	4.2	5.1	7.8	3.6	4.0	5.9
94	1.9	2.7	5.0	4.9	2.2	2.5	8.2
95	4.0	0.5	6.7	4.5	2.2	2.1	5.0
96	0.6	1.6	6.4	5.0	0.7	2.1	8.4
97	6.1	0.5	9.2	4.8	3.3	2.8	7.1
98	2.0	2.8	5.2	5.0	2.4	2.7	8.4
99	3.1	2.2	6.7	6.8	2.6	2.9	8.4
100	2.5	1.8	9.0	5.0	2.2	3.0	6.0

The PRINCOMP Procedure

Observations	100
Variables	7


Simple Statistics							
	X1	X2	X3	X4	X5	X6	X7
Mean	3.515000000	2.364000000	7.894000000	5.248000000	2.916000000	2.665000000	6.971000000
Std	1.320726384	1.195658814	1.386502030	1.131413704	0.751257532	0.770854832	1.585240956

Correlation Matrix								
		X1	X2	X3	X4	X5	X6	X7
X1	X1 - Delivery Speed	1.0000	-.3492	0.5093	0.0504	0.6119	0.0771	-.4826
X2	X2 - Price Level	-.3492	1.0000	-.4872	0.2722	0.5130	0.1862	0.4697
X3	X3 - Price Flexibility	0.5093	-.4872	1.0000	-.1161	0.0666	-.0343	-.4481
X4	X4 - Manufactures Image	0.0504	0.2722	-.1161	1.0000	0.2987	0.7882	0.2000
X5	X5 - Service	0.6119	0.5130	0.0666	0.2987	1.0000	0.2408	-.0552
X6	X6 - Salesforces Image	0.0771	0.1862	-.0343	0.7882	0.2408	1.0000	0.1773
X7	X7 - Product Quality	-.4826	0.4697	-.4481	0.2000	-.0552	0.1773	1.0000


Eigenvalues of the Correlation Matrix				
	Eigenvalue	Difference	Proportion	Cumulative
1	2.52577310	0.40538754	0.3608	0.3608
2	2.12038556	0.93929608	0.3029	0.6637
3	1.18108947	0.63992060	0.1687	0.8325
4	0.54116887	0.12313874	0.0773	0.9098
5	0.41803012	0.21363820	0.0597	0.9695
6	0.20439193	0.19523096	0.0292	0.9987
7	0.00916096		0.0013	1.0000

Eigenvectors								
		Prin1	Prin2	Prin3	Prin4	Prin5	Prin6	Prin7
X1	X1 - Delivery Speed	-.332204	0.516095	0.186274	0.042413	-.516634	-.010400	0.565482
X2	X2 - Price Level	0.498573	0.063909	0.467529	0.007381	0.494140	-.056341	0.530428
X3	X3 - Price Flexibility	-.435446	0.257178	-.158895	0.647160	0.543191	0.070773	0.010844
X4	X4 - Manufactures Image	0.354863	0.413430	-.416253	-.137780	0.037662	0.713300	0.026127
X5	X5 - Service	0.116920	0.534905	0.547387	0.038417	-.030415	-.016635	-.630790
X6	X6 - Salesforces Image	0.309641	0.414777	-.498545	-.033765	0.036775	-.693514	-.009047
X7	X7 - Product Quality	0.464733	-.185291	-.005001	0.746814	-.436076	0.040915	-.009894


The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure




The PRINCOMP Procedure



The PRINCOMP Procedure




The PRINCOMP Procedure




The scatter plot, titled "Component Scores", displays the distribution of 100 numbered samples (1-100) on two principal components. The x-axis is labeled "Component 2 (30.29%)" and ranges from -4 to 4. The y-axis is labeled "Component 3 (16.87%)" and ranges from -2 to 2. The plot shows a dense cluster of points, with some outliers at the extremes. The points are numbered 1 through 100, indicating individual samples or observations. The distribution is roughly elliptical, elongated along the Component 2 axis.

The PRINCOMP Procedure




The PRINCOMP Procedure




The scatter plot, titled "Component Scores", displays the distribution of 76 numbered points across two principal components. The x-axis is labeled "Component 3 (16.87%)" and ranges from -3 to 3. The y-axis is labeled "Component 4 (7.731%)" and ranges from -2 to 1.5. The points are numbered 1 through 76, with some points clustered together and others isolated. The distribution shows a general spread across the plot area, with a concentration of points in the upper right quadrant (positive Component 3 and Component 4) and a few outliers in the lower left quadrant (negative Component 3 and Component 4).

The scatter plot, titled "Component Scores", displays the distribution of 100 numbered samples (1-100) across two principal components. The x-axis represents Component 1 (36.08%) and the y-axis represents Component 5 (5.972%). The plot shows a wide dispersion of points, with some clustering in the upper left and middle right areas. The points are numbered 1 through 100, with some numbers appearing multiple times (e.g., 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100).


The PRINCOMP Procedure




The PRINCOMP Procedure



The PRINCOMP Procedure



The PRINCOMP Procedure



The FACTOR Procedure

Input Data Type	Raw Data
Number of Records Read	100
Number of Records Used	100
N for Significance Tests	100

Means and Standard Deviations from 100 Observations		
Variable	Mean	Std Dev
X1	3.5150000	1.3207264
X2	2.3640000	1.1956588
X3	7.8940000	1.3865020
X4	5.2480000	1.1314137
X5	2.9160000	0.7512575
X6	2.6650000	0.7708548
X7	6.9710000	1.5852410

The FACTOR Procedure
Initial Factor Method: Principal Components

Partial Correlations Controlling all other Variables								
		X1	X2	X3	X4	X5	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.95686	-0.01825	-0.14858	0.97751	0.06005	0.01615
X2	X2 - Price Level	-0.95686	1.00000	-0.15511	-0.13383	0.97533	0.04478	0.14112
X3	X3 - Price Flexibility	-0.01825	-0.15511	1.00000	-0.09514	0.09126	0.08520	-0.13965
X4	X4 - Manufactures Image	-0.14858	-0.13383	-0.09514	1.00000	0.17284	0.76581	0.03903
X5	X5 - Service	0.97751	0.97533	0.09126	0.17284	1.00000	-0.05171	-0.08762
X6	X6 - Salesforces Image	0.06005	0.04478	0.08520	0.76581	-0.05171	1.00000	0.09186
X7	X7 - Product Quality	0.01615	0.14112	-0.13965	0.03903	-0.08762	0.09186	1.00000


Kaiser's Measure of Sampling Adequacy: Overall MSA = 0.44575749						
X1	X2	X3	X4	X5	X6	X7
0.34449968	0.33022045	0.91271581	0.55761636	0.28834070	0.55212502	0.92709654

Prior Communality Estimates: ONE

Eigenvalues of the Correlation Matrix: Total = 7 Average = 1				
	Eigenvalue	Difference	Proportion	Cumulative
1	2.52577310	0.40538754	0.3608	0.3608
2	2.12038556	0.93929608	0.3029	0.6637
3	1.18108947	0.63992060	0.1687	0.8325
4	0.54116887	0.12313874	0.0773	0.9098
5	0.41803012	0.21363820	0.0597	0.9695
6	0.20439193	0.19523096	0.0292	0.9987
7	0.00916096		0.0013	1.0000

3 factors will be retained by the NFACTOR criterion.

The FACTOR Procedure
Initial Factor Method: Principal Components



Factor Pattern				
		Factor1	Factor2	Factor3
X2	X2 - Price Level	0.79237	0.09306	0.50810
X7	X7 - Product Quality	0.73859	-0.26981	-0.00543
X3	X3 - Price Flexibility	-0.69204	0.37449	-0.17268
X5	X5 - Service	0.18582	0.77890	0.59489
X1	X1 - Delivery Speed	-0.52796	0.75151	0.20244
X6	X6 - Salesforces Image	0.49210	0.60398	-0.54181
X4	X4 - Manufactures Image	0.56397	0.60202	-0.45238

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
2.5257731	2.1203856	1.1810895

Final Communality Estimates: Total = 5.827248						
X1	X2	X3	X4	X5	X6	X7
0.88449825	0.89467182	0.64898245	0.88513366	0.99511293	0.90051237	0.61833663

The FACTOR Procedure

Input Data Type	Raw Data
Number of Records Read	100
Number of Records Used	100
N for Significance Tests	100

Means and Standard Deviations from 100 Observations		
Variable	Mean	Std Dev
X1	3.5150000	1.3207264
X2	2.3640000	1.1956588
X3	7.8940000	1.3865020
X4	5.2480000	1.1314137
X5	2.9160000	0.7512575
X6	2.6650000	0.7708548
X7	6.9710000	1.5852410

The FACTOR Procedure
Initial Factor Method: Principal Components

Partial Correlations Controlling all other Variables								
		X1	X2	X3	X4	X5	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.95686	-0.01825	-0.14858	0.97751	0.06005	0.01615
X2	X2 - Price Level	-0.95686	1.00000	-0.15511	-0.13383	0.97533	0.04478	0.14112
X3	X3 - Price Flexibility	-0.01825	-0.15511	1.00000	-0.09514	0.09126	0.08520	-0.13965
X4	X4 - Manufactures Image	-0.14858	-0.13383	-0.09514	1.00000	0.17284	0.76581	0.03903
X5	X5 - Service	0.97751	0.97533	0.09126	0.17284	1.00000	-0.05171	-0.08762
X6	X6 - Salesforces Image	0.06005	0.04478	0.08520	0.76581	-0.05171	1.00000	0.09186
X7	X7 - Product Quality	0.01615	0.14112	-0.13965	0.03903	-0.08762	0.09186	1.00000


Kaiser's Measure of Sampling Adequacy: Overall MSA = 0.44575749						
X1	X2	X3	X4	X5	X6	X7
0.34449968	0.33022045	0.91271581	0.55761636	0.28834070	0.55212502	0.92709654

Prior Communality Estimates: ONE

Eigenvalues of the Correlation Matrix: Total = 7 Average = 1				
	Eigenvalue	Difference	Proportion	Cumulative
1	2.52577310	0.40538754	0.3608	0.3608
2	2.12038556	0.93929608	0.3029	0.6637
3	1.18108947	0.63992060	0.1687	0.8325
4	0.54116887	0.12313874	0.0773	0.9098
5	0.41803012	0.21363820	0.0597	0.9695
6	0.20439193	0.19523096	0.0292	0.9987
7	0.00916096		0.0013	1.0000

3 factors will be retained by the NFACTOR criterion.

The FACTOR Procedure
Initial Factor Method: Principal Components



Factor Pattern				
		Factor1	Factor2	Factor3
X2	X2 - Price Level	0.79237	0.09306	0.50810
X7	X7 - Product Quality	0.73859	-0.26981	-0.00543
X3	X3 - Price Flexibility	-0.69204	0.37449	-0.17268
X5	X5 - Service	0.18582	0.77890	0.59489
X1	X1 - Delivery Speed	-0.52796	0.75151	0.20244
X6	X6 - Salesforces Image	0.49210	0.60398	-0.54181
X4	X4 - Manufactures Image	0.56397	0.60202	-0.45238

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
2.5257731	2.1203856	1.1810895

Final Communality Estimates: Total = 5.827248						
X1	X2	X3	X4	X5	X6	X7
0.88449825	0.89467182	0.64898245	0.88513366	0.99511293	0.90051237	0.61833663

The FACTOR Procedure
Rotation Method: Varimax

Orthogonal Transformation Matrix			
	1	2	3
1	-0.86473	0.47654	0.15858
2	0.45242	0.60201	0.65795
3	-0.21808	-0.64069	0.73618

Rotated Factor Pattern				
		Factor1	Factor2	Factor3
X3	X3 - Price Flexibility	0.80551	0.00630	0.00953
X1	X1 - Delivery Speed	0.75240	0.07112	0.55977
X2	X2 - Price Level	-0.75389	0.10808	0.56093
X7	X7 - Product Quality	-0.75956	0.19302	-0.06440
X6	X6 - Salesforces Image	-0.03413	0.94524	0.07656
X4	X4 - Manufactures Image	-0.11667	0.92101	0.15250
X5	X5 - Service	0.06198	0.17632	0.97989

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
2.3788470	1.8268774	1.6215237

Final Communality Estimates: Total = 5.827248						
X1	X2	X3	X4	X5	X6	X7
0.88449825	0.89467182	0.64898245	0.88513366	0.99511293	0.90051237	0.61833663

The FACTOR Procedure
Rotation Method: Varimax

Scoring Coefficients Estimated by Regression

Squared Multiple Correlations of the Variables with Each Factor		
Factor1	Factor2	Factor3
1.0000000	1.0000000	1.0000000

Standardized Scoring Coefficients				
		Factor1	Factor2	Factor3
X3	X3 - Price Flexibility	0.34872	0.06943	-0.03488
X1	X1 - Delivery Speed	0.30372	0.00394	0.32623
X2	X2 - Price Level	-0.34524	-0.09970	0.39532
X7	X7 - Product Quality	-0.30943	0.06569	-0.04074
X6	X6 - Salesforces Image	0.06043	0.55823	-0.11940
X4	X4 - Manufactures Image	0.01889	0.52272	-0.05975
X5	X5 - Service	-0.00727	-0.06650	0.62415

The FACTOR Procedure

Input Data Type	Raw Data
Number of Records Read	100
Number of Records Used	100
N for Significance Tests	100

Means and Standard Deviations from 100 Observations		
Variable	Mean	Std Dev
X1	3.5150000	1.3207264
X2	2.3640000	1.1956588
X3	7.8940000	1.3865020
X4	5.2480000	1.1314137
X6	2.6650000	0.7708548
X7	6.9710000	1.5852410

Correlations							
		X1	X2	X3	X4	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.34923	0.50930	0.05041	0.07712	-0.48263
X2	X2 - Price Level	-0.34923	1.00000	-0.48721	0.27219	0.18624	0.46975
X3	X3 - Price Flexibility	0.50930	-0.48721	1.00000	-0.11610	-0.03432	-0.44811
X4	X4 - Manufactures Image	0.05041	0.27219	-0.11610	1.00000	0.78822	0.19998
X6	X6 - Salesforces Image	0.07712	0.18624	-0.03432	0.78822	1.00000	0.17729
X7	X7 - Product Quality	-0.48263	0.46975	-0.44811	0.19998	0.17729	1.00000

The FACTOR Procedure
Initial Factor Method: Principal Components

Partial Correlations Controlling all other Variables							
		X1	X2	X3	X4	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.07433	0.33792	0.09808	0.04515	-0.33084
X2	X2 - Price Level	-0.07433	1.00000	-0.30069	0.15981	-0.02565	0.25314
X3	X3 - Price Flexibility	0.33792	-0.30069	1.00000	-0.08092	0.08093	-0.14884
X4	X4 - Manufactures Image	0.09808	0.15981	-0.08092	1.00000	0.76946	0.02434
X6	X6 - Salesforces Image	0.04515	-0.02565	0.08093	0.76946	1.00000	0.09689
X7	X7 - Product Quality	-0.33084	0.25314	-0.14884	0.02434	0.09689	1.00000


Kaiser's Measure of Sampling Adequacy: Overall MSA = 0.66456568					
X1	X2	X3	X4	X6	X7
0.72112839	0.78717673	0.74807048	0.54222348	0.53211529	0.77920539

Prior Commuality Estimates: ONE

Eigenvalues of the Correlation Matrix: Total = 6 Average = 1				
	Eigenvalue	Difference	Proportion	Cumulative
1	2.51349004	0.77397297	0.4189	0.4189
2	1.73951707	1.14203204	0.2899	0.7088
3	0.59748503	0.06792392	0.0996	0.8084
4	0.52956111	0.11382997	0.0883	0.8967
5	0.41573114	0.21151554	0.0693	0.9660
6	0.20421560		0.0340	1.0000

3 factors will be retained by the NFACTOR criterion.

The FACTOR Procedure
Initial Factor Method: Principal Components



Factor Pattern				
		Factor1	Factor2	Factor3
X7	X7 - Product Quality	0.76651	-0.16759	-0.30084
X2	X2 - Price Level	0.75864	-0.06790	0.53930
X1	X1 - Delivery Speed	-0.62689	0.51442	0.39167
X3	X3 - Price Flexibility	-0.72967	0.33664	-0.19929
X6	X6 - Salesforces Image	0.42514	0.83162	-0.14853
X4	X4 - Manufactures Image	0.49422	0.79830	-0.03091

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
2.5134900	1.7395171	0.5974850

Final Commuality Estimates: Total = 4.850492					
X1	X2	X3	X4	X6	X7
0.81102706	0.87098970	0.68545924	0.88249047	0.89439427	0.70613141

The FACTOR Procedure

Input Data Type	Raw Data
Number of Records Read	100
Number of Records Used	100
N for Significance Tests	100

Means and Standard Deviations from 100 Observations		
Variable	Mean	Std Dev
X1	3.5150000	1.3207264
X2	2.3640000	1.1956588
X3	7.8940000	1.3865020
X4	5.2480000	1.1314137
X6	2.6650000	0.7708548
X7	6.9710000	1.5852410

Correlations							
		X1	X2	X3	X4	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.34923	0.50930	0.05041	0.07712	-0.48263
X2	X2 - Price Level	-0.34923	1.00000	-0.48721	0.27219	0.18624	0.46975
X3	X3 - Price Flexibility	0.50930	-0.48721	1.00000	-0.11610	-0.03432	-0.44811
X4	X4 - Manufactures Image	0.05041	0.27219	-0.11610	1.00000	0.78822	0.19998
X6	X6 - Salesforces Image	0.07712	0.18624	-0.03432	0.78822	1.00000	0.17729
X7	X7 - Product Quality	-0.48263	0.46975	-0.44811	0.19998	0.17729	1.00000

The FACTOR Procedure
Initial Factor Method: Principal Components

Partial Correlations Controlling all other Variables							
		X1	X2	X3	X4	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.07433	0.33792	0.09808	0.04515	-0.33084
X2	X2 - Price Level	-0.07433	1.00000	-0.30069	0.15981	-0.02565	0.25314
X3	X3 - Price Flexibility	0.33792	-0.30069	1.00000	-0.08092	0.08093	-0.14884
X4	X4 - Manufactures Image	0.09808	0.15981	-0.08092	1.00000	0.76946	0.02434
X6	X6 - Salesforces Image	0.04515	-0.02565	0.08093	0.76946	1.00000	0.09689
X7	X7 - Product Quality	-0.33084	0.25314	-0.14884	0.02434	0.09689	1.00000


Kaiser's Measure of Sampling Adequacy: Overall MSA = 0.66456568					
X1	X2	X3	X4	X6	X7
0.72112839	0.78717673	0.74807048	0.54222348	0.53211529	0.77920539

Prior Communality Estimates: ONE

Eigenvalues of the Correlation Matrix: Total = 6 Average = 1				
	Eigenvalue	Difference	Proportion	Cumulative
1	2.51349004	0.77397297	0.4189	0.4189
2	1.73951707	1.14203204	0.2899	0.7088
3	0.59748503	0.06792392	0.0996	0.8084
4	0.52956111	0.11382997	0.0883	0.8967
5	0.41573114	0.21151554	0.0693	0.9660
6	0.20421560		0.0340	1.0000

3 factors will be retained by the NFACTOR criterion.

The FACTOR Procedure
Initial Factor Method: Principal Components



Factor Pattern				
		Factor1	Factor2	Factor3
X7	X7 - Product Quality	0.76651	-0.16759	-0.30084
X2	X2 - Price Level	0.75864	-0.06790	0.53930
X1	X1 - Delivery Speed	-0.62689	0.51442	0.39167
X3	X3 - Price Flexibility	-0.72967	0.33664	-0.19929
X6	X6 - Salesforces Image	0.42514	0.83162	-0.14853
X4	X4 - Manufactures Image	0.49422	0.79830	-0.03091

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
2.5134900	1.7395171	0.5974850

Final Commuality Estimates: Total = 4.850492					
X1	X2	X3	X4	X6	X7
0.81102706	0.87098970	0.68545924	0.88249047	0.89439427	0.70613141

The FACTOR Procedure
Rotation Method: Varimax

Orthogonal Transformation Matrix			
	1	2	3
1	0.42097	-0.65538	0.62710
2	0.89391	0.41710	-0.16418
3	-0.15396	0.62969	0.76144

Rotated Factor Pattern				
		Factor1	Factor2	Factor3
X6	X6 - Salesforces Image	0.94523	-0.02529	0.01698
X4	X4 - Manufactures Image	0.92642	-0.01040	0.15533
X1	X1 - Delivery Speed	0.13563	0.87205	-0.17935
X7	X7 - Product Quality	0.21919	-0.76169	0.27913
X2	X2 - Price Level	0.17564	-0.18593	0.89754
X3	X3 - Price Flexibility	0.02443	0.49313	-0.66460

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
1.8496093	1.6191283	1.3817546

Final Communalities Estimates: Total = 4.850492					
X1	X2	X3	X4	X6	X7
0.81102706	0.87098970	0.68545924	0.88249047	0.89439427	0.70613141

The FACTOR Procedure
Rotation Method: Varimax

Scoring Coefficients Estimated by Regression

Squared Multiple Correlations of the Variables with Each Factor		
Factor1	Factor2	Factor3
1.0000000	1.0000000	1.0000000

Standardized Scoring Coefficients				
		Factor1	Factor2	Factor3
X6	X6 - Salesforces Image	0.53683	-0.06798	-0.16170
X4	X4 - Manufactures Image	0.50097	0.02997	0.00857
X1	X1 - Delivery Speed	0.05843	0.69959	0.29419
X7	X7 - Product Quality	0.11978	-0.55710	-0.17633
X2	X2 - Price Level	-0.04680	0.35427	0.88297
X3	X3 - Price Flexibility	0.10214	0.06094	-0.46780

The FACTOR Procedure

Input Data Type	Raw Data
Number of Records Read	100
Number of Records Used	100
N for Significance Tests	100

Means and Standard Deviations from 100 Observations		
Variable	Mean	Std Dev
X1	3.5150000	1.3207264
X2	2.3640000	1.1956588
X3	7.8940000	1.3865020
X4	5.2480000	1.1314137
X6	2.6650000	0.7708548
X7	6.9710000	1.5852410

The FACTOR Procedure
Initial Factor Method: Principal Components

Partial Correlations Controlling all other Variables							
		X1	X2	X3	X4	X6	X7
X1	X1 - Delivery Speed	1.00000	-0.07433	0.33792	0.09808	0.04515	-0.33084
X2	X2 - Price Level	-0.07433	1.00000	-0.30069	0.15981	-0.02565	0.25314
X3	X3 - Price Flexibility	0.33792	-0.30069	1.00000	-0.08092	0.08093	-0.14884
X4	X4 - Manufactures Image	0.09808	0.15981	-0.08092	1.00000	0.76946	0.02434
X6	X6 - Salesforces Image	0.04515	-0.02565	0.08093	0.76946	1.00000	0.09689
X7	X7 - Product Quality	-0.33084	0.25314	-0.14884	0.02434	0.09689	1.00000


Kaiser's Measure of Sampling Adequacy: Overall MSA = 0.66456568					
X1	X2	X3	X4	X6	X7
0.72112839	0.78717673	0.74807048	0.54222348	0.53211529	0.77920539

Prior Communality Estimates: ONE

Eigenvalues of the Correlation Matrix: Total = 6 Average = 1				
	Eigenvalue	Difference	Proportion	Cumulative
1	2.51349004	0.77397297	0.4189	0.4189
2	1.73951707	1.14203204	0.2899	0.7088
3	0.59748503	0.06792392	0.0996	0.8084
4	0.52956111	0.11382997	0.0883	0.8967
5	0.41573114	0.21151554	0.0693	0.9660
6	0.20421560		0.0340	1.0000

3 factors will be retained by the NFACTOR criterion.

The FACTOR Procedure
Initial Factor Method: Principal Components



Factor Pattern				
		Factor1	Factor2	Factor3
X7	X7 - Product Quality	0.76651	-0.16759	-0.30084
X2	X2 - Price Level	0.75864	-0.06790	0.53930
X1	X1 - Delivery Speed	-0.62689	0.51442	0.39167
X3	X3 - Price Flexibility	-0.72967	0.33664	-0.19929
X6	X6 - Salesforces Image	0.42514	0.83162	-0.14853
X4	X4 - Manufactures Image	0.49422	0.79830	-0.03091

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
2.5134900	1.7395171	0.5974850

Final Commuality Estimates: Total = 4.850492					
X1	X2	X3	X4	X6	X7
0.81102706	0.87098970	0.68545924	0.88249047	0.89439427	0.70613141

The FACTOR Procedure
Rotation Method: Varimax

Orthogonal Transformation Matrix			
	1	2	3
1	0.42097	-0.65538	0.62710
2	0.89391	0.41710	-0.16418
3	-0.15396	0.62969	0.76144

Rotated Factor Pattern				
		Factor1	Factor2	Factor3
X6	X6 - Salesforces Image	0.94523	-0.02529	0.01698
X4	X4 - Manufactures Image	0.92642	-0.01040	0.15533
X1	X1 - Delivery Speed	0.13563	0.87205	-0.17935
X7	X7 - Product Quality	0.21919	-0.76169	0.27913
X2	X2 - Price Level	0.17564	-0.18593	0.89754
X3	X3 - Price Flexibility	0.02443	0.49313	-0.66460

Variance Explained by Each Factor		
Factor1	Factor2	Factor3
1.8496093	1.6191283	1.3817546

Final Communalities Estimates: Total = 4.850492					
X1	X2	X3	X4	X6	X7
0.81102706	0.87098970	0.68545924	0.88249047	0.89439427	0.70613141

The FACTOR Procedure
Rotation Method: Varimax

Scoring Coefficients Estimated by Regression

Squared Multiple Correlations of the Variables with Each Factor		
Factor1	Factor2	Factor3
1.0000000	1.0000000	1.0000000

Standardized Scoring Coefficients				
		Factor1	Factor2	Factor3
X6	X6 - Salesforces Image	0.53683	-0.06798	-0.16170
X4	X4 - Manufactures Image	0.50097	0.02997	0.00857
X1	X1 - Delivery Speed	0.05843	0.69959	0.29419
X7	X7 - Product Quality	0.11978	-0.55710	-0.17633
X2	X2 - Price Level	-0.04680	0.35427	0.88297
X3	X3 - Price Flexibility	0.10214	0.06094	-0.46780

Obs	_TYPE_	_NAME_	X1	X2	X3	X4	X6	X7
1	MEAN		3.515	2.364	7.894	5.248	2.665	6.971
2	STD		1.321	1.196	1.387	1.131	0.771	1.585
3	N		100.000	100.000	100.000	100.000	100.000	100.000
4	CORR	X1	1.000	-0.349	0.509	0.050	0.077	-0.483
5	CORR	X2	-0.349	1.000	-0.487	0.272	0.186	0.470
6	CORR	X3	0.509	-0.487	1.000	-0.116	-0.034	-0.448
7	CORR	X4	0.050	0.272	-0.116	1.000	0.788	0.200
8	CORR	X6	0.077	0.186	-0.034	0.788	1.000	0.177
9	CORR	X7	-0.483	0.470	-0.448	0.200	0.177	1.000
10	COMMUNAL		0.811	0.871	0.685	0.882	0.894	0.706
11	PRIORS		1.000	1.000	1.000	1.000	1.000	1.000
12	EIGENVAL		2.513	1.740	0.597	0.530	0.416	0.204
13	UNROTATE	Factor1	-0.627	0.759	-0.730	0.494	0.425	0.767
14	UNROTATE	Factor2	0.514	-0.068	0.337	0.798	0.832	-0.168
15	UNROTATE	Factor3	0.392	0.539	-0.199	-0.031	-0.149	-0.301
16	TRANSFOR	Factor1	0.421	0.894	-0.154	.	.	.
17	TRANSFOR	Factor2	-0.655	0.417	0.630	.	.	.
18	TRANSFOR	Factor3	0.627	-0.164	0.761	.	.	.
19	PATTERN	Factor1	0.136	0.176	0.024	0.926	0.945	0.219
20	PATTERN	Factor2	0.872	-0.186	0.493	-0.010	-0.025	-0.762
21	PATTERN	Factor3	-0.179	0.898	-0.665	0.155	0.017	0.279
22	SCORE	Factor1	0.058	-0.047	0.102	0.501	0.537	0.120
23	SCORE	Factor2	0.700	0.354	0.061	0.030	-0.068	-0.557
24	SCORE	Factor3	0.294	0.883	-0.468	0.009	-0.162	-0.176

Obs	X1	X2	X3	X4	X5	X6	X7	Factor1	Factor2	Factor3
1	4.1	0.6	6.9	4.7	2.4	2.3	5.2	-0.60895	0.38357	-0.56759
2	1.8	3.0	6.3	6.6	2.5	4.0	8.4	1.41815	-1.37416	0.19672
3	3.4	5.2	5.7	6.0	4.3	2.7	8.2	0.17250	0.26789	2.67061
4	2.7	1.0	7.1	5.9	1.8	2.3	7.8	0.05599	-1.11263	-0.93164
5	6.0	0.9	9.6	7.8	3.4	4.6	4.5	2.58375	1.72285	-1.21492
6	1.9	3.3	7.9	4.8	2.6	1.9	9.7	-0.63256	-1.48132	0.18298
7	4.6	2.4	9.5	6.6	3.5	4.5	7.6	2.08899	0.30892	-0.71824
8	1.3	4.2	6.2	5.1	2.8	2.2	6.9	-0.68937	-0.64169	1.53833
9	5.5	1.6	9.4	4.7	3.5	3.0	7.6	0.26684	0.62616	-0.77455
10	4.0	3.5	6.5	6.0	3.7	3.2	8.7	0.71050	-0.10265	1.11843
11	2.4	1.6	8.8	4.8	2.0	2.8	5.8	-0.14551	-0.38942	-1.01970
12	3.9	2.2	9.1	4.6	3.0	2.5	8.3	-0.18912	-0.26132	-0.56038
13	2.8	1.4	8.1	3.8	2.1	1.4	6.6	-1.52887	-0.45173	-0.64501
14	3.7	1.5	8.6	5.7	2.7	3.7	6.7	0.99446	-0.11104	-1.01858
15	4.7	1.3	9.9	6.7	3.0	2.6	6.8	0.82658	0.50489	-1.15495
16	3.4	2.0	9.7	4.7	2.7	1.7	4.8	-0.93652	0.74415	-0.46400
17	3.2	4.1	5.7	5.1	3.6	2.9	6.2	-0.20364	0.49740	1.98743
18	4.9	1.8	7.7	4.3	3.4	1.5	5.9	-1.24295	1.01200	0.31379
19	5.3	1.4	9.7	6.1	3.3	3.9	6.8	1.47414	0.71301	-1.15722
20	4.7	1.3	9.9	6.7	3.0	2.6	6.8	0.82658	0.50489	-1.15495
21	3.3	0.9	8.6	4.0	2.1	1.8	6.3	-1.10589	-0.23761	-1.12059
22	3.4	0.4	8.3	2.5	1.2	1.7	5.2	-1.92093	0.00968	-1.23437
23	3.0	4.0	9.1	7.1	3.5	3.4	8.4	1.44190	-0.25299	0.38743
24	2.4	1.5	6.7	4.8	1.9	2.5	7.2	-0.39944	-0.97689	-0.47781
25	5.1	1.4	8.7	4.8	3.3	2.6	3.8	-0.31601	1.69761	-0.26782
26	4.6	2.1	7.9	5.8	3.4	2.8	4.7	0.22561	1.29758	0.27317
27	2.4	1.5	6.6	4.8	1.9	2.5	7.2	-0.40680	-0.98129	-0.44407
28	5.2	1.3	9.7	6.1	3.2	3.9	6.7	1.46608	0.66555	-1.24222
29	3.5	2.8	9.9	3.5	3.1	1.7	5.4	-1.43469	0.80030	0.00575
30	4.1	3.7	5.9	5.5	3.9	3.0	8.4	0.27955	0.09303	1.56237
31	3.0	3.2	6.0	5.3	3.1	3.0	8.0	0.13905	-0.49812	0.95735
32	2.8	3.8	8.9	6.9	3.3	3.2	8.2	1.18319	-0.34436	0.32535
33	5.2	2.0	9.3	5.9	3.7	2.4	4.6	0.11736	1.72037	-0.04360
34	3.4	3.7	6.4	5.7	3.5	3.4	8.4	0.65254	-0.28576	1.15536
35	2.4	1.0	7.7	3.4	1.7	1.1	6.2	-1.97664	-0.64328	-0.79014
36	1.8	3.3	7.5	4.5	2.5	2.4	7.6	-0.60976	-0.86591	0.42209
37	3.6	4.0	5.8	5.8	3.7	2.5	9.3	0.09096	-0.35157	1.71333
38	4.0	0.9	9.1	5.4	2.4	2.6	7.3	0.21449	-0.22973	-1.40181

Obs	X1	X2	X3	X4	X5	X6	X7	Factor1	Factor2	Factor3
39	0.0	2.1	6.9	5.4	1.1	2.6	8.9	-0.05060	-2.65195	-0.84233
40	2.4	2.0	6.4	4.5	2.1	2.2	8.8	-0.66197	-1.38570	-0.12466
41	1.9	3.4	7.6	4.6	2.6	2.5	7.7	-0.48040	-0.82023	0.45314
42	5.9	0.9	9.6	7.8	3.4	4.6	4.5	2.57933	1.66988	-1.23720
43	4.9	2.3	9.3	4.5	3.6	1.3	6.2	-1.17271	1.14798	0.15329
44	5.0	1.3	8.6	4.7	3.1	2.5	3.7	-0.44536	1.65193	-0.29886
45	2.0	2.6	6.5	3.7	2.4	1.7	8.5	-1.42089	-1.28708	0.32778
46	5.0	2.5	9.4	4.6	3.7	1.4	6.3	-1.04728	1.22329	0.25818
47	3.1	1.9	10.0	4.5	2.6	3.2	3.8	-0.04328	0.78264	-0.91083
48	3.4	3.9	5.6	5.6	3.6	2.3	9.1	-0.17166	-0.41330	1.72510
49	5.8	0.2	8.8	4.5	3.0	2.4	6.7	-0.28370	0.70778	-1.31470
50	5.4	2.1	8.0	3.0	3.8	1.4	5.2	-1.90863	1.59931	0.63448
51	3.7	0.7	8.2	6.0	2.1	2.5	5.2	0.18011	0.27526	-1.05356
52	2.6	4.8	8.2	5.0	3.6	2.5	9.0	-0.18469	-0.45451	1.29892
53	4.5	4.1	6.3	5.9	4.3	3.4	8.8	0.79696	0.27576	1.68653
54	2.8	2.4	6.7	4.9	2.5	2.6	9.2	-0.15193	-1.20737	0.03324
55	3.8	0.8	8.7	2.9	1.6	2.1	5.6	-1.40352	0.19241	-1.11021
56	2.9	2.6	7.7	7.0	2.8	3.6	7.7	1.43125	-0.55660	-0.16121
57	4.9	4.4	7.4	6.9	4.6	4.0	9.6	1.80503	0.31731	1.41877
58	5.4	2.5	9.6	5.5	4.0	3.0	7.7	0.60370	0.83470	-0.20474
59	4.3	1.8	7.6	5.4	3.1	2.5	4.4	-0.20672	1.15788	0.17929
60	2.3	4.5	8.0	4.7	3.3	2.2	8.7	-0.56538	-0.58716	1.17206
61	3.1	1.9	9.9	4.5	2.6	3.1	3.8	-0.12029	0.78706	-0.85611
62	5.1	1.9	9.2	5.8	3.6	2.3	4.5	-0.01199	1.67469	-0.07464
63	4.1	1.1	9.3	5.5	2.5	2.7	7.4	0.34730	-0.15003	-1.33066
64	3.0	3.8	5.5	4.9	3.4	2.6	6.0	-0.52807	0.38522	1.87247
65	1.1	2.0	7.2	4.7	1.6	3.2	10.0	0.21509	-2.54376	-1.02589
66	3.7	1.4	9.0	4.5	2.6	2.3	6.8	-0.47092	-0.06656	-0.95393
67	4.2	2.5	9.2	6.2	3.3	3.9	7.3	1.42765	0.26123	-0.47607
68	1.6	4.5	6.4	5.3	3.0	2.5	7.1	-0.36052	-0.47655	1.67556
69	5.3	1.7	8.5	3.7	3.5	1.9	4.8	-1.23263	1.56481	0.09303
70	2.3	3.7	8.3	5.2	3.0	2.3	9.1	-0.19071	-0.94716	0.41837
71	3.6	5.4	5.9	6.2	4.5	2.9	8.4	0.43120	0.35925	2.73269
72	5.6	2.2	8.2	3.1	4.0	1.6	5.3	-1.69784	1.69354	0.63308
73	3.6	2.2	9.9	4.8	2.9	1.9	4.9	-0.72965	0.86800	-0.39156
74	5.2	1.3	9.1	4.5	3.3	2.7	7.3	-0.07694	0.49176	-0.86691
75	3.0	2.0	6.6	6.6	2.4	2.7	8.2	0.61202	-0.83670	-0.08073
76	4.2	2.4	9.4	4.9	3.2	2.7	8.5	0.12565	-0.10994	-0.50900

Obs	X1	X2	X3	X4	X5	X6	X7	Factor1	Factor2	Factor3
77	3.8	0.8	8.3	6.1	2.2	2.6	5.3	0.30946	0.32094	-1.02252
78	3.3	2.6	9.7	3.3	2.9	1.5	5.2	-1.69339	0.70893	-0.05633
79	1.0	1.9	7.1	4.5	1.5	3.1	9.9	0.04146	-2.59209	-1.05769
80	4.5	1.6	8.7	4.6	3.1	2.1	6.8	-0.56047	0.42356	-0.48410
81	5.5	1.8	8.7	3.8	3.6	2.1	4.9	-1.02185	1.65904	0.09162
82	3.4	4.6	5.5	8.2	4.0	4.4	6.3	2.19572	0.65740	2.16640
83	1.6	2.8	6.1	6.4	2.3	3.8	8.2	1.15944	-1.46552	0.13464
84	2.3	3.7	7.6	5.0	3.0	2.5	7.4	-0.32000	-0.40343	0.80018
85	2.6	3.0	8.5	6.0	2.8	2.8	6.8	0.39334	-0.20148	0.05779
86	2.5	3.1	7.0	4.2	2.8	2.2	9.0	-0.77413	-1.05867	0.48298
87	2.4	2.9	8.4	5.9	2.7	2.7	6.7	0.25956	-0.30014	0.00448
88	2.1	3.5	7.4	4.8	2.8	2.3	7.2	-0.57871	-0.49480	0.73810
89	2.9	1.2	7.3	6.1	2.0	2.5	8.0	0.31469	-1.02126	-0.86956
90	4.3	2.5	9.3	6.3	3.4	4.0	7.4	1.56091	0.27728	-0.51888
91	3.0	2.8	7.8	7.1	3.0	3.8	7.9	1.63389	-0.52525	-0.08842
92	4.8	1.7	7.6	4.2	3.3	1.4	5.8	-1.37230	0.96632	0.28275
93	3.1	4.2	5.1	7.8	3.6	4.0	5.9	1.68273	0.52764	2.06451
94	1.9	2.7	5.0	4.9	2.2	2.5	8.2	-0.47392	-1.30968	0.76009
95	4.0	0.5	6.7	4.5	2.2	2.1	5.0	-0.86714	0.37480	-0.53355
96	0.6	1.6	6.4	5.0	0.7	2.1	8.4	-0.60442	-2.29505	-0.75175
97	6.1	0.5	9.2	4.8	3.3	2.8	7.1	0.18892	0.80526	-1.28742
98	2.0	2.8	5.2	5.0	2.4	2.7	8.4	-0.26000	-1.30356	0.72529
99	3.1	2.2	6.7	6.8	2.6	2.9	8.4	0.85894	-0.80270	-0.00719
100	2.5	1.8	9.0	5.0	2.2	3.0	6.0	0.10877	-0.35102	-0.97990

Obs	X1	X2	X3	X4	X5	X6	X7	Factor1	Factor2	Factor3
1	4.1	0.6	6.9	4.7	2.4	2.3	5.2	-0.60895	0.38357	-0.56759
2	1.8	3.0	6.3	6.6	2.5	4.0	8.4	1.41815	-1.37416	0.19672
3	3.4	5.2	5.7	6.0	4.3	2.7	8.2	0.17250	0.26789	2.67061
4	2.7	1.0	7.1	5.9	1.8	2.3	7.8	0.05599	-1.11263	-0.93164
5	6.0	0.9	9.6	7.8	3.4	4.6	4.5	2.58375	1.72285	-1.21492
6	1.9	3.3	7.9	4.8	2.6	1.9	9.7	-0.63256	-1.48132	0.18298
7	4.6	2.4	9.5	6.6	3.5	4.5	7.6	2.08899	0.30892	-0.71824
8	1.3	4.2	6.2	5.1	2.8	2.2	6.9	-0.68937	-0.64169	1.53833
9	5.5	1.6	9.4	4.7	3.5	3.0	7.6	0.26684	0.62616	-0.77455
10	4.0	3.5	6.5	6.0	3.7	3.2	8.7	0.71050	-0.10265	1.11843
11	2.4	1.6	8.8	4.8	2.0	2.8	5.8	-0.14551	-0.38942	-1.01970
12	3.9	2.2	9.1	4.6	3.0	2.5	8.3	-0.18912	-0.26132	-0.56038
13	2.8	1.4	8.1	3.8	2.1	1.4	6.6	-1.52887	-0.45173	-0.64501
14	3.7	1.5	8.6	5.7	2.7	3.7	6.7	0.99446	-0.11104	-1.01858
15	4.7	1.3	9.9	6.7	3.0	2.6	6.8	0.82658	0.50489	-1.15495
16	3.4	2.0	9.7	4.7	2.7	1.7	4.8	-0.93652	0.74415	-0.46400
17	3.2	4.1	5.7	5.1	3.6	2.9	6.2	-0.20364	0.49740	1.98743
18	4.9	1.8	7.7	4.3	3.4	1.5	5.9	-1.24295	1.01200	0.31379
19	5.3	1.4	9.7	6.1	3.3	3.9	6.8	1.47414	0.71301	-1.15722
20	4.7	1.3	9.9	6.7	3.0	2.6	6.8	0.82658	0.50489	-1.15495
21	3.3	0.9	8.6	4.0	2.1	1.8	6.3	-1.10589	-0.23761	-1.12059
22	3.4	0.4	8.3	2.5	1.2	1.7	5.2	-1.92093	0.00968	-1.23437
23	3.0	4.0	9.1	7.1	3.5	3.4	8.4	1.44190	-0.25299	0.38743
24	2.4	1.5	6.7	4.8	1.9	2.5	7.2	-0.39944	-0.97689	-0.47781
25	5.1	1.4	8.7	4.8	3.3	2.6	3.8	-0.31601	1.69761	-0.26782
26	4.6	2.1	7.9	5.8	3.4	2.8	4.7	0.22561	1.29758	0.27317
27	2.4	1.5	6.6	4.8	1.9	2.5	7.2	-0.40680	-0.98129	-0.44407
28	5.2	1.3	9.7	6.1	3.2	3.9	6.7	1.46608	0.66555	-1.24222
29	3.5	2.8	9.9	3.5	3.1	1.7	5.4	-1.43469	0.80030	0.00575
30	4.1	3.7	5.9	5.5	3.9	3.0	8.4	0.27955	0.09303	1.56237
31	3.0	3.2	6.0	5.3	3.1	3.0	8.0	0.13905	-0.49812	0.95735
32	2.8	3.8	8.9	6.9	3.3	3.2	8.2	1.18319	-0.34436	0.32535
33	5.2	2.0	9.3	5.9	3.7	2.4	4.6	0.11736	1.72037	-0.04360
34	3.4	3.7	6.4	5.7	3.5	3.4	8.4	0.65254	-0.28576	1.15536
35	2.4	1.0	7.7	3.4	1.7	1.1	6.2	-1.97664	-0.64328	-0.79014
36	1.8	3.3	7.5	4.5	2.5	2.4	7.6	-0.60976	-0.86591	0.42209
37	3.6	4.0	5.8	5.8	3.7	2.5	9.3	0.09096	-0.35157	1.71333
38	4.0	0.9	9.1	5.4	2.4	2.6	7.3	0.21449	-0.22973	-1.40181

Obs	X1	X2	X3	X4	X5	X6	X7	Factor1	Factor2	Factor3
39	0.0	2.1	6.9	5.4	1.1	2.6	8.9	-0.05060	-2.65195	-0.84233
40	2.4	2.0	6.4	4.5	2.1	2.2	8.8	-0.66197	-1.38570	-0.12466
41	1.9	3.4	7.6	4.6	2.6	2.5	7.7	-0.48040	-0.82023	0.45314
42	5.9	0.9	9.6	7.8	3.4	4.6	4.5	2.57933	1.66988	-1.23720
43	4.9	2.3	9.3	4.5	3.6	1.3	6.2	-1.17271	1.14798	0.15329
44	5.0	1.3	8.6	4.7	3.1	2.5	3.7	-0.44536	1.65193	-0.29886
45	2.0	2.6	6.5	3.7	2.4	1.7	8.5	-1.42089	-1.28708	0.32778
46	5.0	2.5	9.4	4.6	3.7	1.4	6.3	-1.04728	1.22329	0.25818
47	3.1	1.9	10.0	4.5	2.6	3.2	3.8	-0.04328	0.78264	-0.91083
48	3.4	3.9	5.6	5.6	3.6	2.3	9.1	-0.17166	-0.41330	1.72510
49	5.8	0.2	8.8	4.5	3.0	2.4	6.7	-0.28370	0.70778	-1.31470
50	5.4	2.1	8.0	3.0	3.8	1.4	5.2	-1.90863	1.59931	0.63448
51	3.7	0.7	8.2	6.0	2.1	2.5	5.2	0.18011	0.27526	-1.05356
52	2.6	4.8	8.2	5.0	3.6	2.5	9.0	-0.18469	-0.45451	1.29892
53	4.5	4.1	6.3	5.9	4.3	3.4	8.8	0.79696	0.27576	1.68653
54	2.8	2.4	6.7	4.9	2.5	2.6	9.2	-0.15193	-1.20737	0.03324
55	3.8	0.8	8.7	2.9	1.6	2.1	5.6	-1.40352	0.19241	-1.11021
56	2.9	2.6	7.7	7.0	2.8	3.6	7.7	1.43125	-0.55660	-0.16121
57	4.9	4.4	7.4	6.9	4.6	4.0	9.6	1.80503	0.31731	1.41877
58	5.4	2.5	9.6	5.5	4.0	3.0	7.7	0.60370	0.83470	-0.20474
59	4.3	1.8	7.6	5.4	3.1	2.5	4.4	-0.20672	1.15788	0.17929
60	2.3	4.5	8.0	4.7	3.3	2.2	8.7	-0.56538	-0.58716	1.17206
61	3.1	1.9	9.9	4.5	2.6	3.1	3.8	-0.12029	0.78706	-0.85611
62	5.1	1.9	9.2	5.8	3.6	2.3	4.5	-0.01199	1.67469	-0.07464
63	4.1	1.1	9.3	5.5	2.5	2.7	7.4	0.34730	-0.15003	-1.33066
64	3.0	3.8	5.5	4.9	3.4	2.6	6.0	-0.52807	0.38522	1.87247
65	1.1	2.0	7.2	4.7	1.6	3.2	10.0	0.21509	-2.54376	-1.02589
66	3.7	1.4	9.0	4.5	2.6	2.3	6.8	-0.47092	-0.06656	-0.95393
67	4.2	2.5	9.2	6.2	3.3	3.9	7.3	1.42765	0.26123	-0.47607
68	1.6	4.5	6.4	5.3	3.0	2.5	7.1	-0.36052	-0.47655	1.67556
69	5.3	1.7	8.5	3.7	3.5	1.9	4.8	-1.23263	1.56481	0.09303
70	2.3	3.7	8.3	5.2	3.0	2.3	9.1	-0.19071	-0.94716	0.41837
71	3.6	5.4	5.9	6.2	4.5	2.9	8.4	0.43120	0.35925	2.73269
72	5.6	2.2	8.2	3.1	4.0	1.6	5.3	-1.69784	1.69354	0.63308
73	3.6	2.2	9.9	4.8	2.9	1.9	4.9	-0.72965	0.86800	-0.39156
74	5.2	1.3	9.1	4.5	3.3	2.7	7.3	-0.07694	0.49176	-0.86691
75	3.0	2.0	6.6	6.6	2.4	2.7	8.2	0.61202	-0.83670	-0.08073
76	4.2	2.4	9.4	4.9	3.2	2.7	8.5	0.12565	-0.10994	-0.50900

Obs	X1	X2	X3	X4	X5	X6	X7	Factor1	Factor2	Factor3
77	3.8	0.8	8.3	6.1	2.2	2.6	5.3	0.30946	0.32094	-1.02252
78	3.3	2.6	9.7	3.3	2.9	1.5	5.2	-1.69339	0.70893	-0.05633
79	1.0	1.9	7.1	4.5	1.5	3.1	9.9	0.04146	-2.59209	-1.05769
80	4.5	1.6	8.7	4.6	3.1	2.1	6.8	-0.56047	0.42356	-0.48410
81	5.5	1.8	8.7	3.8	3.6	2.1	4.9	-1.02185	1.65904	0.09162
82	3.4	4.6	5.5	8.2	4.0	4.4	6.3	2.19572	0.65740	2.16640
83	1.6	2.8	6.1	6.4	2.3	3.8	8.2	1.15944	-1.46552	0.13464
84	2.3	3.7	7.6	5.0	3.0	2.5	7.4	-0.32000	-0.40343	0.80018
85	2.6	3.0	8.5	6.0	2.8	2.8	6.8	0.39334	-0.20148	0.05779
86	2.5	3.1	7.0	4.2	2.8	2.2	9.0	-0.77413	-1.05867	0.48298
87	2.4	2.9	8.4	5.9	2.7	2.7	6.7	0.25956	-0.30014	0.00448
88	2.1	3.5	7.4	4.8	2.8	2.3	7.2	-0.57871	-0.49480	0.73810
89	2.9	1.2	7.3	6.1	2.0	2.5	8.0	0.31469	-1.02126	-0.86956
90	4.3	2.5	9.3	6.3	3.4	4.0	7.4	1.56091	0.27728	-0.51888
91	3.0	2.8	7.8	7.1	3.0	3.8	7.9	1.63389	-0.52525	-0.08842
92	4.8	1.7	7.6	4.2	3.3	1.4	5.8	-1.37230	0.96632	0.28275
93	3.1	4.2	5.1	7.8	3.6	4.0	5.9	1.68273	0.52764	2.06451
94	1.9	2.7	5.0	4.9	2.2	2.5	8.2	-0.47392	-1.30968	0.76009
95	4.0	0.5	6.7	4.5	2.2	2.1	5.0	-0.86714	0.37480	-0.53355
96	0.6	1.6	6.4	5.0	0.7	2.1	8.4	-0.60442	-2.29505	-0.75175
97	6.1	0.5	9.2	4.8	3.3	2.8	7.1	0.18892	0.80526	-1.28742
98	2.0	2.8	5.2	5.0	2.4	2.7	8.4	-0.26000	-1.30356	0.72529
99	3.1	2.2	6.7	6.8	2.6	2.9	8.4	0.85894	-0.80270	-0.00719
100	2.5	1.8	9.0	5.0	2.2	3.0	6.0	0.10877	-0.35102	-0.97990