

Explore More

Subscription : Premium CDAC NOTES & MATERIAL @99



Contact to Join
Premium Group



Click to Join
Telegram Group

<CODEWITHARRAY'S/>

For More E-Notes

Join Our Community to stay Updated

TAP ON THE ICONS TO JOIN!

	codewitharrays.in freelance project available to buy contact on 8007592194	
SR.NO	Project NAME	Technology
1	Online E-Learning Platform Hub	React+Springboot+MySql
2	PG Mates / RoomSharing / Flat Mates	React+Springboot+MySql
3	Tour and Travel management System	React+Springboot+MySql
4	Election commition of India (online Voting System)	React+Springboot+MySql
5	HomeRental Booking System	React+Springboot+MySql
6	Event Management System	React+Springboot+MySql
7	Hotel Management System	React+Springboot+MySql
8	Agriculture web Project	React+Springboot+MySql
9	AirLine Reservation System / Flight booking System	React+Springboot+MySql
10	E-commerce web Project	React+Springboot+MySql
11	Hospital Management System	React+Springboot+MySql
12	E-RTO Driving licence portal	React+Springboot+MySql
13	Transpotation Services portal	React+Springboot+MySql
14	Courier Services Portal / Courier Management System	React+Springboot+MySql
15	Online Food Delivery Portal	React+Springboot+MySql
16	Muncipal Corporation Management	React+Springboot+MySql
17	Gym Management System	React+Springboot+MySql
18	Bike/Car ental System Portal	React+Springboot+MySql
19	CharityDonation web project	React+Springboot+MySql
20	Movie Booking System	React+Springboot+MySql

freelance_Project available to buy contact on 8007592194		
21	Job Portal web project	React+Springboot+MySql
22	LIC Insurance Portal	React+Springboot+MySql
23	Employee Management System	React+Springboot+MySql
24	Payroll Management System	React+Springboot+MySql
25	RealEstate Property Project	React+Springboot+MySql
26	Marriage Hall Booking Project	React+Springboot+MySql
27	Online Student Management portal	React+Springboot+MySql
28	Resturant management System	React+Springboot+MySql
29	Solar Management Project	React+Springboot+MySql
30	OneStepService LinkLabourContractor	React+Springboot+MySql
31	Vehical Service Center Portal	React+Springboot+MySql
32	E-wallet Banking Project	React+Springboot+MySql
33	Blogg Application Project	React+Springboot+MySql
34	Car Parking booking Project	React+Springboot+MySql
35	OLA Cab Booking Portal	React+NextJs+Springboot+MySql
36	Society management Portal	React+Springboot+MySql
37	E-College Portal	React+Springboot+MySql
38	FoodWaste Management Donate System	React+Springboot+MySql
39	Sports Ground Booking	React+Springboot+MySql
40	BloodBank mangement System	React+Springboot+MySql

41	Bus Tickit Booking Project	React+Springboot+MySql
42	Fruite Delivery Project	React+Springboot+MySql
43	Woodworks Bed Shop	React+Springboot+MySql
44	Online Dairy Product sell Project	React+Springboot+MySql
45	Online E-Pharma medicine sell Project	React+Springboot+MySql
46	FarmerMarketplace Web Project	React+Springboot+MySql
47	Online Cloth Store Project	React+Springboot+MySql
48	Train Ticket Booking Project	React+Springboot+MySql
49	Quizz Application Project	JSP+Springboot+MySql
50	Hotel Room Booking Project	React+Springboot+MySql
51	Online Crime Reporting Portal Project	React+Springboot+MySql
52	Online Child Adoption Portal Project	React+Springboot+MySql
53	online Pizza Delivery System Project	React+Springboot+MySql
54	Online Social Complaint Portal Project	React+Springboot+MySql
55	Electric Vehical management system Project	React+Springboot+MySql
56	Online mess / Tiffin management System Project	React+Springboot+MySql
57		React+Springboot+MySql
58		React+Springboot+MySql
59		React+Springboot+MySql
60		React+Springboot+MySql

Spring Boot + React JS + MySQL Project List

Sr.No	Project Name	YouTube Link
1	Online E-Learning Hub Platform Project	https://youtu.be/KMjyBaWmgzg?si=YckHuNzs7eC84-IW
2	PG Mate / Room sharing/Flat sharing	https://youtu.be/4P9clHg3wvk?si=4uEsi0962CG6Xodp
3	Tour and Travel System Project Version 1.0	https://youtu.be/-UHOBywHaP8?si=KHHfE_A0uv725f12
4	Marriage Hall Booking	https://youtu.be/VXz0kZQi5to?si=ILOS-QG3TpAFP5k7
5	Ecommerce Shopping project	https://youtu.be/vJ_C6LkhrZ0?si=YhcBylSErvdn7paq
6	Bike Rental System Project	https://youtu.be/FlzsAmIBCbk?si=7ujQTJqEgkQ8ju2H
7	Multi-Restaurant management system	https://youtu.be/pvV-pM2Jf3s?si=PgvnT-yFc8ktrDxB
8	Hospital management system Project	https://youtu.be/lynlouBZvY4?si=CXzQs3BsRkjKhZCw
9	Municipal Corporation system Project	https://youtu.be/cVMx9NVyl4I?si=qX0oQt-GT-LR_5jF
10	Tour and Travel System Project version 2.0	https://youtu.be/_4u0mB9mHXE?si=gDiAhKBowi2gNUKZ

Sr.No	Project Name	YouTube Link
11	Tour and Travel System Project version 3.0	https://youtu.be/Dm7nOdpasWg?si=P_Lh2gcOFhlyudug
12	Gym Management system Project	https://youtu.be/J8_7Zrkg7ag?si=LcxV51ynfUB7OptX
13	Online Driving License system Project	https://youtu.be/3yRzsMs8TLE?si=JRI_z4FDx4Gmt7fn
14	Online Flight Booking system Project	https://youtu.be/m755rOwdk8U?si=HURvAY2VnizlyJlh
15	Employee management system project	https://youtu.be/ID1iE3W_GRw?si=Y_jv1xV_BljhrD0H
16	Online student school or college portal	https://youtu.be/4A25aEKfei0?si=RoVgZtxMk9TPdQvD
17	Online movie booking system project	https://youtu.be/Lfjv_U74SC4?si=fiDvrhhrjb4KSIsm
18	Online Pizza Delivery system project	https://youtu.be/Tp3izreZ458?si=8eWAOzA8SVdNwlyM
19	Online Crime Reporting system Project	https://youtu.be/0UlzReSk9tQ?si=6vN0e70TVY1GOwPO
20	Online Children Adoption Project	https://youtu.be/3T5HC2HKyT4?si=bntP78niYH802I7N

OOPJ Mock CCEE-2

Total points  ?

Email *




0 of 0 points

Student ID: *

24 

Name: *



OOPJ MCQ's

21 of 40 points

All The Best!!!!

codewitharrays.in 8007592194

What will be the output of the following Java code? *

0/1

```
class newthread extends Thread
{
    newthread()
    {
        super("My Thread");
        start();
    }
    public void run()
    {
        System.out.println(this);
    }
}
class multithreaded_programing
{
    public static void main(String args[])
    {
        new newthread();
    }
}
```

- ☐ Thread[My Thread,5,main]
- ☒ Compilation Error
- ☐ My Thread
- ☐ Runtime Error

Correct answer



☒ Thread[My Thread,5,main]

Which of the following functional interface represents a function that accepts ^{*1/1} two arguments and produces a long-valued result?

☐ UnaryOperator<T>

☒ ToLongBiFunction<T,U>

☐ ToIntFunction<T>

☐ ToLongFunction<T>

codewitharrays.in 8007592194



What will be the output of the following Java program? *

1/1

```
class Output
{
    public static void main(String args[])
    {
        int arr[] = {1, 2, 3, 4, 5};
        for ( int i = 0; i < arr.length - 2; ++i)
            System.out.println(arr[i] + " ");
    }
}
```

- ☐ 1 2 3 4
- ☐ 1 2
- ☒ 1 2 3
- ☐ 1 2 3 4 5

codewitharrays.in 8007592194



What will be the output of the following Java program? *

1/1

```
class recursion
{
    int func (int n)
    {
        int result;
        if (n == 1)
            return 1;
        result = func (n - 1);
        return result;
    }
}

class Output
{
    public static void main(String args[])
    {
        recursion obj = new recursion();
        System.out.print(obj.func(5));
    }
}
```

- ☒ 1
- ☐ 120
- ☐ 0
- ☐ None of the mentioned



What will be the output of the following Java code snippet? *

0/1

```
import java.util.*;
class ArrayLists
{
    public static void main(String args[])
    {
        ArrayLists obj = new ArrayLists();
        obj.add("A");
        obj.add("B");
        obj.add("C");
        obj.add(1, "D");
        System.out.println(obj);
    }
}
```

- ☒ [A, D, C]
- ☐ c) [A, B, C, D]
- ☐ d) [A, D, B, C]
- ☐ b) [A, B, C]

Correct answer

- ☒ d) [A, D, B, C]



What will be the output of the following Java code? *

1/1

```
class newthread extends Thread
{
    Thread t;
    newthread()
    {
        t = new Thread(this,"New Thread");
        t.start();
    }
    public void run()
    {
        System.out.println(t.isAlive());
    }
}
class multithreaded_programing
{
    public static void main(String args[])
    {
        new newthread();
    }
}
```

- ☐ 0
- ☐ 1
- ☒ true



☐ false

What will be the output of the following Java program? *

1/1

```
class output
{
    public static void main(String args[])
    {
        StringBuffer s1 = new StringBuffer("Quiz");
        StringBuffer s2 = s1.reverse();
        System.out.println(s2);
    }
}
```

- ☐ QuizziuQ
- ☐ ziuQQuiz
- ☐ Quiz
- ☒ ziuQ

codewitharrays.in 8007592194



What will be the output of the following Java code? *

1/1

```
class newthread extends Thread
{
    Thread t;
    newthread()
    {
        t1 = new Thread(this,"Thread_1");
        t2 = new Thread(this,"Thread_2");
        t1.start();
        t2.start();
    }
    public void run()
    {
        t2.setPriority(Thread.MAX_PRIORITY);
        System.out.print(t1.equals(t2));
    }
}
class multithreaded_programing
{
    public static void main(String args[])
    {
        new newthread();
    }
}
```

- ☐ true true
- ☒ false false



- ☐ true
- ☐ false

codewitharrays.in 8007592194



What will be the output of the following Java program? *

0/1

```
class leftshift_operator
{
    public static void main(String args[])
    {
        byte x = 64;
        int i;
        byte y;
        i = x << 2;
        y = (byte) (x << 2);
        System.out.print(i + " " + y);
    }
}
```

☒ 64 0

☐ 0 64

☐ 0 256

☐ 256 0

Correct answer

☒ 256 0



Which of these packages contains abstract keyword? *

0/1

- ☐ java.lang
- ☐ java.util
- ☐ [java.io](#)
- ☒ java.system

Correct answer

- ☒ java.lang

Which of these method is used to reduce the capacity of an ArrayList object? * 0/1

- ☒ trim()
- ☐ trimSize()
- ☐ trimTosize()
- ☐ trimToSize()

Correct answer

- ☒ trimToSize()



Which exception is thrown when java is out of memory? *

0/1

- ☐ MemoryError
- ☐ OutOfMemoryError
- ☒ MemoryOutOfBoundsException
- ☐ MemoryFullException

Correct answer

- ☒ OutOfMemoryError

If a class inheriting an abstract class does not define all of its function then it will be known as? *1/1

- ☐ None of the mentioned
- ☒ Abstract
- ☐ Static class
- ☐ A simple class



Which of the following is a superclass of every class in Java? *

1/1

- ☐ System Class
- ☐ Util Class
- ☒ Object Class
- ☐ Lang Class

codewitharrays.in 8007592194



What will be the output of the following Java code? *

0/1

```
class output
{
    public static void main(String args[])
    {
        String c = "Hello i love java";
        boolean var;
        var = c.startsWith("hello");
        System.out.println(var);
    }
}
```

- ☐ 0
- ☒ true
- ☐ 1
- ☐ false

Correct answer

- ☒ false



Which of these methods can be used to obtain a static array from an ArrayList *0/1 object?

- ☒ Array()
- ☐ covertArray()
- ☐ toArray()
- ☐ covertToArray()

Correct answer

- ☒ toArray()

codewitharrays.in 8007592194



What will be the output of the following Java code snippet? *

0/1

```
class abc
{
    public static void main(String args[])
    {
        if(args.length>0)
            System.out.println(args.length);
    }
}
```

- ☐ The snippet compiles and runs but does not print anything
- ☒ The snippet compiles, runs and prints 0
- ☐ The snippet compiles, runs and prints 1
- ☐ The snippet does not compile

Correct answer

- ☒ The snippet compiles and runs but does not print anything



Which of these keywords are used for the block to be examined for exceptions?

*1/1

- ☐ check
- ☐ throw
- ☐ catch
- ☒ try

Which of these is not abstract? *

0/1

- ☒ AbstractList
- ☐ Thread
- ☐ None of the Mentioned
- ☐ List

Correct answer

- ☒ Thread



What will be the output of the following Java program? *

1/1

```
final class A
{
    int i;
}
class B extends A
{
    int j;
    System.out.println(j + " " + i);
}
class inheritance
{
    public static void main(String args[])
    {
        B obj = new B();
        obj.display();
    }
}
```

- ☐ Runtime Error
- ☐ 2 2
- ☒ Compilation Error
- ☐ 3 3



What is serialization? *

1/1

- ☒ Turning object in memory into stream of bytes
- ☐ Turning stream of bytes into an object in memory
- ☐ Turning object in memory into stream of bits
- ☐ Turning stream of bits into an object in memory

codewitharrays.in 8007592194



What will be the output of the following Java code? *

1/1

```
class Output
{
    public static void main(String args[])
    {
        double x = 3.14;
        int y = (int) Math.ceil(x);
        System.out.print(y);
    }
}
```

- ☐ 3
- ☐ 0
- ☒ 4
- ☐ 3.0

codewitharrays.in 8007592194



A single try block must be followed by which of these? *

0/1

- ☒ catch
- ☐ finally or catch
- ☐ none of the mentioned
- ☐ finally

Correct answer

- ☒ finally or catch

codewitharrays.in 8007592194



What will be the output of the following Java code? *

1/1

```
class A
{
    public int i;
    public int j;
    A()
    {
        i = 1;
        j = 2;
    }
}
class B extends A
{
    int a;
    B()
    {
        super();
    }
}
class super_use
{
    public static void main(String args[])
    {
        B obj = new B();
        System.out.println(obj.i + " " + obj.j)
    }
}
```



- ☐ 2 1
- ☐ Runtime Error
- ☐ Compilation Error

What will be the output of the following Java code? *

1/1

```
class increment
{
public static void main(String args[])
{
    int g = 3;
    System.out.print(++g * 8);
}
}
```

- ☐ 25
- ☐ 24
- ☒ 32
- ☐ 33

codewitharrays.in 8007592194



What will be the output of the following Java code? *

1/1

```
class A
{
    public int i;
    private int j;
}
class B extends A
{
    void display()
    {
        super.j = super.i + 1;
        System.out.println(super.i + " " + super.j);
    }
}
class inheritance
{
    public static void main(String args[])
    {
        B obj = new B();
        obj.i=1;
        obj.j=2;
        obj.display();
    }
}
```

☐ 2 2

☐ 3 3



- ☐ Runtime Error
- ☒ Compilation Error

What will be the output of the following Java program? *

1/1

```
class Output
{
    public static void main(String args[])
    {
        double x = 2.0;
        double y = 3.0;
        double z = Math.pow( x, y );
        System.out.print(z);
    }
}
```

- ☐ 9.0
- ☒ 8.0
- ☐ 4.0
- ☐ 2.0

codewitharrays.in 8007592194



What will be the output of the following Java code? *

0/1

```
class newthread extends Thread
{
    Thread t;
    newthread()
    {
        t = new Thread(this,"My Thread");
        t.start();
    }
    public void run()
    {
        try
        {
            t.join()
            System.out.println(t.getName());
        }
        catch(Exception e)
        {
            System.out.print("Exception");
        }
    }
}

class multithreaded_programing
{
    public static void main(String args[])
    {
        new newthread();
    }
}
```



- ☒ My Thread
- ☐ Thread[My Thread,5,main]
- ☐ Exception
- ☐ Runtime Error

Correct answer

- ☒ Runtime Error

codewitharrays.in 8007592194



What will be the output of the following Java program? *

1/1

```
class overload
{
    int x;
    double y;
    void add(int a , int b)
    {
        x = a + b;
    }
    void add(double c , double d)
    {
        y = c + d;
    }
    overload()
    {
        this.x = 0;
        this.y = 0;
    }
}
class Overload_methods
{
    public static void main(String args[])
    {
        overload obj = new overload();
        int a = 2;
        double b = 3.2;
        obj.add(a, a);
        obj.add(b, b);
        System.out.println(obj.x + " " + obj.y);
    }
}
```



```
}  
}
```

- ☒ 4 6.4
- ☐ 6.4 6
- ☐ 6.4 6.4
- ☐ 6 6

codewitharrays.in 8007592194



What will be the output of the following Java code? *

1/1

```
class String_demo
{
    public static void main(String args[])
    {
        char chars[] = {'a', 'b', 'c'};
        String s = new String(chars);
        System.out.println(s);
    }
}
```

- ☒ abc
- ☐ a
- ☐ b
- ☐ c

codewitharrays.in 8007592194



Which of these method is used to remove all keys/values pair from the invoking map?

*0/1

- ☐ remove()
- ☒ removeAll()
- ☐ clear()
- ☐ delete()

Correct answer

- ☒ remove()

Which of these method Map class is used to obtain an element in the map having specified key?

*1/1

- ☐ search()
- ☐ set()
- ☐ look()
- ☒ get()



class newthread implements Runnable *

0/1

```
{
    Thread t;
    newthread()
    {
        t = new Thread(this,"My Thread");
        t.start();
    }
}
class multithreaded_programing
{
    public static void main(String args[])
    {
        new newthread();
    }
}
```

- ☐ My Thread
- ☐ Thread[My Thread,5,main]
- ☒ Runtime Error
- ☐ Compilation Error

Correct answer

- ☒ Compilation Error



What will be the output of the following Java program? *

0/1

```
import java.util.*;
class Output
{
    public static void main(String args[])
    {
        ArrayList obj = new ArrayList();
        obj.add("A");
        obj.add(0, "B");
        System.out.println(obj.size());
    }
}
```

- ☐ 0
- ☒ 1
- ☐ 2
- ☐ Any Garbage Value

Correct answer

- ☒ 2



What type of members are not serialized? *

0/1

- ☒ Private
- ☐ Protected
- ☐ Static
- ☐ Throwable

Correct answer

- ☒ Static

codewitharrays.in 8007592194



What will be the output of the following Java code? *

1/1

```
class exception_handling
{
    public static void main(String args[])
    {
        try
        {
            int a = args.length;
            int b = 10 / a;
            System.out.print(a);
        }
        catch (ArithmeticException e)
        {
            System.out.println("1");
        }
    }
}
```

- ☒ 1
- ☐ 0
- ☐ Runtime Error
- ☐ Compilation Error



What will be the output of the following Java code? *

0/1

```
class Output
{
    public static void main(String args[])
    {
        Integer i = new Integer(257);
        byte x = i.byteValue();
        System.out.print(x);
    }
}
```

☒ 257

☐ 256

☐ 1

☐ 0

Correct answer

☒ 1

codewitharrays.in 8007592194



What will be the output of the following Java code? *

0/1

```
class multithreaded_programing
{
    public static void main(String args[])
    {
        Thread t = Thread.currentThread();
        System.out.println(t);
    }
}
```

- ☐ Thread[5,main]
- ☒ Thread[main,5]
- ☐ Thread[main,0]
- ☐ Thread[main,5,main]

Correct answer

- ☒ Thread[main,5,main]



What will be the output of the following Java code? *

1/1

```
class box
{
    int width;
    int height;
    int length;
}
class main
{
    public static void main(String args[])
    {
        box obj = new box();
        obj.width = 10;
        obj.height = 2;
        obj.length = 10;
        int y = obj.width * obj.height * obj.length;
        System.out.print(y);
    }
}
```

- ☐ 400
- ☐ 12
- ☐ 100
- ☒ 200



What will be the output of the following Java program? *

0/1

```
import java.util.*;
class Collection_iterators
{
    public static void main(String args[])
    {
        LinkedList list = new LinkedList();
        list.add(new Integer(2));
        list.add(new Integer(8));
        list.add(new Integer(5));
        list.add(new Integer(1));
        Iterator i = list.iterator();
        Collections.reverse(list);
        Collections.sort(list);
        while(i.hasNext())
            System.out.print(i.next() + " ");
    }
}
```

- ☐ 1 2 5 8
- ☐ 2 1 8 5
- ☒ 1 5 8 2
- ☐ 2 8 5 1

Correct answer



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Does this form look suspicious? [Report](#)

Google Forms

codewitharrays.in 8007592194



codewitharrays.in 8007592194





<https://www.youtube.com/@codewitharrays>



<https://www.instagram.com/codewitharrays/>



<https://t.me/codewitharrays> Group Link: <https://t.me/ccee2025notes>



[+91 8007592194](tel:+918007592194) [+91 9284926333](tel:+919284926333)



codewitharrays@gmail.com



<https://codewitharrays.in/project>