Date: 2022-08-24

S.No: 12

Exp. Name: Write a C program to implement different Operations on Queue using Linked Lists

## Aim:

Write a program to implement queue using linked lists.

```
Sample Input and Output:
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 1
    Enter element : 57
    Successfully inserted.
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 1
    Enter element: 87
    Successfully inserted.
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 5
    Queue size : 2
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 3
    Elements in the queue : 57 87
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 2
    Deleted value = 57
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 2
    Deleted value = 87
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 3
    Queue is empty.
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option : 5
    Queue size : 0
    1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit
    Enter your option: 6
```

## **Source Code:**

## QueueUsingLL.c

```
#include <conio.h>
#include <stdio.h>
#include "QueueOperationsLL.c"
int main() {
   int op, x;
   while(1) {
      printf("1.Enqueue 2.Dequeue 3.Display 4.Is Empty 5.Size 6.Exit\n");
      printf("Enter your option : ");
      scanf("%d",&op);
      switch(op) {
         case 1:
            printf("Enter element : ");
            scanf("%d",&x);
            enqueue(x);
```

```
break;
          case 2:
              dequeue();
              break;
          case 3:
              display();
              break;
                                                                                                         ID: 219X1A04E7
          case 4:
              isEmpty();
              break;
          case 5:
              size();
              break;
          case 6: exit(0);
      }
   }
}
```

# QueueOperationsLL.c

```
struct queue {
   int data;
   struct queue *next;
};
typedef struct queue *Q;
Q front=NULL, rear=NULL;
void enqueue(int ele)
{
   Q temp;
   temp=(Q)malloc(sizeof(struct queue));
   if(temp==NULL){
      printf("Queue is overflow.\n");
   }
   else
   {
      temp->data=ele;
      temp->next=NULL;
   if(front==NULL) {
   front=temp; }
   else
   {
      rear->next=temp;
   }
   rear=temp;
   printf("Successfully inserted.\n"); }
}
void dequeue()
   Q temp=front;
   if(front==NULL)
      printf("Queue is underflow.\n");
   }
   else
```

```
if(front==rear) {
         front=NULL;
         rear=NULL;
      }
      else
      {
         front=front->next;
      printf("Deleted value = %d\n",temp->data);
      free(temp);
}
void display()
   Q temp=front;
   if(front==rear)
   printf("Queue is empty.\n");
   else
   {
      printf("Elements in the queue : ");
      while(temp!=NULL)
         printf("%d ",temp->data);
         temp=temp->next;
      printf("\n");
   }
}
void isEmpty()
   printf("Queue is ");
   if(front==NULL)
   printf("empty.\n");
   printf("not empty.\n");
void size()
   Q temp=front;
   if(front==NULL)
   printf("Queue size : 0\n");
   else
      int c=0;
      while(temp!=NULL)
         C++;
         temp=temp->next;
      printf("Queue size : %d\n",c);
   }
}
```

#### Test Case - 1

### User Output

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 2

Enter your option: 2

Queue is underflow. 3

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 3

Enter your option : 3

Queue is empty. 4

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 4

Enter your option: 4

Queue is empty. 5

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 5

Enter your option: 5

Queue size : 01

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element: 44

Successfully inserted. 1

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element: 55

Successfully inserted. 1

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element: 66

Successfully inserted. 1

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element: 67

Successfully inserted. 3

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 3

Enter your option: 3

Elements in the queue : 44 55 66 67 2

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 2

Enter your option: 2

Deleted value = 44 2

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 2

Enter your option: 2

Deleted value = 55 5

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 5

Enter your option : 5

Queue size : 24

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 4

Enter your option: 4

Queue is not empty. 6

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 6

Enter your option : 6

# Test Case - 2

#### User Output

### Test Case - 2

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element: 23

Successfully inserted. 1

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option: 1

Enter element: 234

Successfully inserted. 1

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element: 45

Successfully inserted. 1

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 1

Enter your option : 1

Enter element : 456

Successfully inserted. 2

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 2

Enter your option: 2

Deleted value = 233

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 3

Enter your option: 3

Elements in the queue : 234 45 456 2

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 2

Enter your option: 2

Deleted value = 234 3

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 3

Enter your option : 3

Elements in the queue : 45 456 4

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 4

Enter your option : 4

Queue is not empty. 5

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 5

Enter your option : 5

Queue size : 26

1. Enqueue 2. Dequeue 3. Display 4. Is Empty 5. Size 6. Exit 6

Enter your option: 6