# Python: Variables

Connect with me: Youtube | LinkedIn | WhatsApp Channel | Web | Facebook | Twitter

- Download PDF
- To access the updated handouts, please click on the following link: https://yasirbhutta.github.io/python/docs/variables.html

### **Variables**

• Storage containers for data (numbers, text, etc.).

### What is a variable

• A variable is a named storage location in a computer's memory that is used to hold data or values. It allows programmers to store and manipulate data within a program.

**Purpose:** Variables provide a way to store and manage data that can be used and manipulated throughout a program. They make programs more flexible and allow for dynamic data storage.

**Assignment statement:** in Python is used to assign a value to a variable. Its primary purpose is to store and manage data within a program.

#### Imagine variables as labeled boxes:

- You have boxes for storing different things (numbers, words, etc.).
- Each box has a name (label) to identify what's inside.
- You can put things in, take them out, and change what's inside.

### Variable names

In Python, valid variable names must adhere to the following rules:

- **Begin with a letter or an underscore:** The first character of a variable name must be a letter (a-z, A-Z) or an underscore (\_).
- **Followed by letters, digits, or underscores:** After the first character, the variable name can contain letters, digits (0-9), or underscores.
- Case-sensitive: Variable names are case-sensitive. For example, myVariable and myvariable would be considered different variables.
- **No reserved keywords:** Variable names cannot be Python reserved keywords (e.g., if, for, while, class, etc.).

video:Python Variables and Assignment video: Meaningful Variable Names | Python Best Practices video: Asterisk (\*) in Variable Assignment

#### Example #1: Storing a name

```
name = "Muhammad Hamza"
print(name)
```

#### **Example #2:** Tracking a score:

```
score = 0
score = score + 10 # adds 10 to the score
print(score)
```

#### **Example #3:** Remembering a favorite color

```
favorite_color = "blue" #stores "blue" in variable
print(favorite_color)
```

#### **Example #4:** Calculating the area of a rectangle

```
length = 10
width = 5

# calculates the area
area = length * width
print(area)
```

**Example 5**: How to assign multiple values to multiple variables? **Example 6**: How to Swap Variables Without a Third Variable in Python **Example 7**: Calculate the Area of a Circle with Radius **Example 8**: Python Variable Names: Case-Sensitive? Avoid This Coding Mistake!

#### **Key Points:**

- **Choose meaningful names:** Use names that describe what the variable stores (e.g., pizza\_slices instead of x).
  - video: Meaningful Variable Names | Python Best Practices
- **Assign values using =:** The equals sign is used to put a value into a variable.
- Change values: You can update a variable's value later in your code.
- **Use variables in calculations and operations:** Variables can be used just like regular numbers or text in expressions.
- Think of variables as placeholders: They hold information that can change as your program runs.

# **Key Terms**

# True/False (Mark T for True and F for False)

- 1. Variable names in Python are case-sensitive.
- 2. In Python, variables must be declared with a specific data type before they can be used.

3. The statement x = 5 both creates the variable x and assigns it the value 5.

### Answer Key (True/False):

- 1. True
- 2. False
- 3. True

## Multiple Choice (Select the best answer)

#### 1. What is a variable in Python?

- o A) A reserved word in Python
- o B) A placeholder for storing data values
- o C) A function that prints data
- o D) A built-in library in Python

### 2. Which statement best describes a variable in Python?

- A) A variable can hold multiple values at once.
- B) A variable must be declared with a data type.
- o C) A variable is a name that refers to a value.
- o D) A variable is used only in loops.

#### 3. What is the output of the following code?

```
x = 10
print(x)
```

- o A) 10
- ∘ B) x
- o C) Error
- O D) None

#### 4. Which of the following is not true about variables in Python?

- A) Variables can be reassigned to different data types.
- B) Variables must start with a letter or an underscore.
- C) Variables are case-sensitive.
- o D) Variables must be declared before use.

### 5. What will be the output of the following code?

```
x = 5
y = x
x = 7
print(y)
```

- o A) 7
- o B) 5
- o C) 0
- O D) None

### 6. Why is it important to use meaningful variable names?

- A) It is required by the Python interpreter.
- B) It helps make the code more readable and maintainable.
- o C) It increases the execution speed of the program.
- o D) It is necessary for the code to run without errors.

### 7. What will be the output of the following code?

```
a = 1
b = a
a = a + 1
print(a, b)
```

- A) 1 1
- o B) 2 1
- o C) 1 2
- o D) 2 2

### 8. Which of the following is a valid variable name in Python?

- A) 2ndValue
- o B) value#2
- o C) value2
- o D) value-2

### 9. Which of the following is a correct way to declare a variable in Python?

```
• A) int x = 5
```

- B) x = 5
- C) declare x = 5
- D) var x = 5

### 10. What is the output of the following code?

```
x = 5
y = "Hello"
print(x + y)
```

- A) 5Hello
- B) Hello5
- C) TypeError

• D) Hello 5

#### 11. Which of the following is not a valid variable name in Python?

- A) my\_var
- B) \_var
- C) 2var
- D) var2

#### 12. Which of the following statements is true about variable assignment in Python?

- A) Variables must be declared before they are assigned a value.
- B) Variables are created when they are first assigned a value.
- C) Variable names must begin with a number.
- D) Python variables must be declared with a type.

### 13. What will be the output of the following code?

```
x = 5
y = x
x = 10
print(y)
```

- A) 5
- B) 10
- C) 0
- D) 5 10

#### **Answer key (Mutiple Choice):**

- 1. B) A placeholder for storing data values
- 2. C) A variable is a name that refers to a value.
- 3. A) 10
- 4. D) Variables must be declared before use.
- 5. B) 5
- 6. B) It helps make the code more readable and maintainable.
- 7. B) 2 1
- 8. C) \_value2
- 9. B) x = 5
- 10. C) TypeError
  - **Explanation:** In Python, the + operator is used for both arithmetic addition and string concatenation. However, it cannot be used to add an integer and a string directly. The code provided attempts to add an integer (x = 5) to a string (y = "Hello"), which is not a valid operation and will result in a TypeError.
- 11. C) 2var
  - **Explanation:** In Python, variable names must start with a letter or an underscore and cannot start with a number. Thus, my\_var, \_var, and var2 are valid, but 2var is not.
- 12. B) Variables are created when they are first assigned a value.

13. A) 5

### Fill in the Blanks

- Variable names in Python must start with a letter or an \_\_\_\_\_\_.
   Variables in Python are \_\_\_\_\_\_, meaning they can change type when assigned a new value.
- 3. The assignment operator in Python is the \_\_\_\_\_ symbol.

### Answer Key (Fill in the Blanks):

- 1. underscore (\_)
- 2. dynamic
- 3. equals (=)

### **Exercises**

### Exercise 1: Basic Variable Assignment

- 1. Create a variable called name and assign your name to it.
- 2. Create a variable called age and assign your age to it.
- 3. Create a variable called city and assign the city you live in to it.
- 4. Print all three variables.

#### Exercise 2: Variable Reassignment

- 1. Create a variable called favorite\_color and assign your favorite color to it.
- 2. Print the value of favorite\_color.
- 3. Reassign a new color to favorite color.
- 4. Print the new value of favorite\_color.

#### **Exercise 3: Variable Operations**

- 1. Create two variables called a and b and assign them the values 5 and 10, respectively.
- 2. Create a new variable called sum and assign it the value of a plus b.
- 3. Create a new variable called difference and assign it the value of a minus b.
- 4. Create a new variable called product and assign it the value of a times b.
- 5. Print the values of sum, difference, and product.

#### Exercise 4: String Concatenation

- 1. Create a variable called first\_name and assign your first name to it.
- 2. Create a variable called last\_name and assign your last name to it.
- 3. Create a new variable called full\_name and assign it the value of first\_name concatenated with last\_name (with a space in between).
- 4. Print the value of full\_name.

### **Example Solution:**

```
first_name = "Alice"
last_name = "Johnson"
```

```
full_name = first_name + " " + last_name
print(full_name)
```

#### **Exercise 5: Input and Variables**

- 1. Use the input() function to get the user's name and store it in a variable called user\_name.
- 2. Use the input() function to get the user's age and store it in a variable called user\_age.
- 3. Print a message saying "Hello [user\_name], you are [user\_age] years old."

#### **Example Solution:**

```
user_name = input("Enter your name: ")
user_age = input("Enter your age: ")
print("Hello", user_name + ", you are", user_age, "years old.")
```

- 6. Calculate the Area of a Circle with Radius Example Solution
- 7. How to Swap Variables Without a Third Variable in Python. Example Solution
- 8. How to assign multiple values to multiple variables. Example Solution

### **Review Questions**

- **1. What is a variable in computer programming? Answer:** A variable is a named storage location in a computer's memory that is used to hold data or values. It allows programmers to store and manipulate data within a program.
- **2. What is the purpose of using variables in programming? Answer:** Variables provide a way to store and manage data that can be used and manipulated throughout a program. They make programs more flexible and allow for dynamic data storage.
- **3. What is the difference between declaring and initializing a variable? Answer:** Declaring a variable involves specifying its name and data type, while initializing a variable means giving it an initial value. Initialization usually follows declaration but is not always required.

# References and Bibliography