

# Python: Data Structures and Sequences

---

**Want to Learn Python, Join our WhatsApp Channel:**

[<https://whatsapp.com/channel/0029VaeGV0517En4iyZGWn2P>]

## 1. Tuple in Python

- In python, a tuple is an immutable sequence of elements. it is similar to a list, but the elements of a tuple cannot be modified once they are created.
- Tuple is a collection data type in python. It is useful for storing multiple related values as a single unit.
- Sequence types in python - list, tuple and range

### Creating a Tuple in Python

**A tuple is created by enclosing elements within parentheses () and separating them with commas.**

While parentheses are technically optional, it's generally considered best practice to use them for clarity and consistency.

- [video: How to create a tuple in Python](#)

### Example

Some common ways to create tuples in Python include:

```
tup = (1,2,3)
print(tup) # Output: (1, 2, 3)
# check the type of variable
print(type(tup)) # Output: <class 'tuple'>

# another example to create tuple
tup1 = 4,5,6
print(tup1) # Output: (4, 5, 6)

# tuple with mixed datatypes
tup_mixed = (7, "String", 7.8)
print(tup_mixed)

# Tuples may be nested
nested_tup = tup1, (7,8)
print(nested_tup) #Output: ((4, 5,6), (7, 8))

# using the 'tuple()' function
tup3 = ([7,2,9])
print(tup3) #Output (7,2,9)

tup4 = tuple('string')
print(tup4) # Output: ('s','t','r','i','n','g')
```

A nested tuple is a tuple that contains one or more tuples as element.

### Empty and single item tuple

- A special problem is the construction of tuples containing 0 or 1 item.
- Empty tuples are constructed by an empty pair of parentheses
- A tuple with one item is constructed by following a value with a comma (it is not sufficient to enclose a single value in parentheses).
- [Example: How to create an Empty tuple and Single value tuple](#)

### Accessing the elements of Tuple

- [Example: Learn how to print elements of a tuple in Python using while loop](#)
- [Example: How to: Access Tuple Items in Python](#)
- [Example: How to Calculate the Sum of a Tuple Using a For Loop](#)

### Unpacking tuples

**Tuple unpacking allows you to assign the values of a tuple to multiple variables in a single step.** Each element of the tuple is assigned to a corresponding variable.

- [Example: Unpacking a Tuple in Python](#)
- [Example: How to Swap Variables in One Line of Code using Tuple Unpacking](#)

#### Example:

```
my_tuple = (1, 2, 3)
a, b, c = my_tuple

print(a) # Output: 1
print(b) # Output: 2
print(c) # Output: 3
```

- The number of variables on the left side must match the number of elements in the tuple, or you'll get a `ValueError`.

#### Example #2

```
# Tuples are immutable
# but they can contain mutable objects
```

### Tuple methods

# List

- A **list** in Python is one of the most commonly used data structures. It allows you to store a collection of items (which can be of different types) in a single variable. Lists are very flexible and easy to use, making them a great tool for beginners to understand.

## Key Characteristics of Python Lists:

1. **Ordered**: The items in a list have a specific order, and this order will not change unless explicitly modified.
  2. **Mutable**: You can change, add, or remove items after the list has been created.
  3. **Heterogeneous**: A list can contain different data types, such as integers, strings, and even other lists.
  4. **Indexed**: Each item in a list has an index, starting from 0 for the first item.
- [video: How to use list in Python](#)

## Creating a List

You can create a list by placing items inside square brackets `[]`, separated by commas.

```
# A list of integers
numbers = [1, 2, 3, 4, 5]

# A list of strings
fruits = ["apple", "banana", "cherry"]

# A list of mixed data types
mixed_list = [1, "hello", 3.14, True]

# An empty list
empty_list = []
```

## Accessing Elements in a List

You can access individual elements in a list using their index.

```
# Access the first element (index 0)
print(fruits[0]) # Output: apple

# Access the second element (index 1)
print(fruits[1]) # Output: banana

# Access the last element (index -1)
print(fruits[-1]) # Output: cherry
```

## Modifying Elements in a List

Since lists are mutable, you can change an element in a list by assigning a new value to a specific index.

```
# Change the first element of the list
fruits[0] = "orange"
print(fruits) # Output: ['orange', 'banana', 'cherry']
```

## Adding Elements to a List

You can add elements to a list using methods like `append()` or `insert()`.

```
# Append an element to the end of the list
fruits.append("grape")
print(fruits) # Output: ['orange', 'banana', 'cherry', 'grape']

# Insert an element at a specific position
fruits.insert(1, "mango")
print(fruits) # Output: ['orange', 'mango', 'banana', 'cherry', 'grape']
```

## Removing Elements from a List

Elements can be removed from a list using methods like `remove()`, `pop()`, or `del`.

```
# Remove a specific element by value
fruits.remove("banana")
print(fruits) # Output: ['orange', 'mango', 'cherry', 'grape']

# Remove an element by index using pop
fruits.pop(2)
print(fruits) # Output: ['orange', 'mango', 'grape']

# Remove an element by index using del
del fruits[0]
print(fruits) # Output: ['mango', 'grape']
```

## Slicing Lists

You can access a range of elements from a list using slicing.

```
# Get the first two elements
print(fruits[:2]) # Output: ['mango', 'grape']

# Get elements from the second to the end
print(fruits[1:]) # Output: ['grape']
```

## Iterating Through a List

You can use a loop to iterate through all the elements in a list.

```
# Print each fruit in the list
for fruit in fruits:
    print(fruit)

# Output:
# mango
# grape
```

## List Methods

Python lists come with many useful methods, such as:

- `append()`: Adds an element to the end of the list.
- `extend()`: Adds all elements of another list to the end.
- `insert()`: Inserts an element at a specified position.
- `remove()`: Removes the first occurrence of an element.
- `pop()`: Removes and returns an element at a specified position.
- `sort()`: Sorts the list in ascending order.
- `reverse()`: Reverses the order of elements in the list.

## Example: Using Lists in a Simple Program

Here's a simple example to illustrate the use of lists in a practical scenario:

```
# Creating a shopping list
shopping_list = ["milk", "eggs", "bread"]

# Adding items to the list
shopping_list.append("butter")
shopping_list.append("apples")

# Removing an item
shopping_list.remove("eggs")

# Printing the final list
print("Final shopping list:", shopping_list)

# Output:
# Final shopping list: ['milk', 'bread', 'butter', 'apples']
```

- [Video: 6 Ways to use List in For loop in Python](#)
- [Video: Read data from list using For loops in Python](#)
- [Python List Slicing](#)
- [Python Nested List](#)
- [How to modify a list by replacing multiple elements with a single element](#)

- [Adding and Removing Elements from a Python List](#)
- [Check if Data Structure is Empty Using 'not' Operator](#)
- [Remove duplicate elements from a list](#)
- [List Index Function: Find the Index of an Element in a List](#)
- [List pop\(\) Method](#)
- **Python set examples:**
- [How to Find Duplicates in a List using Set and List Functions](#)

## Introduction to Python Dictionaries: Concepts, Usage, and Examples

In Python, a **dictionary** is a collection of key-value pairs. Each key in a dictionary is unique, and it is associated with a value. Dictionaries are used to store data values like a map or a real-life dictionary where each word (key) has a definition (value). They are mutable, meaning you can change, add, or remove items after the dictionary is created.

### Creating a Dictionary

You create a dictionary using curly braces `{}` with keys and values separated by a colon `:`. Multiple key-value pairs are separated by commas.

```
# Example of a dictionary
student = {
    "name": "John",
    "age": 20,
    "courses": ["Math", "Science"]
}
```

### Accessing Values

You can access the value associated with a specific key by using square brackets `[]` or the `get()` method.

```
# Accessing values
print(student["name"]) # Output: John
print(student.get("age")) # Output: 20
```

### Adding or Updating Elements

You can add a new key-value pair or update an existing one by assigning a value to the key.

```
# Adding a new key-value pair
student["grade"] = "A"

# Updating an existing value
student["age"] = 21
```

## Removing Elements

You can remove elements using the `pop()` method or `del` keyword.

```
# Removing a specific key-value pair
student.pop("grade")

# Using del keyword
del student["age"]
```

## Looping Through a Dictionary

You can loop through keys, values, or both using a for-loop.

```
# Looping through keys
for key in student:
    print(key)

# Looping through values
for value in student.values():
    print(value)

# Looping through key-value pairs
for key, value in student.items():
    print(f"{key}: {value}")
```

## Example

Here's a full example demonstrating how to use a dictionary:

```
# Creating a dictionary
student = {
    "name": "John",
    "age": 20,
    "courses": ["Math", "Science"]
}

# Accessing and updating data
print(student["name"]) # Output: John
student["age"] = 21
print(student["age"]) # Output: 21

# Adding a new key-value pair
student["grade"] = "A"

# Removing a key-value pair
student.pop("courses")
```

```
# Looping through dictionary
for key, value in student.items():
    print(f"{key}: {value}")
```

## Output

```
name: John
age: 21
grade: A
```

## Key Points:

- **Dictionaries** store data as key-value pairs.
- Keys are unique, while values can be of any data type.
- Dictionaries are mutable and can be modified after creation.

This makes dictionaries a powerful tool for organizing and accessing data in Python!

- [How to Print a Dictionary](#)
- [Python Dictionary with For Loop](#)
- [How to Merge Dictionaries with the | Operator](#)
- [dictionary copy\(\) method](#)

## set

- [How to: Add or Remove Elements in a Set](#)
- [How to: Create Empty Set in Python](#)
- [Find the Union of Two Sets in Python](#)
- Python Challenge to test your knowledge [Quiz1](#) [Quiz2](#) [Quiz3](#)

## Why Integers, Strings, and Tuples Are Immutable in Python [1]

### Integer (Immutable)

Integers are numbers without any fractional part. In Python, integers are immutable, meaning their value cannot be changed once they are created.

### Example:

```
x = 10
print(x) # Output: 10

x = 20 # This creates a new integer object and binds x to it
print(x) # Output: 20
```



In this example, when `x` is reassigned from 10 to 20, a new integer object is created, and `x` is updated to reference the new object.

## String (Immutable)

Strings are sequences of characters. In Python, strings are also immutable. Any operation that modifies a string will create a new string rather than altering the existing one.

### Example:

```
s = "hello"
print(s) # Output: hello

s = s + " world" # This creates a new string object
print(s) # Output: hello world
```

Here, concatenating `" world"` to `s` does not change the original string `"hello"`. Instead, a new string `"hello world"` is created and assigned to `s`.

## Tuple (Immutable)

Tuples are ordered collections of elements. Like integers and strings, tuples are immutable. Once a tuple is created, you cannot change its contents.

### Example:

```
t = (1, 2, 3)
print(t) # Output: (1, 2, 3)

# Attempting to modify the tuple will raise an error
try:
    t[0] = 4
except TypeError as e:
    print(e) # Output: 'tuple' object does not support item assignment

# You can create a new tuple
t = (4, 5, 6)
print(t) # Output: (4, 5, 6)
```

In this example, trying to change the first element of `t` results in a `TypeError` because tuples are immutable. To change the contents, a new tuple must be created.

These examples illustrate that integers, strings, and tuples in Python are immutable, meaning their values cannot be changed after they are created.

## Key Terms

### True/False (Mark T for True and F for False)

**Answer Key (True/False):****Multiple Choice (Select the best answer)****What is the output of the following code? [Python Quiz #15]**

```
a = ('34.5')
print(type(a))
```

- A) <class 'list'>
- B) <class 'tuple'>
- C) <class 'int'>
- D) <class 'str'>

**Watch the video for the answer:** <https://youtube.com/shorts/uMtHVgPSymw>

**What is the output of the following code? [Python Quiz #18]**

```
a = [1, 2, 3]
b = [4, 5, 6]
c = a + b
print(c)
```

- A) [1, 2, 3]
- B) [4, 5, 6]
- C) [1, 2, 3, 4, 5, 6]
- D) Error

**Watch the video for the answer:** <https://youtube.com/shorts/rEDmm9ry7wE?si=ce2iYVXHbCEjLm6W>

**What is the output of the following code? [Python Quiz #19]**

```
a = [1, 2, 3, 4]
b = a
b[0] = 0
print(a)
```

- A) [0, 2, 3, 4]
- B) [1, 2, 3, 4]
- C) [0, 1, 2, 3, 4]
- D) [1, 0, 3, 4]

**Watch the video for the answer:** [https://youtu.be/ZWB4dfUYz1k?si=aYNoLd\\_81\\_-9oLFR](https://youtu.be/ZWB4dfUYz1k?si=aYNoLd_81_-9oLFR)

**What is the output of the following code? [Python Quiz #20]**

```
my_list = [1, 2, 3, 4, 5]
print(my_list[1::2])
```

- **A)** [1, 3, 5]
- **B)** [2, 4]
- **C)** [2, 4, 5]
- **D)** [1, 3]

**Watch the video for the answer:** <https://youtube.com/shorts/UH5znVEFehl>

**What is the output of the following code? [Python Quiz #21]**

```
my_list = [8, 9, 11, 12]
print(my_list[1:-1])
```

- A) [8, 9, 11, 12]
- B) [9, 11, 12]
- C) [9, 11]
- D) [8, 9, 11]

**Watch the video for the answer:** [https://youtube.com/shorts/PBBnTGfFm4o?si=Z1TIMu24412nVKG\\_](https://youtube.com/shorts/PBBnTGfFm4o?si=Z1TIMu24412nVKG_)

**What is the output of the following code? [Python Quiz #25]**

```
my_dict = {
    'a': 1, 'b': 2,
    'c': 3
}

for key in my_dict:
    print(my_dict[key])
```

- A) abc
- B) 123
- C) {1, 2, 3}
- D) {a, b, c}

**Watch the video for the answer:** [https://youtube.com/shorts/wofaOXA0SVA?si=EY4-\\_ndR8\\_qbB6zF](https://youtube.com/shorts/wofaOXA0SVA?si=EY4-_ndR8_qbB6zF)

**What is the output of the following code? [Python Quiz #26]**

```
my_list = [
    "apple",
    "banana",
    "cherry"
```

```
]

print(len(my_list))
```

**Options:**

- A) 6
- B) 3
- C) [apple, banana, cherry]
- D) Error

**Watch the video for the answer:** <https://youtube.com/shorts/t7SVFVPrPlk?si=h9nAfaOPofOLnwu4>

**What is the output of the following code? [Python Quiz #32] Code Explanation:**

```
a = [1, 2, 3] # Creates a list named 'a' with elements 1, 2, and 3
b = a.copy() # Creates a copy of list 'a' and assigns it to 'b'
a[0] = 4     # Modifies the first element of list 'a' to 4
print(b)     # Prints the contents of list 'b'
```

- A) [4, 2, 3]
- B) [1, 2, 3]
- C) [2, 4, 3]
- D) Error

**Watch the video for the answer:** <https://youtube.com/shorts/Jub8TgDntRQ?si=wt8IPaFgr4BMEk7E>

**What is the output of the following code? Python Quiz #34**

```
a = [1, 2, 3]
b = a[:]
b[0] = 4
print(a)
```

- A) [1, 2, 3]
- B) [4, 2, 3]
- C) [4, 4, 3]
- D) [4, 2, 3]

**Watch the video for the answer:** <https://youtube.com/shorts/rslioE6VWOQ>

**What is the output of the following code? [Python Quiz #35] Code:**

```
my_list = [1, 2, 3, 4, 5]
for i in range(len(my_list)):
    my_list[i] *= 2
print(my_list)
```

**Options:**

- A) [1, 2, 3, 4, 5]
- B) [2, 4, 6, 8, 10]
- C) [1, 4, 9, 16, 25]
- D) None

**Watch the video for the answer:** <https://youtube.com/shorts/QffZTQasQSs?si=6ZW4auXECcvTGQgn>

What is the data type of the following value? frozenset({1, 2, 3}) a) list b) tuple c) set d) frozenset

Answer: d) frozenset

What is the data type of the following value? {1, 2, 3} a) list b) tuple c) set d) dict

Answer: c) set

What is the data type of the following value? {1, 2, 3} a) list b) tuple c) set d) dict

Answer: c) set

What is the data type of the following value? (1, 2, 3) a) list b) tuple c) set d) dict

Answer: b) tuple

What is the data type of the following value? {"name": "Alice", "age": 25} a) list b) tuple c) set d) dict

Answer: d) dict

What is the data type of the following value? [1, 2, 3] a) list b) tuple c) set d) dict

Answer: a) list

What is the correct way to create a set in Python?

a) set = [1, 2, 3] b) set = (1, 2, 3) c) set = {1, 2, 3} d) set = <1, 2, 3>

Answer: c) set = {1, 2, 3}

#58 What is the correct way to create a loop in Python?

a) for i in range(10): b) while i < 10: c) repeat i = 0 to 9: d) either a or b

Answer: d) either a or b

#53 What is the correct way to create a dictionary in Python?

a) dict = [key: value] b) dict = (key: value) c) dict = {key: value} d) dict = <key: value>

Answer: c) dict = {key: value}

#52 What is the correct way to create a list in Python?

a) list = [1, 2, 3] b) list = (1, 2, 3) c) list = {1, 2, 3} d) list = <1, 2, 3>

**Watch this video for the answer:**

#47 In Python, What is the output of the following code?

```
a = [1, 2, 3, 4] b = [5, 7, 4, 9,2] print (a[-1] in b)
```

Follow me <https://www.facebook.com/yasirbhutta786>

True False Error None

#35 What is the output of the following code?

```
def fun(arr): arr = arr[::-1]
```

```
arr = [1,2,3,4,5] fun(arr) print(arr)
```

Watch the Video Tutorial for the Answer: <https://youtube.com/shorts/lx-h6WR-vQM?feature=share>

#python #pythonpoll #MCQsTest #yasirbhutta

[1,2,3,4,5] [5,4,3,2,1] [] Error

Answer: A.

#24 What is the syntax to create a union of two sets in Python?

Watch the Video Tutorial for the Answer: <https://youtu.be/YDyCNYCUK9A>

#python #pythonpoll #MCQsTest #yasirbhutta

a. set1 + set2 b. set1.union(set2) c. set1 & set2 d. set1.merge(set2)

Answer: b. set1.union(set2)

#26 What is the result of the following code?

```
set1 = {1, 2, 3} set2 = {3, 4, 5} set3 = set1.union(set2) print(set3)
```

Watch the Video Tutorial for the Answer: <https://youtu.be/YDyCNYCUK9A>

#python #pythonpoll #MCQsTest #yasirbhutta

a. {1, 2, 3} b. {3, 4, 5} c. {1, 2, 3, 4, 5} d. {3} Answer: c. {1, 2, 3, 4, 5}

Is it possible to use the union operator | to combine sets with different data types? a. Yes b. No Answer: b. No

#25 Can the union of two sets contain duplicates?

Watch the Video Tutorial for the Answer: <https://youtu.be/YDyCNYCUK9A>

#python #pythonpoll #MCQsTest #yasirbhutta

a. Yes b. No Answer: b. No

#27 What happens when you try to add an element to a set that already exists in the set?

Watch the Video Tutorial for the Answer: <https://youtu.be/YDyCNYCUK9A>

#python #pythonpoll #MCQsTest #yasirbhutta

a. A TypeError occurs b. The element is added as a duplicate c. Nothing happens, the element is not added

Answer: c. Nothing happens, the element is not added.

What is the output of the following code?

```
list1 = [10,20,10,'10',20] set1 = set(list1) print(set1)
```

5 3 2 4 Answer: B) 3

What is the output of the following code?

```
set1 = {1,2,3} set2 = {1,2,3} print(*(set1+set2))
```

Error {2,4,6} [2,4,6] [1,2,3]

Answer: A) error + operator is not supported for set

What does the "in" operator do in Python? a) check if a value is present in a list b) check if a value is equal to another value c) check if a variable is defined Answer: a) check if a value is present in a list

Can the "in" operator be used with dictionaries in Python? a) yes b) no Answer: a) yes

How would you check if the value "dog" is in the list ['cat', 'dog', 'elephant'] using the "in" operator? a) 'dog' in ['cat', 'dog', 'elephant'] b) ['dog'] in ['cat', 'dog', 'elephant'] Answer: a) 'dog' in ['cat', 'dog', 'elephant']

Can the "in" operator be used to check if an element is present in a set in Python? a) yes b) no Answer: a) yes

How would you check if the value "dog" is in the set {'cat', 'dog', 'elephant'} using the "in" operator? a) 'dog' in {'cat', 'dog', 'elephant'} b) {'dog'} in {'cat', 'dog', 'elephant'} Answer: a) 'dog' in {'cat', 'dog', 'elephant'}

#14 Is the "in" operator faster for checking if an element is present in a set compared to a list in Python?

<https://lucasmagnum.medium.com/pythontip-list-vs-set-performance-experiments-df8e4f72d47f>

a) yes b) no Answer: a) yes

#13 What does the "in" operator do in Python?

a) check if a value is present in a list b) check if a value is equal to another value c) check if a variable is defined Answer: a) check if a value is present in a list

Can the "in" operator be used with dictionaries in Python?

a) yes b) no Answer: a) yes

How would you check if the value "dog" is in the list ['cat', 'dog', 'elephant'] using the "in" operator?

a) 'dog' in ['cat', 'dog', 'elephant'] b) ['dog'] in ['cat', 'dog', 'elephant'] Answer: a) 'dog' in ['cat', 'dog', 'elephant']

What is the operator used to check if an element is present in a set in python?

in contains has exit

Answer: A) in

What is the output of the following code?

```
t=(1,2,4,3) t[1:3] a) (1, 2) b) (1, 2, 4) c) (2, 4) d) (2, 4, 3)
```

#8 What is the output of the following code?

```
z=set('stri$ng') print('r' in z)
```

Python YouTube Playlist: <https://www.youtube.com/playlist?list=PLKYRx0Ibk7Vi-CC7ik98qT0VKK0F7ikja>

a) Error b) True c) False d) No output

Which of the following is a Python tuple?

Python YouTube Playlist: <https://www.youtube.com/playlist?list=PLKYRx0Ibk7Vi-CC7ik98qT0VKK0F7ikja>

a) {1, 2, 3} b) {} c) [1, 2, 3] d) (1, 2, 3)

#9 Which of the following Python statements will result in the output: 6

```
A = [[1, 2, 3], [4, 5, 6], [7, 8, 9]]
```

Python YouTube Playlist: <https://www.youtube.com/playlist?list=PLKYRx0Ibk7Vi-CC7ik98qT0VKK0F7ikja>

a) A[2][1] b) A[1][2] c) A[3][2] d) A[2][3]

Answer: b Explanation: The output that is required is 6, that is, row 2, item 3. This position is represented by the statement: A[1][2].

11# Which of the following statements is used to create an empty set in Python?

related video:<https://youtube.com/shorts/nml7BGXPA4I>

a) ( ) b) [ ] c) { } d) set() Explanation: { } creates a dictionary not a set. Only set() creates an empty set.

#15 What method is used to add an element to the end of a list in Python?

Watch the Video Tutorial for the Answer:<https://youtu.be/x98wvk-4MHw>

#python #pythonpoll #MCQsTest

A) append() B) insert() C) extend() D) append\_list() Answer: A) append()

#16 How do you add an element to a specific index in a list in Python?

Watch the Video Tutorial for the Answer: <https://youtu.be/x98wvk-4MHw>

#python #pythonpoll #MCQsTest

A) add\_index() B) insert() C) extend() D) append() Answer: B) insert()



#17 What function is used to remove the last element from a list in Python?

Watch the Video Tutorial for the Answer: <https://youtu.be/x98wvk-4MHw>

#python #pythonpoll #MCQsTest #yasirbhutta

A) del\_last() B) remove\_last() C) pop() D) delete\_end() Answer: C) pop()

#18 How can you remove the first occurrence of an element from a list in Python?

Watch the Video Tutorial for the Answer: <https://youtu.be/x98wvk-4MHw>

#python #pythonpoll #MCQsTest #yasirbhutta

A) remove() B) delete\_first() C) pop\_first() D) del\_first() Answer: A) remove()

What is the output of the following code?

```
list1 = [12,98,23,70,66] list1[1:4] = [20] print(list1)
```

[12,20,66] [12,20,23,70,66] [12,98,23,20,66] Error

Which of the following is not a core data type in Python? a) List b) Tuple c) Dictionary d) Class

How would you create a tuple with only one element?

a) my\_tuple = (1,) b) my\_tuple = (1) c) my\_tuple = [1] d) my\_tuple = {1}

What is the result of the following code?

```
x = [1, 2, 3] y = x y[1] = 4 print(x)
```

a) [1, 2, 3] b) [1, 4, 3] c) [4, 2, 3] d) [1, 2, 4]

What is the result of the following code?

```
x = [1, 2, 3] y = x y = [4, 5, 6]
```

```
print(x) a) [1, 2, 3] b) [4, 5, 6] c) [1, 4, 5, 6] d) [4, 5, 6, 1, 2, 3]
```

How would you add an element to the end of a list in Python? a) list.append(element) b) list += element c) list.push(element) d) list = list + [element]

#5 What is the result of the following code?

```
x = {1: 'a', 2: 'b', 3: 'c'} y = x.copy() y[1] = 'd' print(x)
```

related video: <https://youtube.com/shorts/PXp9uzvKFdU?feature=share>

a) {1: 'a', 2: 'b', 3: 'c'} b) {1: 'd', 2: 'b', 3: 'c'} c) {1: 'd', 2: 'b', 3: 'c', 4: 'd'} d) {1: 'a', 2: 'b', 3: 'c', 1: 'd'}

How do you create an empty tuple in Python?

related video: <https://youtu.be/nGIWcYXj580>

a) tuple() b) {} c) () d) [] Answer: c) ()

How do you create a tuple with multiple elements in Python? related video: <https://youtu.be/QpRiHuQycXg>

a) tuple(1, 2, 3) b) (1, 2, 3) c) {1, 2, 3} d) [1, 2, 3] Answer: b) (1, 2, 3)

What is the correct way to create a tuple with a single element in Python? related video:

<https://youtu.be/nGIWcYXj580>

a) tuple(1) b) (1,) c) {1} d) [1] Answer: b) (1,)

How do you add an element to an existing tuple in Python? a) tuple.append(element) b) tuple + (element,) c) tuple.extend(element) d) Tuples are immutable, so it is not possible to add an element to an existing tuple.

Answer: d) Tuples are immutable, so it is not possible to add an element to an existing tuple.

How do you remove an element from a tuple in Python? a) tuple.remove(element) b) tuple.pop(element) c) Tuples are immutable, so it is not possible to remove an element from a tuple. d) del tuple[element] Answer: c) Tuples are immutable, so it is not possible to remove an element from a tuple.

What is the output of this code in PYTHON? list1=[1,2,3,4,5] print(list1[:4].pop())

[1,2,3,4] 5 [1,2,3,5] 4

What is the output of this code in PYTHON? list1=[1,2,3,4,5] print(list1[:4].pop())

[1,2,3,4] 5 [1,2,3,5] 4

**Answer key (Multiple Choice):**

## Fill in the Blanks

**Answer Key (Fill in the Blanks):**

## Exercises

## Review Questions

## References and Bibliography

[1] B. E. Prep, "Difference Between Mutable and Immutable in Python | Mutable vs Immutable Objects," BYJU'S Exam Prep, Sep. 24, 2023. <https://byjusexamprep.com/gate-cse/difference-between-mutable-and-immutable> (accessed Jul. 27, 2024).

Here's an expanded list of 50 exercises designed to help beginners understand and practice using **for** loops in Python. These exercises cover a variety of basic, intermediate, and advanced concepts to provide a comprehensive learning experience.

### Basic Exercises

6. **Print elements of a list:** Use a **for** loop to print each element in the list `[10, 20, 30, 40, 50]`.

7. **Print elements of a matrix:** Use nested **for** loops to print each element of a 2x2 matrix, e.g., `[[1, 2], [3, 4]]`.

8. **Find the largest number in a list:** Write a `for` loop to find the largest number in the list `[34, 78, 23, 89, 12]`.
9. **Remove duplicates from a list:** Write a `for` loop to remove duplicates from the list `[1, 2, 2, 3, 4, 4, 5]`.
10. **Calculate the average of a list:** Use a `for` loop to calculate the average of numbers in the list `[10, 20, 30, 40, 50]`.

## Advanced Exercises

23. **Transpose a matrix:** Write a `for` loop to transpose a 2x3 matrix, e.g., `[[1, 2, 3], [4, 5, 6]]` should become `[[1, 4], [2, 5], [3, 6]]`.
24. **Find the common elements in two lists:** Write a `for` loop to find the common elements in the lists `[1, 2, 3, 4]` and `[3, 4, 5, 6]`.
25. **Flatten a list of lists:** Write a `for` loop to flatten the list `[[1, 2], [3, 4], [5, 6]]` into `[1, 2, 3, 4, 5, 6]`.
26. **Print all the indexes of a list:** Write a `for` loop to print all the indexes of the list `[10, 20, 30, 40, 50]`.
27. **Generate a list of the first 10 square numbers:** Write a `for` loop to create a list of the first 10 square numbers.
28. **Print numbers in a list that are greater than 10:** Use a `for` loop to print numbers from the list `[5, 12, 17, 9, 3, 21]` that are greater than 10.
29. **Find the sum of even numbers in a list:** Write a `for` loop to calculate the sum of all even numbers in the list `[1, 2, 3, 4, 5, 6, 7, 8, 9, 10]`.
30. **Calculate the product of all numbers in a list:** Write a `for` loop to calculate the product of all numbers in the list `[1, 2, 3, 4]`.
31. **Find the minimum value in a list:** Write a `for` loop to find the smallest number in the list `[34, 78, 23, 89, 12]`.
32. **Convert a list of Celsius temperatures to Fahrenheit:** Use a `for` loop to convert the list `[0, 10, 20, 30, 40]` to Fahrenheit using the formula  $(\text{Celsius} * 9/5) + 32$ .
33. **Reverse the elements of a list:** Write a `for` loop to reverse the elements of the list `[1, 2, 3, 4, 5]`.
34. **Calculate the sum of squares of a list of numbers:** Write a `for` loop to calculate the sum of the squares of numbers in the list `[1, 2, 3, 4, 5]`.
35. **Find the intersection of two lists:** Use a `for` loop to find the common elements in the lists `[1, 2, 3, 4, 5]` and `[4, 5, 6, 7, 8]`.
36. **Count the frequency of each element in a list:** Write a `for` loop to count the occurrences of each element in the list `[1, 2, 2, 3, 3, 3, 4, 4, 4, 4]`.

37. **Generate a dictionary with numbers and their squares:** Write a `for` loop to create a dictionary where keys are numbers from 1 to 5 and values are their squares.
38. **Print the transpose of a 3x3 matrix:** Write a `for` loop to transpose the matrix `[[1, 2, 3], [4, 5, 6], [7, 8, 9]]`.

**What is the output of the following code?** [Python Quiz #23](#)

```
a = [1, 2, 3, 4, 5]
for i in range(0, len(a), 2):
    print(a[i])
```

- A) 135
- B) 24
- C) 12345
- D) Syntax error

**Watch the video for the answer:** <https://youtube.com/shorts/yrTnxNkrXH4?si=EUAzZiONKORP4nIU>

What is the output of the following code?

```
fruits = ["Apple", "Banana", "Cherry"]
for i, fruit in enumerate(fruits):
    if i == 1:
        print(fruit)
```

1. ☐ Apple
2. ☐ Banana
3. ☐ Cherry
4. ☐ Error

related video: <https://youtu.be/-FErgsl9njQ>

Which of the following is the correct way to iterate over elements in a list using a for loop? a. for item in my\_list: b. for i = 0; i < len(my\_list): c. for element = my\_list: d. for (i, item) in enumerate(my\_list):

How can you iterate over both the index and elements of a list using a for loop? a. for i in my\_list: b. for (i, element) in enumerate(my\_list): c. for element in range(my\_list): d. for index, element in my\_list:

What is the output of the following code?

```
numbers = [1, 2, 3, 4, 5]
for x in numbers:
    print(x * 2)
```

a. 2 4 6 8 10 b. 1 2 3 4 5 c. 1 4 9 16 25 d. 2 4 8 16 32

**How many times will the following loop execute?**

```
for i in [1, 2, 3, 3]:  
    print("Hello")
```

- A) 3
- B) 4
- C) 1
- D) Infinitely