

Python: Variables

Connect with me: [Youtube](#) | [LinkedIn](#) | [WhatsApp Channel](#) | [Web](#) | [Facebook](#) | [Twitter](#)

- [Download PDF](#)
- To access the updated handouts, please click on the following link:
<https://yasirbhutta.github.io/python/docs/variables.html>

Variables

- Storage containers for data (numbers, text, etc.).

What is a variable

- A variable is a named storage location in a computer's memory that is used to hold data or values. It allows programmers to store and manipulate data within a program.

Purpose: Variables provide a way to store and manage data that can be used and manipulated throughout a program. They make programs more flexible and allow for dynamic data storage.

Assignment statement: in Python is used to assign a value to a variable. Its primary purpose is to store and manage data within a program.

Imagine variables as labeled boxes:

- You have boxes for storing different things (numbers, words, etc.).
- Each box has a name (label) to identify what's inside.
- You can put things in, take them out, and change what's inside.

[video: Python Variables and Assignment](#) [video: Meaningful Variable Names](#) | [Python Best Practices](#) [video: Asterisk \(*\) in Variable Assignment](#)

Example #1: Storing a name

```
name = "Muhammad Hamza"  
print(name)
```

Example #2: Tracking a score:

```
score = 0  
score = score + 10 # adds 10 to the score  
print(score)
```

Example #3: Remembering a favorite color

```
favorite_color = "blue" #stores "blue" in variable
print(favorite_color)
```

Example #4: Calculating the area of a rectangle

```
length = 10
width = 5

# calculates the area
area = length * width
print(area)
```

Understanding Dynamic Variables in Python with Examples

Important: In Python, variables are dynamic, meaning they can change types during the execution of a program. This flexibility allows you to assign a value of any type to a variable and later reassign it to a value of a different type without any issues. This dynamic nature of variables is due to Python being a dynamically typed language.

Example #5: Dynamic Variables in Python

```
# Initial assignment of an integer value
x = 10
print(x) # Output: 10
print(type(x)) # Output: <class 'int'>

# Reassigning a string value to the same variable
x = "Hello, World!"
print(x) # Output: Hello, World!
print(type(x)) # Output: <class 'str'>

# Reassigning a list to the same variable
x = [1, 2, 3]
print(x) # Output: [1, 2, 3]
print(type(x)) # Output: <class 'list'>

# Reassigning a float value to the same variable
x = 3.14
print(x) # Output: 3.14
print(type(x)) # Output: <class 'float'>
```

In this example:

1. `x` is initially assigned an integer value of `10`.
2. `x` is then reassigned a string value `"Hello, World!"`.
3. `x` is later reassigned a list `[1, 2, 3]`.

4. Finally, `x` is reassigned a float value `3.14`.

Each time, the type of `x` changes dynamically to match the type of the value assigned to it. This flexibility is one of the powerful features of Python, allowing for more concise and adaptable code.

Example 6: [How to assign multiple values to multiple variables?](#) **Example 7:** [How to Swap Variables Without a Third Variable in Python](#) **Example 8:** [Calculate the Area of a Circle with Radius](#)

Key Points:

- **Choose meaningful names:** Use names that describe what the variable stores (e.g., `pizza_slices` instead of `x`).
 - [video: Meaningful Variable Names | Python Best Practices](#)
- **Assign values using `=`:** The equals sign is used to put a value into a variable.
- **Change values:** You can update a variable's value later in your code.
- **Use variables in calculations and operations:** Variables can be used just like regular numbers or text in expressions.
- **Think of variables as placeholders:** They hold information that can change as your program runs.

Key Terms

True/False (Mark T for True and F for False)

1. Variable names in Python are case-sensitive.
2. In Python, variables must be declared with a specific data type before they can be used.
3. The statement `x = 5` both creates the variable `x` and assigns it the value 5.

Answer Key (True/False):

1. True
2. False
3. True

Multiple Choice (Select the best answer)

1. What is a variable in Python?

- A) A reserved word in Python
- B) A placeholder for storing data values
- C) A function that prints data
- D) A built-in library in Python

2. Which statement best describes a variable in Python?

- A) A variable can hold multiple values at once.
- B) A variable must be declared with a data type.
- C) A variable is a name that refers to a value.
- D) A variable is used only in loops.

3. What is the output of the following code?

```
x = 10  
print(x)
```

- A) 10
- B) x
- C) Error
- D) None

4. Which of the following is not true about variables in Python?

- A) Variables can be reassigned to different data types.
- B) Variables must start with a letter or an underscore.
- C) Variables are case-sensitive.
- D) Variables must be declared before use.

5. What will be the output of the following code?

```
x = 5  
y = x  
x = 7  
print(y)
```

- A) 7
- B) 5
- C) 0
- D) None

6. Why is it important to use meaningful variable names?

- A) It is required by the Python interpreter.
- B) It helps make the code more readable and maintainable.
- C) It increases the execution speed of the program.
- D) It is necessary for the code to run without errors.

7. What will be the output of the following code?

```
a = 1  
b = a  
a = a + 1  
print(a, b)
```

- A) 1 1
- B) 2 1
- C) 1 2
- D) 2 2

8. Which of the following is a valid variable name in Python?

- A) 2ndValue
- B) value#2
- C) _value2
- D) value-2

9. Which of the following is a correct way to declare a variable in Python?

- A) `int x = 5`
- B) `x = 5`
- C) `declare x = 5`
- D) `var x = 5`

10. What is the output of the following code?

```
x = 5
y = "Hello"
print(x + y)
```

- A) 5Hello
- B) Hello5
- C) TypeError
- D) Hello 5

11. Which of the following is not a valid variable name in Python?

- A) `my_var`
- B) `_var`
- C) `2var`
- D) `var2`

12. Which of the following statements is true about variable assignment in Python?

- A) Variables must be declared before they are assigned a value.
- B) Variables are created when they are first assigned a value.
- C) Variable names must begin with a number.
- D) Python variables must be declared with a type.

13. What will be the output of the following code?

```
x = 5
y = x
x = 10
print(y)
```

- A) 5
- B) 10

- C) 0
- D) 5 10

Answer key (Multiple Choice):

1. B) A placeholder for storing data values
2. C) A variable is a name that refers to a value.
3. A) 10
4. D) Variables must be declared before use.
5. B) 5
6. B) It helps make the code more readable and maintainable.
7. B) 2 1
8. C) `_value2`
9. B) `x = 5`
10. C) `TypeError`
 - **Explanation:** In Python, the `+` operator is used for both arithmetic addition and string concatenation. However, it cannot be used to add an integer and a string directly. The code provided attempts to add an integer (`x = 5`) to a string (`y = "Hello"`), which is not a valid operation and will result in a `TypeError`.
11. C) `2var`
 - **Explanation:** In Python, variable names must start with a letter or an underscore and cannot start with a number. Thus, `my_var`, `_var`, and `var2` are valid, but `2var` is not.
12. B) Variables are created when they are first assigned a value.
13. A) 5

Fill in the Blanks

1. Variable names in Python must start with a letter or an _____.
2. Variables in Python are _____, meaning they can change type when assigned a new value.
3. The assignment operator in Python is the _____ symbol.

Answer Key (Fill in the Blanks):

1. underscore (`_`)
2. dynamic
3. equals (`=`)

Exercises

Exercise 1: Basic Variable Assignment

1. Create a variable called `name` and assign your name to it.
2. Create a variable called `age` and assign your age to it.
3. Create a variable called `city` and assign the city you live in to it.
4. Print all three variables.

Exercise 2: Variable Reassignment

1. Create a variable called `favorite_color` and assign your favorite color to it.

2. Print the value of `favorite_color`.
3. Reassign a new color to `favorite_color`.
4. Print the new value of `favorite_color`.

Exercise 3: Variable Operations

1. Create two variables called `a` and `b` and assign them the values 5 and 10, respectively.
2. Create a new variable called `sum` and assign it the value of `a` plus `b`.
3. Create a new variable called `difference` and assign it the value of `a` minus `b`.
4. Create a new variable called `product` and assign it the value of `a` times `b`.
5. Print the values of `sum`, `difference`, and `product`.

Exercise 4: String Concatenation

1. Create a variable called `first_name` and assign your first name to it.
2. Create a variable called `last_name` and assign your last name to it.
3. Create a new variable called `full_name` and assign it the value of `first_name` concatenated with `last_name` (with a space in between).
4. Print the value of `full_name`.

Example Solution:

```
first_name = "Alice"
last_name = "Johnson"

full_name = first_name + " " + last_name
print(full_name)
```

Exercise 5: Input and Variables

1. Use the `input()` function to get the user's name and store it in a variable called `user_name`.
2. Use the `input()` function to get the user's age and store it in a variable called `user_age`.
3. Print a message saying "Hello [user_name], you are [user_age] years old."

Example Solution:

```
user_name = input("Enter your name: ")
user_age = input("Enter your age: ")

print("Hello", user_name + ", you are", user_age, "years old.")
```

6. Calculate the Area of a Circle with Radius [Example Solution](#)
7. How to Swap Variables Without a Third Variable in Python. [Example Solution](#)
8. How to assign multiple values to multiple variables. [Example Solution](#)

Review Questions

- 1. What is a variable in computer programming? Answer:** A variable is a named storage location in a computer's memory that is used to hold data or values. It allows programmers to store and manipulate data within a program.
- 2. What is the purpose of using variables in programming? Answer:** Variables provide a way to store and manage data that can be used and manipulated throughout a program. They make programs more flexible and allow for dynamic data storage.
- 3. What is the difference between declaring and initializing a variable? Answer:** Declaring a variable involves specifying its name and data type, while initializing a variable means giving it an initial value. Initialization usually follows declaration but is not always required.

References and Bibliography