Yasuhiro Sato, Ph.D.

Updated on 6 January 2023

Curriculum Vitae

First Name: Yasuhiro Family Name: Sato Birthday: 7 April 1988

Sex: Male; Gender: Male; Pronoun: he/him

Nationality: Japan

Current affiliation: Department of Evolutionary Biology and Environmental Studies,

University of Zurich

Institutional address: Winterthurerstrasse 190, 8057 Zurich, Switzerland

Tel: +41 44 635 49 86; Fax: +41 44 634 82 04

Office: Y13-J-68 (Evolutionary and Ecological Genomics Group)

E-mail: yasuhiro.sato@uzh.ch (work); yassato36c@outlook.com (personal)

ORCID: 0000-0002-6466-723X Google scholar citations:

https://scholar.google.co.jp/citations?user=HbrGYr8AAAAJ&hl=en

Personal website: https://yassato.github.io/

Education

- 23 March 2016. PhD in Science (Biosciences), Center for Ecological Research, Graduate School of Science, Kyoto University, Japan (supervisor: Prof. Dr. Hiroshi Kudoh) [PhD defended on 28 January 2016]
- 25 March 2013. MSc in Science (Biosciences), Center for Ecological Research, Graduate School of Science, Kyoto University, Japan (supervisor: Prof. Dr. Hiroshi Kudoh)
- 24 March 2011. BSc in Agriculture (Bioresource Sciences), Laboratory of Insect Ecology, Faculty of Agriculture, Kyoto University, Japan (supervisor: Assistant Prof. Dr. Takayoshi Nishida)

Employment history

- April 2021–Present. Oberassistent (Senior research and teaching assistant) at the Department of Evolutionary Biology and Environmental Studies, University of Zurich, Switzerland (PI: Prof. Dr. Kentaro K. Shimizu)
- October 2017–March 2021. Independent Group Leader of Precursory Research for the Embryonic Science and Technology (PRESTO) program of the Japan Science and Technology Agency (JST) at Ryukoku University, Japan (host: Associate Prof. Dr. Atsushi J. Nagano)
- April 2016–September 2017. Independent Postdoctoral Fellow of the Japan Society for the Promotion of Science (JSPS) at Ryukoku University, Japan (host: Senior Lecturer Dr. Atsushi J. Nagano)
- April 2015–March 2016. Research Fellow of the Japan Society for the Promotion of Science (JSPS) for PhD students at Kyoto University, Japan (host: Prof. Dr. Hiroshi Kudoh)

• June 2013–March 2014. Research Assistant at the Center for Ecological Research, Kyoto University, Japan

Visiting and guest position

- October 2017–Present. Guest researcher of Research Institute for Food and Agriculture, Ryukoku University, Japan
- August 2017–Present. Affiliated member of University Research Priority Program for Global Change and Biodiversity (URPP GCB), University of Zurich, Switzerland https://www.gcb.uzh.ch/en/aboutus/people.html
- June 2016–September 2016. Visiting postdoctoral researcher, Evolutionary and Ecological Genomics Group (Shimizu Lab), University of Zurich, Switzerland
- April 2016–March 2020. Affiliated scientist of the Center for Ecological Research, Kyoto University, Japan

Approved funding and fellowships

- 1. April 2020–March 2023. 'Theoretical consideration of plant biodiversity effects driven by inter-genotypic interactions', Grant-in-aid for Early-career Scientists, Grant ID:20K15880, Japan Society for the Promotion of Science (JSPS), Japan (a single lead applicant; direct cost 3,200,000 JPY + indirect cost 960,000 JPY = 35,049 EUR upon the currency rate of the starting date)
- 2. October 2017–March 2021. 'Large-scale omics approach towards a pest control by mixed planting', PRESTO project, Grant ID:JPMJPR17Q4, Japan Science and Technology Agency (JST) (a single lead applicant; direct cost 40,000,000 JPY + indirect cost 12,000,000 JPY = 391,418 EUR upon the currency rate of the starting date + group leader's own salary) https://www.jst.go.jp/kisoken/presto/en/project/1112074/1112074_26.htm l
- 3. April 2016–September 2017. 'Genome-wide association study and prediction of pest communities on natural accessions of the model plant species', Research Fellowships for Postdoctoral Researcher, Grant ID:16J30005, Japan Society for the Promotion of Science (JSPS) (a single lead applicant; direct cost 2,700,000 JPY + indirect cost 810,000 JPY = 27,449 EUR upon the currency rate of the starting date + fellow's own salary)
- 4. April 2015–March 2016. 'A test of the mechanism maintaining plant defense polymorphism in a wild *Arabidopsis*', Research Fellowships for PhD Students, Grant ID:15J00400, Japan Society for the Promotion of Science (JSPS) (a single lead applicant; direct cost 1,200,000 JPY + indirect cost 360,000 JPY = 12,101 EUR upon the currency rate of the starting date + fellow's own salary)

Supervision of junior researchers

Name	Degree	Program	Role	Output
Chongmeng Xu	PhD student	URPP GCB of Univ. of Zurich	PhD committee member, Co- supervisor with PI	Xu & Sato et al. (2022) bioRxiv; Sato et al. (2022) bioRxiv
Elina Jansone	Undergraduate	Lab rotation of Univ. of Zurich	Main supervisor	None
Kazuya	Master of	PRESTO project of	Daily supervisor	Sato, Takeda & Nagano (2021)

Name	Degree	Program	Role	Output
Takeda	Science	JST	as an employer	G3
Silvija Milosavljevic	Undergraduate	BUSS program at Univ. of Zurich	Co-supervisor with PI	Shimizu- Inatsugi et al. (2021) Plant Spec. Biol.
Dimitri Anderfuhren	Undergraduate	BIO378 program of Univ. of Zurich	Co-supervisor with PI	None

Teaching experience

- 1. September 2021–Present. BIO373: Next Generation Sequencing for Evolutionary Functional Genomics, University of Zurich, Switzerland (Role: course management, co-instructor, and examiner; No. of participants = 15)
- 2. May 2022. BIO334: Practical Bioinformatics, University of Zurich, Switzerland (Role: temporal co-instructor during a sabbatical absence of PI; No. of participants = ca. 25)
- 3. April 2019–May 2019. External Lecturer of Basic Genetics, Faculty of Agriculture, Ryukoku University, Japan (Role: 90-min. lectures × five times for a liberal art course in Japanese; No. of participants = ca. 50)
- 4. July 2018–August 2018. International Biology Undergraduate Summer School (BUSS) 2018, University of Zurich, Switzerland (Role: supervision of undergraduate student's fieldwork and presentation; No. of participants = 1)
- 5. July 2017–August 2017. BIO378: Research Practical in Evolutionary Biology and Systematics, University of Zurich, Switzerland (Role: supervision of undergraduate student's fieldwork, data analysis, and report writing; No. of participants = 1)
- 6. September 2013–January 2015. External Teaching Assistant of Programming Practical, Faculty of Science and Technology, Ryukoku University, Japan (Role: teaching assistant of R language; No. of participants = 5-10)

Panels, boards, and reviewing activities

- 1. January 2019–Present. Editorial board member of the Society for the Study of Species Biology, Japan
- 2. April 2020–December 2021. Reviewing editor of *Journal of Evolutionary Biology*
- 3. December 2022. Organizing committee member of the 52nd symposium of the Study of Species Biology, Japan, https://sites.google.com/view/sssb2020shiga
- 4. November 2016. Organising committee member of 5th Japan-Taiwan Ecology Workshop, Kyoto, Japan, https://sites.google.com/site/jtecolw5th/
- 5. Total 43 peer-review activities verified by Publons (WoS ResearcherID), https://www.webofscience.com/wos/author/rid/N-7939-2013 (Journal of Evolutionary Biology^12; Plant Species Biology^6; Rice^4; Ecological Research^3; Entomological Science^3; Plant Biology^3; Ecology^2; Ecology and Evolution^2; Biological Journal of the Linnean Society^1; Frontiers in Plant Science^2; Frontiers in Conservation Science^1; Functional Ecology^1; Plant Cell & Environment^1; Plant-Environment Interactions^1; F1000 Research^1: retrieved on 7 October 2022)

Active memberships in scientific societies

- 1. American Society of Naturalists (Permanent membership since October 2017)
- 2. Ecological Society of Japan (October 2011–Present)
- 3. Society for the Study of Species Biology (December 2010–Present)
- 4. European Society for Evolutionary Biology (April 2020–Present)
- 5. The Japanese Society of Plant Physiologists (January 2018–Present)

Organization of conferences

- 1. December 2019. **Sato Y**, Muranaka T. Cutting-edge technology of plant omics and phenotyping (in Japanese). The 51st Symposium of the Society for the Study of Species Biology, Miyazaki, Japan
- 2. March 2015. Sakata Y and **Sato Y**. Overview of evolutionary ecology of plantherbivore interactions (in Japanese). Workshop 12: The 62nd Annual Meeting of the Ecological Society of Japan, Kagoshima, Japan

Prizes and awards

- 1. 2 February 2018. Inoue Research Award for Early-career Scientists, Inoue Foundation for Science, Japan
- 2. 3 December 2016. Kataoka Award for Early-career Researchers, The Society for the Study of Species Biology, Japan
- 3. 2 March 2016. Ikushi Prize for Outstanding PhD Students, Japan Society for the Promotion of Science (JSPS), Japan https://www.jsps.go.jp/english/e-ikushi-prize/awards_fy2015_01.html
- 4. April 2011–March 2015. Refund Exemption for Excellent Students, JASSO Scholarship, Japan

Career breaks

None

Personal skills

Licence

- 1. Swiss driver license (no expiration date)
- 2. Japanese diver license (valid until 07 May 2023)

Computer languages

- 1. R (package developer level)
- 2. Python (basic level)
- 3. Bash (basic level)

Natural languages

- 1. Japanese (native speaker)
- 2. English (fluent)
- 3. German (A1-level learner)
- 4. Chinese (elementary-level learned during the liberal art course in the university)

References

1. Prof. Dr. Kentaro K. Shimizu

Position: Full Professor and Department Co-director

Relationship: Current employer

Affiliation: Department of Evolutionary Biology and Environmental Studies (Institut für Evolutionsbiologie und Umweltwissenschaften), University of

Zurich, Switzerland

Address: Winterthurerstrasse 190, 8057 Zurich, Switzerland

Phone: +41 44 635 6740

E-mail: kentaro.shimizu@ieu.uzh.ch

Website: https://www.ieu.uzh.ch/en/staff/member/shimizu kentaro.html

Keywords: Evolutionary Genomics, Plant Mating System, Polyploidy

2. Prof. Dr. Hiroshi Kudoh

Position: Full professor

Relationship: PhD supervisor

Affiliation: Center for Ecological Research, Kyoto University, Japan Address: 509-3, 2-chome, Hirano, Otsu, Shiga 520-2113, Japan

Phone: +81 77 549 8255

E-mail: kudoh@ecology.kyoto-u.ac.jp

Website: https://www.ecology.kyoto-u.ac.jp/~kudoh/en/index.html Keywords: Molecular Ecology, Plant Ecology, Flowering Phenology

3. Prof. Dr. Atsushi J. Nagano

Position: Full professor (since April 2022)

Relationship: Postdoc host

Affiliation: Faculty of Agriculture, Ryukoku University, Japan (adjunct with Project Professor at the Institute of Advanced Biosciences of Keio University, Japan)

Address: Yokotani 1-5, Seta Oe-cho, Otsu, Shiga 520-2194, Japan

Phone: +81 77 599 5656

E-mail: anagano@agr.ryukoku.ac.jp

Website: https://researchmap.jp/anagano?lang=en

Keywords: Bioinformatics, Transcriptomics, Plant Physiology

4. Prof. Dr. Kiyotaka Okada

Position: Professor Emeritus of Kyoto University

Relationship: Research supervisor of the previous JST PRESTO project Current affiliation: Ryukoku Extension Center, Ryukoku University, Japan

Address: Yokotani 1-5, Seta Oe-cho, Otsu, Shiga 520-2194, Japan

Phone: +81 77 544 7299

E-mail: kiyo@ad.ryukoku.ac.jp

Website:

https://www.jst.go.jp/kisoken/presto/en/research_area/ongoing/areah27-

5.html

Keywords: Plant Molecular Biology, Developmental Biology

Achievements

[†]Equal contribution; *Correspondence

Peer-reviewed articles

- 1. Shimizu-Inatsugi R*, Morishima A, Mourato B, Shimizu KK, **Sato Y**. (2023) Phenotypic variation of a new synthetic allotetraploid *Arabidopsis kamchatica* enhanced in natural environment. *Frontiers in Plant Science* https://doi.org/10.3389/fpls.2022.1058522
- 2. Takimoto H^{+*}, **Sato Y**⁺, Nagano AJ, Shimizu KK, Kanagawa A. (2021) Using a two-stage convolutional neural network to rapidly identify tiny herbivorous beetles in the field. *Ecological Informatics* 66:101466 https://doi.org/10.1016/j.ecoinf.2021.101466
- 3. **Sato Y**, Yamamoto E, Shimizu KK*, Nagano AJ*. (2021) Neighbor GWAS: incorporating neighbor genotypic identity into genome-wide association studies of field herbivory. *Heredity* 126(4):597–614. https://doi.org/10.1038/s41437-020-00401-w
- 4. **Sato Y**^{+*}, Takeda K⁺, Nagano AJ*. (2021) Neighbor QTL: an interval mapping method for quantitative trait loci underlying plant neighborhood effects. *G3*; *Genes* | *Genomes* | *Genetics* 11(2):jkab017. https://doi.org/10.1093/g3journal/jkab017
- 5. Shimizu-Inatsugi R*, Milosavljevic S, Shimizu KK, Schaepman-Strub G, Tanoi K, **Sato Y.** (2021) Metal accumulation and its effect on leaf herbivory in an allopolyploid species *Arabidopsis kamchatica* inherited from a diploid hyperaccumulator *A. halleri*. *Plant Species Biology* 36(2):208–217. https://doi.org/10.1111/1442-1984.12304
- 6. **Sato Y**, Tezuka A, Kashima M, Deguchi A, Shimizu-Inatsugi R, Yamazaki M, Shimizu KK*, Nagano AJ*. (2019) Transcriptional variation in glucosinolate biosynthetic genes and inducible responses to aphid herbivory on field-grown *Arabidopsis thaliana*. *Frontiers in Genetics* 10:787. https://doi.org/10.3389/fgene.2019.00787
- 7. **Sato Y**, Shimizu-Inatsugi R, Yamazaki M, Shimizu KK*, Nagano AJ*. (2019) Plant trichomes and a single gene *GLABRA1* contribute to insect community composition on field-grown *Arabidopsis thaliana*. *BMC Plant Biology* 19:163. https://doi.org/10.1186/s12870-019-1705-2
- 8. Nakadai R^{+*}, Hashimoto K⁺, Iwasaki T, **Sato Y.** (2018) Geographical cooccurrence of butterfly species: the importance of niche filtering by host plant species. *Oecologia* 186(4):995–1005. https://doi.org/10.1007/s00442-018-4062-1
- 9. **Sato Y**^{†*}, Ito K[†], Kudoh H. (2017) Optimal foraging by herbivores maintains polymorphism in defence in a natural plant population. *Functional Ecology* 31(12):2233-2243. https://doi.org/10.1111/1365-2435.12937
- 10. **Sato Y***, Kudoh H. (2017) Herbivore-mediated interaction promotes the maintenance of trichome dimorphism through negative frequency-dependent selection. *The American Naturalist* 190(3):E67-E77. https://doi.org/10.1086/692603
- 11. **Sato Y***, Kudoh H. (2017) Fine-scale frequency differentiation along a herbivory gradient in the trichome dimorphism of a wild *Arabidopsis*. *Ecology and Evolution* 7(7):2133-2141. https://doi.org/10.1002/ece3.2830
- 12. **Sato Y***, Kudoh H. (2016) Presence of substitute diets alters plant resistance to specialist and generalist herbivores: a meta-analysis. *Ecosphere* 7(11):e01446 https://doi.org/10.1002/ecs2.1446
- 13. **Sato Y***, Kudoh H. (2016) Associational effects against a leaf beetle mediate a minority advantage in defense and growth between hairy and glabrous

- plants. *Evolutionary Ecology* 30(1):137-154. https://doi.org/10.1007/s10682-015-9809-0
- 14. **Sato Y***, Sato S. (2015) Spring temperature predicts the long-term molting phenology of two cicadas, *Cryptotympana facialis* and *Graptopsaltria nigrofuscata* (Hemiptera: Cicadidae). *Annals of the Entomological Society of America* 108(4):494-500. https://doi.org/10.1093/aesa/sav036
- 15. **Sato Y***, Kudoh H. (2015) Tests of associational defence provided by hairy plants for glabrous plants of *Arabidopsis halleri* subsp. *gemmifera* against insect herbivores. *Ecological Entomology* 40(3):269-279. https://doi.org/10.1111/een.12179
- 16. **Sato Y**, Kudoh H*. (2014) Fine-scale genetic differentiation of a temperate herb: relevance of local environments and demographic change. *AoB PLANTS* 6:plu070. https://doi.org/10.1093/aobpla/plu070
- 17. **Sato Y***, Kawagoe T, Sawada Y, Hirai MY, Kudoh H. (2014) Frequency-dependent herbivory by a leaf beetle, *Phaedon brassicae*, on hairy and glabrous plants of *Arabidopsis halleri* subsp. *gemmifera*. *Evolutionary Ecology* 28(3):545-559. https://doi.org/10.1007/s10682-013-9686-3
- 18. **Sato Y***, Kudoh H. (2013) Relative strength of phenotypic selection on the height and number of flowering-stalks in the rosette annual *Cardamine hirsuta* (Brassicaceae). *Journal of Ecology and Environment* 36(3):151-158. https://doi.org/10.5141/ecoenv.2013.151
- 19. **Sato Y***, Takakura KI, Nishida S, Nishida T. (2013) Dominant occurrence of cleistogamous flowers of *Lamium amplexicaule* in relation to the nearby presence of an alien congener *L. purpureum*. *ISRN Ecology* Article ID:476862. http://dx.doi.org/10.1155/2013/476862

Peer-reviewed monographs

- 1. **Sato Y*.** (2018) Associational effects and the maintenance of polymorphism in plant defense against herbivores: review and evidence. *Plant Species Biology* 33(2):91-108. https://doi.org/10.1111/1442-1984.12201
- 2. Sakata Y*, **Sato Y.** (2017) Evolutionary ecology of plant defense: integrating different spatial scales within and among species (in Japanese). *Japanese Journal of Ecology* 67(3):287-306. https://doi.org/10.18960/seitai.67.3_287

Peer-reviewed conference proceedings

1. Kuzuhara H, Takimoto H, **Sato Y**, Kanagawa A. (2020) Insect pest detection and identification method based on deep learning for realizing a pest control system. *Proceedings of the Society of Instrument and Control Engineers* (*SICE*) 2020 *Annual Conference* 2020. pp. 709–714. https://doi.org/10.23919/SICE48898.2020.9240458

Contributions to books

- 1. **Sato Y** and Muranaka T (eds). (in press) Trans-Scale Biology of Plants: Integrating genomics, phenomics, and ecology to unveil biodiversity (in Japanese). Species Biology Series, Bun-ichi Sogo Shuppan, Tokyo, Japan.
- 2. **Sato Y.** (in press) Chapter 4. The maintenance of trichome dimorphism through associational effects: a case study of *Arabidopsis halleri* and a leaf beetle (in Japanese). In: Species Biology Series (Y. Sakata and T. Tsunoda eds), Bun-ichi Sogo Shuppan, Tokyo, Japan.

Patents and licenses

None

Computer programs

- Sato Y*, Yamamoto E, Shimizu KK, Nagano AJ. (2021) 'rNeighborGWAS'. R
 package available at the Comprehensive R Archive Network (CRAN),
 https://cran.r-project.org/package=rNeighborGWAS
- 2. **Sato Y***, Takeda K, Nagano AJ. (2021) 'rNeighborQTL'. R package available at CRAN, https://cran.r-project.org/package=rNeighborQTL

And the other source codes for published research, personal utilities, and teaching materials are available at the GitHub, https://github.com/yassato

Contributions to international conferences

- 1. Shimizu KK, Kudoh H. (organizers); Barbour M, Honjo M, **Sato Y** (speakers). *Arabidopsis* relatives from laboratories to natural fields. *The 33rd International Conference on Arabidopsis Research (ICAR2033)*, Session C22, Chiba, Japan (accepted and planned on 7 June 2023)
- 2. **Sato Y**, Shimizu-Inatsugi R, Takeda K, Nagano AJ, Shimizu KK. Keystone genotype pairs increase population-level resistance to herbivory. *SwissPLANT 2023 symposium*, Les Diablerets, Switzerland (talk accepted and planned on 24 January 2023)
- 3. **Sato Y**, Shimizu-Inatsugi R, Nagano AJ, Shimizu KK. Neighbor GWAS: incorporating neighbor genotypic identity in genome-wide association study of field-grown *Arabidopsis thaliana*. 'From place to space Tracing the spatial dimension of plant sciences' by *Plant Science Center Symposium* **2022**, P30, ETH Zurich, Switzerland (7 December 2022, poster)
- 4. **Sato Y**, Takahashi Y, Xu C, Shimizu KK. Detecting frequency-dependent selection using a genetic marker regression of fitness components. In: S24 'Progress and Prospects in Adaptation Genomics'. *The 2022 Congress of the European Society for Evolutionary Biology*, Prague, Czech Republic (18 August 2022, reviewed talk)
- 5. **Sato Y**, Nagano AJ, Shimizu KK. Genomics of within-species mixed planting against insect herbivores. In: MON3-b 'From the species to the individual: investigating plant diversity on the scale that matters most' (organized by Drs. P. Villa and M.C. Schuman). *World Biodiversity Forum 2022*, Davos, Switzerland. (29 June 2022, reviewed talk) https://www.worldbiodiversityforum.org/
- 6. Kuzuhara H, Takimoto H, **Sato Y**, Kanagawa A. Insect pest detection and identification method based on deep learning for realizing a pest control system. *The Society of Instrument and Control Engineers (SICE) Annual Conference* **2020**. Chiang Mai, Thailand [changed into an online meeting due to COVID-19] (25 September 2020, talk)
- 7. **Sato Y**, Shimizu-Inatsugi R, Yamazaki M, Nagano AJ, Shimizu KK. Field GWAS of neighbor effects and its potential application to targeted polycultures in anti-herbivore defense. *URPP Global Change and Biodiversity Conference*, P15, Monte Verita, Ascona, Switzerland (June-July 2019, poster)
- 8. **Sato Y**. Using personal legacy data to reveal the molting phenology of Japanese cicadas. In: S19 'Ongoing Cicada Research in East Asia' (organized

- by Prof. J. Yikweon), *The 8th EAFES International Congress*, Nagoya, Japan (April 2018, invited talk)
- 9. **Sato Y**, Ito K, Kudoh H. Associational effects and the maintenance of trichome dimorphism in a wild *Arabidopsis*. *The 2017 Congress of the European Society for Evolutionary Biology*, S32-P08, Groningen, Netherlands (August 2017, poster)
- 10. **Sato Y**, Ito K. Modeling the effects of optimal foraging herbivores on the maintenance of trichome dimorphism in a wild *Arabidopsis* population. *URPP Global Change and Biodiversity Conference*, P28, Monte Verita, Ascona, Switzerland (August-September 2016, poster)
- 11. **Sato Y**, Kudoh H. Associational antiherbivore defense promotes the coexistence of hairy and glabrous plants. *The 100th Annual Meeting of the Ecological Society of America*, PS30-98, Baltimore, MD, USA (August 2015, poster)
- 12. **Sato Y**, Kudoh H. Associational anti-herbivore defence and the maintenance of hairy and glabrous plants in *Arabidopsis halleri* subsp. *gemmifera*. *Bristol-Kyoto Plant Sciences Workshop*, P-14, Bristol, UK (September 2014, poster).
- 13. **Sato Y**, Kudoh H. Factors responsible for plant resistance to a shared herbivore: a meta-analysis of herbivore responses between choice and nochoice conditions. *International Symposium for "Biodiversity & Evolution" project of Excellent Graduate Schools*, P-03, Kyoto, Japan (December 2013, poster)
- 14. **Sato Y**, Kawagoe T, Kudoh H. A test for frequency-dependent herbivory on two trichome morphs of *Arabidopsis halleri*. *The 5th EAFES International Congress*, P2-147A, Otsu, Japan (March 2012, poster)

And the other 35 contributions to academic conferences in Japanese (4 invited talks, 10 talks and 21 posters)

Outreach activities

1. **Sato Y**, Sato S. (2016) 12-years cicada monitoring. Proceedings of the Natural History Museum Mt. Fujiwara 38:1–5 (in Japanese) -> *Plain-text Japanese summary of Sato and Sato* (2015) *Annals of the Entomological Society of America* 108(4):494–500.

General contributions to science

- 1. Hosting arrangement of the BEEES seminar at the Department of Evolutionary Biology and Environmental Studies, University of Zurich, Switzerland (4 November 2021): 'Plant-insect chemical communication: an information theory perspective' by Dr. Pengjuan Zu (host: **Sato Y**)
- 2. External seminar at the Gregor Mendel Institute of Molecular Plant Biology, Austria (25 June 2019): 'Neighbor GWAS: incorporating neighbor identity into *Arabidopsis*-herbivore interaction' by **Sato Y**. (host: Dr. Magnus Nordborg)
- 3. Discussion facilitator at 'Evolutionary Community Ecology 2018 workshop', Kyoto University, Kyoto (25 September 2018), Japan (organized by Dr. Kohmei Kadowaki and Prof. Dr. Takeshi Miki)
- 4. External seminar at the Department of Evolutionary Biology and Environmental Studies, University of Zurich, Switzerland (9 August 2018): 'Neighbor effects enhance anti-herbivore defense in *Arabidopsis'* by **Sato Y**. (host: University Research Priority Program of Global Change and Biodiversity)

Preprint

- 1. Xu C⁺, **Sato Y**^{+*}, Yamazaki M, Brasser M, Barbour MA, Bascompte J, Shimizu KK*. (2022) Genome-wide association study highlights escape from aphids by delayed growth in *Arabidopsis thaliana*. *bioRxiv* https://doi.org/10.1101/2022.11.10.515564
- 2. **Sato Y***, Takahashi Y, Xu C, Shimizu KK*. (2022) Detecting frequency-dependent selection through the effects of genotype similarity on fitness components. *bioRxiv* https://doi.org/10.1101/2022.08.10.502782
- 3. Stockenhuber R, Akiyama R, Tissot N, Yamazaki M, Wyler M, Arongaus AB, Podolec R, **Sato Y**, Milosavljevic S, Widmer A, Ulm R, Shimizu KK*. (2021) The *UV RESISTANCE LOCUS 8*-mediated UV-B response is required alongside *CRYPTOCHROME1* for plant survival under sunlight in the field. *bioRxiv* https://doi.org/10.1101/2021.12.08.471623

Manuscript in preparation

- 1. **Sato Y** et al., (in prep.) Genomics of within-species mixed planting against insect herbivores (tentative).
- 2. **Sato Y** et al., (in prep.) Neighbor eGWAS: incorporating neighbor genotypic identity into field transcriptomics (tentative).