

Reflection


Classpath, Casting, Annotations

YEGOR BUGAYENKO

Lecture #7 out of 8

90 minutes

All visual and text materials presented in this slidedeck are either originally made by the author or taken from public Internet sources, such as website. Copyright belongs to their respected authors.



Type Casting
Classpath Scanning
Annotations
Discrimination by Type
Read and Watch

Chapter #1:

Type Casting

Iterable → Collection

Downcasting (**wrong!**):

```
1 int sizeOf(Iterable items) {  
2     int size = 0;  
3     if (items instanceof Collection) {  
4         size = ((Collection) items).size();  
5     } else {  
6         for (Object item : items) {  
7             ++size;  
8         }  
9     }  
10    return size;  
11 }
```

Method overloading (**right!**):

```
1 int sizeOf(Iterable items) {  
2     int size = 0;  
3     for (Object item : items) {  
4         ++size;  
5     }  
6     return size;  
7 }  
8  
9 int sizeOf(Collection items) {  
10    return items.size();  
11 }
```

Implicit Coupling

```
1 int sizeOf(Iterable items) {  
2     int size = 0;  
3     if (items instanceof Collection) {  
4         size = ((Collection) items).size();  
5     } else {  
6         for (Object item : items) {  
7             ++size;  
8         }  
9     }  
10    return size;  
11 }
```

```
1 Iterable<Book> books1 =  
2     new PgBooks1("localhost:5432");  
3 int s1 = sizeOf(books1);  
4  
5 Collection<Book> books2 =  
6     new PgBooks2("localhost:5432");  
7 int s2 = sizeOf(books2);
```

It may be hard to understand why `s2` is evaluated much faster than `s1`, since the signature of `sizeOf()` is the same in both cases.

Pattern Matching in Java 16

Java 11 (**wrong!**):

```
1 int sizeOf(Iterable items) {  
2     int size = 0;  
3     if (items instanceof Collection) {  
4         size = ((Collection) items).size();  
5     } else {  
6         for (Object item : items) {  
7             ++size;  
8         }  
9     }  
10    return size;  
11 }
```

Java 16 (**even worse!**):

```
1 int sizeOf(Iterable items) {  
2     int size = 0;  
3     if (items instanceof Collection c) {  
4         size = c.size();  
5     } else {  
6         for (Object item : items) {  
7             ++size;  
8         }  
9     }  
10    return size;  
11 }
```

Chapter #2:

Classpath Scanning

Finding Java classes

```
1 interface Foo {}
2
3 class Bar implements Foo {}
4
5 Reflections rts =
6     new Reflections("");
7 Set<Class<?>> types = rts.get(
8     SubTypes.of(Foo.class).asClass()
9 );
```

```
1 public @interface Foo {}
2
3 @Foo
4 class Bar {}
5
6 Reflections rts =
7     new Reflections("");
8 Set<Class<?>> types = rts.get(
9     SubTypes.of(
10         TypesAnnotated.with(Foo.class)
11     ).asClass()
12 );
```

The library is called Reflections. Instead, use explicit object instantiation.

Chapter #3:

Annotations

I lieu of static methods

```
1 interface Pub
2     String isbn();
3
4 class Book implements Pub
5     @Override public String isbn()
6         /* ... */
7     public static String category()
8         return "book";
9
10 class Journal implements Pub
11     @Override public String isbn()
12         /* ... */
13     public static String category()
14         return "journal";
```

```
1 interface Pub
2     String isbn();
3
4 @Target(ElementType.CLASS)
5 @Retention(RetentionPolicy.SOURCE)
6 public @interface Category
7     String value();
8
9 @Category("book")
10 class Book implements Pub
11     @Override public String isbn()
12         /* ... */
13
14 @Category("journal")
15 class Journal implements Pub
16     @Override public String isbn()
17         /* ... */
```

Locating methods

```
1 @Target(ElementType.METHOD)
2 @Retention(RetentionPolicy.SOURCE)
3 public @interface Path
4     String url;
5
6 class BookController
7     @Path("/book-title")
8     String title()
9         // Build HTML page and return it
```

```
1 String dispatch(String url) {
2     c = new BooksController();
3     b = BooksController.class;
4     for (Method m : b.getDeclaredMethods()) {
5         if (m.isAnnotationPresent(Path.class)) {
6             Annotation a = m.getAnnotation(Path.class);
7             if (a.url().equals(url)) {
8                 return m.invoke(c);
9             }
10        }
11    }
12    return "404 Page not found";
13 }
```

Dependency Injection Container

```
1 interface Shipment
2     int cost();
3
4 class Cart
5     @Inject private Shipment shmt;
6     private Book book;
7     void setBook(Book b)
8         this.book = b;
9     int cost()
10         return this.book.price() + this.shmt.cost();
11
12 container = new Container();
13 c = container.make(Cart.class);
14 c.setBook(new Book("1984"));
15 x = c.cost();
```

```
1 class Container {
2     private HashMap<Class, Object> cache =
3         new ConcurrentHashMap<>();
4     T make(Class<T> type) {
5         // 1. Find @Inject-annotated "shmt" field;
6         // 2. Make an instance of "Shipment";
7         // 3. Store it in the "cache";
8         // 4. Make an instance of "Cart";
9         // 5. Store "cart" in the "cache";
10        // 6. Assign "shipment" to "cart.shmt";
11        // 7. Return "cart".
12    }
13 }
```

How do you think, at the step no.2, what class will be instantiated?

Dependency Injection *without* a Container

```
1 interface Shipment
2     int cost();
3
4 class Cart
5     @Inject private Shipment shmt;
6     private Book book;
7     void setBook(Book b)
8         this.book = b;
9     int cost()
10         return this.book.price() + this.shmt.cost();
11
12 container = new Container();
13 c = container.make(Cart.class);
14 c.setBook(new Book("1984"));
15 x = c.cost();
```

```
1 interface Shipment
2     int cost();
3
4 class Cart
5     private final Shipment shmt;
6     private final Book book;
7     Cart(Shipment s, Book b)
8         this.shmt = s;
9         this.book = b;
10    int cost()
11        return this.book.price() + this.shmt.cost();
12
13 c = new Cart(new MyShipment(), new Book("1984"));
14 x = c.cost();
```

Chapter #4:

Discrimination by Type

Polymorphism vs. Casting

```
1 interface Figure
2     void rotate(int d);
3
4 class Circle implements Figure
5     void rotate(int d) //...
6     int radius() //...
7
8 class Square implements Figure
9     void rotate(int d) //...
10    int side() //...
```

```
1 // This is polymorphism:
2 int surface(Figure f)
3     return f.surface()
4
5 // This is type casting:
6 int surface(Figure f)
7     if (f instanceof Circle c) {
8         return c.radius()
9     } else if (f instanceof Square s) {
10        return s.side() * s.side();
11    } else {
12        throw new Exception("oops");
13    }
```

Chapter #5:

Read and Watch

Dependency Injection Containers are Code Polluters by me (2014)

Class Casting Is a Discriminating Anti-Pattern by me (2015)

Java Annotations Are a Big Mistake by me (2016)

Reflection Means Hidden Coupling by me (2022)

Java Annotations Are a Bad Idea, at JDK.io conference (2017)

Strong Typing without Types by me (2020)