

Title

Author*
email1

Author2†
email2

Contents

1

Essential

1

2

Other CO₂

2

3

Bibliography

6

1 Essential

todo

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$

(1)

$$= \frac{1}{2\pi i} \oint_{\Gamma} \frac{(1+z)^n}{z^{k+1}} \mathrm{d}z$$

(2)

Table 1: Caption

A	\mathbb{R}^*
a	b
c	d
e	f
g	h

*thanks

†thanks

*footnotemark–footnotetext





Figure 1: Caption


TensorFlow[†] (Abadi et al., 2016), Abadi et al. (2016).
 Section 1 on a page 1, table 1, figure 1, equations (1) and (2).

2 Other CO₂


Subfigures




(a) Caption 1




(b) Caption 2



(c) Caption 3



(d) Caption 4



(e) Caption 5

Figure 2: The caption. *Top*: top. *Bottom*: bottom.

[†]footnote

Proof

The proof is easy and is left to a reader. □

Test math

$$\begin{array}{c} \sum_{\mu} \sum_{\mu} \mathbb{R}^{n \times m} \left\langle \frac{\Psi}{1} \middle| \frac{\Psi}{1} \right\rangle \left\langle \frac{\Psi}{1} \middle| \frac{\Psi}{1} \right\rangle \left\langle n \middle| \prod_k U_k \middle| \frac{x}{1} \right\rangle \left\langle n \middle| \prod_k U_k \middle| \frac{x}{1} \right\rangle \\ \text{Normal}(\mathbf{x} \mid \mu, \sigma^2) \\ \text{Normal}(\mathbf{x} \mid \mu, \sigma^2) \\ \text{Normal}(\mathbf{x} \mid \mu, \sigma^2) \\ Y \sim \text{U}[0, 1] \propto \text{Beta}(a, b \ ; \ c, d) \, \Gamma \left(x \middle| \alpha + \sum_{k=0}^n \theta_k \right) \mathcal{N}(\mathbf{x} \mid \mu, \sigma^2) \\ \sum_{n=-\infty}^{+\infty} f(x) \geqslant \geqslant \geqslant \text{med } X \\ \varepsilon + \mathrm{e}^{-\frac{(x-2)^2}{2\sigma^2}} + \text{const} \\ \dot{a} \varepsilon \phi \varphi \\ \not\propto \not\subset \not\subseteq \not\in \\ \equiv \doteq \approx \complement \supset \ni \parallel \neq \neq \\ \ln p = \text{Tr } A = \text{tr } A = \text{var } X = \text{KL}(P \parallel Q) = D_{\text{KL}}(P \parallel Q) \\ \star * \circ \bullet \oplus \otimes \odot \dagger \ddagger \S \\ \oplus \otimes \odot \cup \cap \\ \leftarrow \leftarrow \rightarrow \rightarrow \mapsto \leftrightsquigarrow \rightleftharpoons \longleftrightarrow \overrightarrow{AB} \rightrightarrows \\ \square \square \{ \} \langle \rangle \parallel \parallel \parallel \sqcup \parallel \\ \ell \emptyset \operatorname{Re} \operatorname{Im} \perp \top \angle \square \\ \sim \approx \smile \alpha \dot{=} \ddot{=} \\ \hbar \square \blacksquare \star \emptyset \end{array}$$

$$\left\| \begin{smallmatrix} 1 & 2 \\ 3 & 4 \end{smallmatrix} \right\| = \left| \oint_A^B f(z) \, \mathrm{d} z \right| = \frac{\mathrm{d} u}{\mathrm{d} x} = \mathcal{F} \mathfrak{F} = \frac{\sum a_{ij}}{\sum b_{i\text{big long thing}}} = \sum a_k = \frac{\mathbb{P} \left\{ \frac{X}{\mathbb{E} X} \leqslant \varepsilon \right\}}{\Pr \{ \text{Poisson}(\lambda = 3) > 5 \}} \tag{3}$$

$$\partial \cdot \frac{\partial}{\partial x} \cdot \frac{\partial f}{\partial x} \cdot \frac{\partial^3 f}{\partial x^3} \cdot \frac{\partial}{\partial x} \frac{x^2+1}{x^3+1} \bigg|_{x=0} = \mathrm{d} \cdot \frac{\mathrm{d}}{\mathrm{d} x} \cdot \frac{\mathrm{d} f}{\mathrm{d} x} \cdot \frac{\mathrm{d}^3 f}{\mathrm{d} x^3} \cdot \frac{\mathrm{d}}{\mathrm{d} x} \frac{x^2+1}{x^3+1} \bigg|_{x=0} \tag{4}$$

$$\bar{a} \ A \overset{*}{\approx} B \quad \sum_{\substack{0 \leq i < n \\ j \neq i}} f(i) \quad \sqrt[3]{P(x)+Q(x)} \quad \frac{3}{8} \frac{3}{8} 3/8 \quad x = x \quad x = x \quad (5)$$

Math fonts

ABCDEFabcdef	(mathrm)
ABCDEFabcdef	(mathbf)
ABCDEFabcdef	(mathsf)
ABCDEFabcdef	(mathtt)
<i>ABCDEFabcdef</i>	(mathit)
$\mathcal{ABCDEF}\neg\sqcup\sqcap\{\}$	(mathcal)
$\textit{ABCDEFabcdef}$	(mathnormal)
<i>ABCabcΓΩΞγωξ</i>	(boldsymbol)
<i>\mathcal{ABCDEF}</i>	(mathscr)
$\frac{\mathfrak{ABCDEF}\zeta}{\mathfrak{abcdef}}$	(mathfrak)
ABCDEF\O\U\K\# \cancel{Z} \not\subset	(mathbb)
ABCDEFabcdef12	(mathbbm)

Text fonts

ABCDEFabcdef ABCDEFabcdef ABCDEFabcdef
ABCDEFabcdef **ABCDEFabcdef**
ABCDEFabcdef *ABCDEFabcdef* *ABCDEFabcdef* ABCDEFABCDEF
ABCDEFabcdef *ABCDEFabcdef*

General formatting

- x y z
- “quote”
- Ph. D.
- Ph. D.
- Ph. D.
- A. B
- A. B
- yo_␣wazup

Semantic

RMSPROP ADAM $\mathbf{pmatrix}$ (6)

$a \times \alpha \mathbf{A} \mathbf{A}$ (7)

NOT gate **CNOT** gate (8)

$\mathcal{X} \mathcal{Y} \mathcal{D}$ (9)

3 Bibliography

Abadi, M., Barham, P., Chen, J., Chen, Z., Davis, A., Dean, J., . . . Zheng, X. (2016). Tensorflow: A system for large-scale machine learning. In *12th USENIX symposium on operating systems design and implementation (OSDI 16)* (pp. 265–283). Savannah, GA: USENIX Association. Retrieved from <https://www.usenix.org/conference/osdi16/technical-sessions/presentation/abadi>