The Tutorial An Introduction

The Author

August 24, 2019

- Introduction
- 2 Some stuff
- 3 Examples
 - Example A
 - Example B

- Introduction
- Some stuff
- 3 Examples
 - Example A
 - Example B

test

some text emph as transfer as. alert a R a.

$$\binom{n}{k} = \frac{n!}{k!(n-k)!} \tag{1}$$

$$= \frac{1}{2\pi i} \oint \frac{(1+z)^n}{z^{k+1}} \,\mathrm{d}z \tag{2}$$

test2

- $\operatorname{var} X \leqslant (M \mathbb{E}X)(\mathbb{E}X m)$
- $KL(P_{data} \parallel P_{model})$
- Normal(x | μ, σ^2)
- **1**
- **2**
- **3** 2

test3

Table: Caption




Figure: The caption. *Top*: top. *Bottom*: bottom.

- Introduction
- 2 Some stuff
- 3 Examples
 - Example A
 - Example B

- Introduction
- Some stuff
- 3 Examples
 - Example A
 - Example B

- Introduction
- 2 Some stuff
- 3 Examples
 - Example A
 - Example B

- Introduction
- 2 Some stuff
- 3 Examples
 - Example A
 - Example B

(Abadi et al., 2016)

References

Abadi, M., Barham, P., Chen, J., Chen, Z., Davis, A., Dean, J., ... Zheng, X. (2016). Tensorflow: A system for large-scale machine learning. In 12th USENIX symposium on operating systems design and implementation (OSDI 16) (pp. 265-283). Savannah, GA: USENIX Association. Retrieved from https://www.usenix.org/conference/osdi16/technical-sessions/presentation/abadi