

How much Ice do You need?

Midterm Presentation

Participant:

Joyce Tan

JHU AMS 2012 FALL

Last Compiled on November 7, 2012

Content

1. Introduction
 - 1.1 Sponsor
 - 1.2 Problem Statement
 - 1.3 Deliverables
 - 1.4 Timeline
2. Content
 - 2.1 Assumptions
 - 2.2 Approach
 - 2.3 Possible Results/Analysis
3. Conclusion
 - 3.1 Deliverables
 - 3.2 Advantages/Disadvantages
 - 3.3 Further Recommendations

Sponsor: McDonald's Corporation

- McDonald's Corporation is the world's largest chain of hamburger fastfood restaurants, serving around 68 million customers daily in 119 countries.
- Mcdonald's primarily sells hamburgers, cheeseburgers, chicken, French fries, breakfast items, soft drinks, milkshakes and desserts.

Sponsor: McDonald's Corporation

- In response to healthier consumer taste, the company has expanded its menu to include salads, wraps, smoothies and fruits.
- Soda drinks is a significant portion of McDonald's business, since it is often offered as a beverage along with the extra-value meals.

Problem Statement

- Selling soft drinks is a complement to any meal that a customer purchases at McDonald's.
- However, the server is not accustomed to putting much thought in measuring the amount of ice put in the cup.
- This often results in a overly diluted, or overly cold drink for the customer. This is likely to lower overall customer satisfaction, since a drink is a significant complement to a meal.
- Thus, customers are likely to appreciate if the right amount of ice was added for optimal satisfaction.

Problem Statement

- To further define this problem, the exogenous variables are the proportion of ice to put in a drink.
- The endogenous variable would be the resulting temperature and concentration of the drink, as we are assuming that a customer's satisfaction is affected only by the temperature and concentration of the drink.

Deliverables - From Team to Sponsor

- A table of optimal ice proportions/ratios for each different type of soda (namely Coca Cola, Sprite, Fanta Orange, Diet Coke),
- Matlab code with complete set of documentations that resulting temperature and dilution based on specific heat capacities and ice proportions,
- Numerical experiment results reporting success rate of different ice proportions,
- Technical report and presentations summarizing the work.

Deliverables - From Sponsor to Team

- Sufficient supply of the 4 different sodas we are concentrating on,
- Computing resources,
- Timely responses to inquiries.

Timeline

- Work Statement due date, Sep 28, 2012,
- Midterm Presentation due date, Oct 17, 2012,
- Progress Report due date, Oct 26, 2012,
- Final Presentation due date, Nov 6, 2012,
- Final Report due date, Nov 30, 2012.

Most of the experiments and coding will be done from mid-October to mid-November.

Approach Assumptions

- Consumer's taste depends entirely on the dilution and temperature factors.
- Dilution and temperature of drink come hand-in-hand and rely entirely on the ice proportion.
- Sample group accurately represents the population's preferred combinations of temperature and dilution.
- Customer only consumes the drink after all the ice has melted.

Approach 1: Experimental

- Experimenting with different types of soda - namely McDonald's Coca Cola, Sprite, Fanta Orange, and Diet Coke.
- Using different proportions of ice, we will then find the resulting temperature of the drink, as well as calculate the resulting dilution of the drink.

Approach 1: Experimental

- By experiment, we will test out which combination of temperature and dilution will yield the highest satisfaction from the test subjects.
- We will provide 4 different cups of the same soda (different ice proportions) for the test subject to drink and they will indicate their preference. This will be repeated for 3 more days for the other 3 drinks.

Approach 1: Experimental

- This will be a blind test and the subject will not know what ice proportions the cups A, B, C, D have.

Ice Proportion	A	B	C	D
Coca Cola				
Sprite				
Fanta Orange				
Diet Coke				

Table: Sample form each test subject will need to fill out

Approach 2: Physics-based

- Utilizing the specific heat capacities of soda and ice (already found as specific values), we can calculate the different temperatures and dilution that the resulting drink will be.
- Using data from the first approach, we can see how the theoretical combinations of dilution and temperatures compare with the ones in practice.
- This will be used mainly as a support tool since it's just mathematical calculation.

Possible Analysis - Experimental approach

- Experiment results will show which combination of temperature and dilution is the most popular.
- The physics-based approach will be able to tell us the expected temperature and dilution of any proportion of ice that we use.

Possible Analysis - Physics-based approach

- This approach will yield more theoretical results since it has the implicit assumption of no outside environmental interference (eg. heat loss).
- Heat capacities of sodas and ice might be different in different climates. Thus, it is difficult to say how conclusive these calculations can be.

Deliverables - From Team to Sponsor

- A table of optimal ice proportions/ratios for each different type of soda (namely Coca Cola, Sprite, Fanta Orange, Diet Coke),
- Matlab code with complete set of documentations that resulting temperature and dilution based on specific heat capacities and ice proportions,
- Numerical experiment results reporting success rate of different ice proportions,
- Technical report and presentations summarizing the work.

Deliverables - From Sponsor to Team

- Sufficient supply of the 4 different sodas we are concentrating on,
- Computing resources,
- Timely responses to inquiries.

Advantages

- Utilizing the specific heat capacities of soda and ice, we can calculate the different combinations of temperatures and dilution of the drink.
- By surveying our sample group (which should be a accurate presentation of the population), we can determine which is the most popular combination of temperature and dilution and thus the optimal combination of ice proportion.
- We are able to use physics calculations to compare the accuracy of the experiments.

Disadvantages

- Assumption that all customers have the same taste regarding temperature and dilution is probably false, yet we only offer one optimal ice proportion for each drink.
- Desired temperature of drink may also depend on location of branch and climate.

Disadvantages

- Physics-based calculation might not be as accurate since it assumes that there is no interference with the environment, which is not true in reality.
- It is more likely that a customer starts sipping the drink once he/she gets it, rather than waiting for the ice to completely melt.

Further Recommendations

- Perform experiments on different days with different climates.
- Split sample group based on gender and age.
- Perform experiments such that test subject starts drinking once he receives it.