Design Principles

Coupling and Cohesion

Weeks of coding can save you hours of design.

- Describes the interdependence of entities
- Bound together to be functional



- High/strong coupling
 - One object uses the internal data of another directly
 - Returning a pointento object data
 - Sharing global variables
 - C++ friends





- Medium coupling
 - Controlling the flow of another entity
 - Passing entire data structures when only some data is heeded

• Low coupling

- - Share only data, through parameters and returns
 - Events or messages passed

well design interfaces.



- Low coupling leads to information hiding and encapsulation
 - Stable interfaces
 - Better maintainability
- High coupling leads to interdependent entities
 - Design is difficult to change and extend
 - Code is difficult to read

Cohesion

- Intra-relatedness or focus of an entity
- Relatedness of functionality and/or the data of an entity

Cohesion

- Low cohesion
 - Related only because they are grouped together
 - Entity names often vague
 - Functions provided perform various activities
 - Groups of functions often act on distinct sets of data




Cohesion

- High cohesion
 - Entity's members contribute to a well defined ourpose
 - Entity name often very specific
 - Functions act on the same set of data
 - Improved clarity of entities and their dependencies
 - Easier to maintain and extend
 - Leads to code reuse



High Coupling / Low Cohesion

- Hard to read and understand
- Boundaries between entities are weak and few
- High interdependence causes unstable code



Low Coupling / High Cohesion

- Easier to read, maintain and extend
- Entities are responsible for specific functionality
- Entities function more independently

