

A decorative graphic on the left side of the slide, consisting of a network of white lines and circles on a blue gradient background, resembling a circuit board or a neural network.

WEEK 2

MAPPING 1 TO 1 AND 1 TO MANY RELATIONSHIPS FROM AN ER DIAGRAM INTO
A RELATIONAL DATABASE

CS3319

STUDENT OBJECTIVES

- Upon completion of this video, you should be able to:
 - Look at an ER Diagram and represent each of the 1 to 1 relationships and 1 to Many relationship in the relational model.
 - Identify how the foreign keys indicate the relationship between tuples within tables in the relational model.

REPRESENTING RELATIONSHIPS USING ONLY TABLES

Suppose you have the following 2 ENTITIES from your ER diagram, now mapped to relational database as the tables: *Professor* and *Department*:

PROFESSOR


FirstName	LastName	<u>EmpID</u>	Office	Ext
Laura	Reid	11	ST238	86905
Doug	Vancise	22	MC 421	83355
Michael	Atkinson	15	SSC 44	83456
Stuart	Rankin	18	MC 101	87678
Jamie	Andrews	34	MC 343	86789
Irving	Robinson	56	MC 102	86733

DEPARTMENT

<u>DeptID</u>	DeptName	Building
MA	Math	Middlesex College
CS	Computer Science	Middlesex College
PS	Psychology	Social Science Centre

REPRESENTING 1 TO MANY RELATIONSHIPS IN RELATIONAL DATABASE MODEL


We want to show the following relationship as a table:



QUESTION: How could you model this relationship using only tables (rows or columns)?

The rules are:

1. YOU CAN ADD AS MANY NEW COLUMNS AND ROWS AS YOU WANT TO THE EXISTING TABLES
2. AND IF YOU NEED A NEW TABLE YOU CAN ADD THAT ALSO,
3. BUT THAT IS ALL YOU CAN ADD → **COLUMNS, ROWS and TABLES**



Let's say that Laura, Doug and Jamie all work for the Computer Science Department. Stuart and Irving work for the Math Department. Michael works for the Psychology Department


PROFESSOR

FirstName	LastName	<u>EmpID</u>	Office	Ext	DeptID*
Laura	Reid	11	ST238	86905	CS
Doug	Vancise	22	MC 421	83355	CS
Michael	Atkinson	15	SSC 44	83456	PS
Stuart	Rankin	18	MC 101	87678	MA
Jamie	Andrews	34	MC 343	86789	CS
Irving	Robinson	56	MC 102	86733	MA

QUESTION: HOW CAN WE REPRESENT THIS IN OUR TABLES?

DEPARTMENT

<u>DeptID</u>	DeptName	Building
MA	Math	Middlesex College
CS	Computer Science	Middlesex College
PS	Psychology	Social Science Centre



What if we add attributes to the relationship?
How do we show that?

PROFESSOR

FirstName	LastName	<u>EmplID</u>	Office	Ext	DeptID*	Hours	StartDate
Laura	Reid	11	ST238	86905	CS	30	04/28/97
Doug	Vancise	22	MC 421	83355	CS	40	04/30/76
Michael	Atkinson	15	SSC 44	83456	PS	40	02/21/89
Stuart	Rankin	18	MC 101	87678	MA	40	02/19/78
Jamie	Andrews	34	MC 343	86789	CS	20	01/01/93
Irving	Robinson	56	MC 102	86733	MA	20	01/01/68

DEPARTMENT


<u>DeptID</u>	DeptName	Building
MA	Math	Middlesex College
CS	Computer Science	Middlesex College
PS	Psychology	Social Science Centre

QUESTION: What is the primary key of table PROFESSOR?
EmpID, foreign key(s) **DeptID**


What is the primary key of table DEPARTMENT? **DeptID**,
foreign keys(s) **None...YET!**

REPRESENTING 1 TO 1 RELATIONSHIPS IN RELATIONAL DATABASE MODEL

We want to show the following additional relationship:



QUESTION: How could you model the *CHAIRS* relationship using only tables (rows or columns)?



Let's say that Jamie is chair of the Computer Science Department. Stuart is chair of the Math Department. Michael is chair of the Psychology Department

QUESTION: HOW CAN WE REPRESENT THIS IN OUR TABLES?

FirstName	LastName	<u>EmplID</u>	Office	Ext	DeptID*	ManageDeptID*
Laura	Reid	11	ST238	86905	CS	NULL
Doug	Vancise	22	MC 421	83355	CS	NULL
Michael	Atkinson	15	SSC 44	83456	PS	PS
Stuart	Rankin	18	MC 101	87678	MA	MA
Jamie	Andrews	34	MC 343	86789	CS	CS
Irving	Robinson	56	MC 102	86733	MA	NULL

DEPARTMENT

<u>DeptID</u>	DeptName	Building	*ManagerID
MA	Math	Middlesex College	18
CS	Computer Science	Middlesex College	34
PS	Psychology	Social Science Centre	15

QUESTION: What is the primary key of table PROFESSOR? EmpID, foreign key(s) DeptID

What is the primary key of table DEPARTMENT? DeptID, foreign keys(s) ManagerID

ANOTHER EXAMPLE OF HOW TO MAP ER RELATIONSHIPS TO A RELATIONAL DATABASE:

