

COT 5407 Introduction to Algorithms

Homework 2

Due *in class* on Wednesday, October 16, 2017

This homework covers Ch 6, 7, 8, 9, and sections 5.1 and 5.2 of the book

1. [5 points]

Using Figure 6.2 (page 155) as a model, illustrate the operation of MAX-HEAPIFY($A, 3$) on the array $A = \langle 29, 18, 3, 15, 13, 10, 1, 5, 7, 11, 4, 8, 9, 0 \rangle$

2. [5 points]

Using Figure 6.2 (page 155) as a model, illustrate the operation of HEAPSORT on the array $A = \langle 6, 13, 2, 26, 7, 18, 22, 8, 4 \rangle$

3. [10 points] Carefully read sections 5.1 and 5.2 of the book and solve the following problem:

A hat-check worker completely loses track of which of n hats belong to which owners and gives the hats back to the owners in a random order. What is the expected number of owners that get back their own hat? Use indicator random variables to solve the problem.

For the reading part do not write anything in your solution.

4. [10 points]

Describe an algorithm that implements the operation HEAP-ERASE(A, i) that erases the item in node i from the heap A . Your algorithm should run in time $O(\lg n)$ for an n -element max-heap

5. [10 points]

Show that when an A array is sorted in decreasing order and it contains distinct elements the running time of QUICKSORT is $\Theta(n^2)$.

6. [10 points] Radix Sort

- Using induction sort show that radix sorts works. Does the intermediate sort need to be stable? Justify your answer.
- Which of the following sorting algorithms are stable: insertion sort, merge sort, heap-sort, and quicksort?

7. **[15 points]** For an array of n distinct elements x_1, x_2, \dots, x_n with positive weights w_1, w_2, \dots, w_n s.t $\sum_{i=1}^n w_i = 1$, the weighted median is the element x_k that satisfies $\sum_{x_i < x_k} w_i < \frac{1}{2}$ and $\sum_{x_i > x_k} w_i \leq \frac{1}{2}$.
- Show that the median of x_1, x_2, \dots, x_n is the weighted median of x_1, x_2, \dots, x_n when the weights are $w_i = 1/n$ for $i = 1, 2, \dots, n$
 - Propose an algorithm that computes the weighted median of an array with n elements in $O(n \lg n)$ worst-case (Hint: use sorting).
 - Describe and analyze an algorithm to compute the weighted median of a given weighted set in $O(n)$ time (Hint: Carefully read and understand section 9.3).
8. **[15 points]** Carefully read page 171-173 from Cormen 3rd edition where the correctness of PARTITION in quick sort is presented. Then, solve problem 7-1 (pg 185). For the reading part do not write anything in your solution.
9. **[10 points]** Solve exercise 9.1-1 in Cormen
10. **[10 points]** Solve exercise 9.2-4 in Cormen