CS 61A Functions, Control and Environments Spring 2019 Guerrilla Section 0: February 2, 2019

1 Functions

Questions

1.1 Determine what the Python interpreter will output given the following lines of code.

```
>>> from operator import add, mul
>>> mul(add(5, 6), 8)

>>> print('x')

>>> y = print('x')

>>> print(y)

>>> print(add(4, 2), print('a'))
```

1.2 Determine what the Python interpreter will output given the following lines of code.

2 Control

Questions

2.1 Which numbers will be printed after executing the following code?

```
n = 0
if n:
    print(1)
elif n < 2
    print(2)
else:
    print(3)
print(4)</pre>
```

2.2 WWPD (What would Python Display) after evaluating each of the following expressions?

```
>>> 0 and 1 / 0
>>> 6 or 1 or "a" or 1 / 0
>>> 6 and 1 and "a" and 1 / 0
>>> print(print(4) and 2)
>>> not True and print("a")
```

2.3 Define a function, count_digits, which takes in an integer, n, and counts the number of digits in that number.

2.4 Define a function, count_matches, which takes in two integers n and m, and counts the number of digits that match.

3 Environment Diagrams

${\bf Questions}$

3.1 Draw the environment diagram for evaluating the following code

```
def f(x):
    return y + x
y = 10
f(8)
```

 $3.2\,\,$ Draw the environment diagram for evaluating the following code

3.3 Draw the environment diagram for evaluating the following code

3.4 Draw the environment diagram for evaluating the following code

```
def spain(japan, iran):
          def world(cup, egypt):
               return japan-poland
          return iran(world(iran, poland))

def saudi(arabia):
          return japan + 3

japan, poland = 3, 7

spain(poland+1, saudi)
```

6 Functions, Control and Environments

3.5 Draw the environment diagram for evaluating the following code

```
cap = 9
hulk = 3

def marvel(cap, thor, avengers):
    marvel = avengers
    iron = hulk + cap
    if thor > cap:
        def marvel(cap, thor, avengers):
            return iron
    else:
        iron = hulk
    return marvel(thor, cap, marvel)

def iron(man):
    hulk = cap - 1
    return hulk

marvel(cap, iron(3), marvel)
```