Empirical Check of Machine Homogeneity on Timing Protocol

Young-Kyoon Suh
Data & Knowledge Engineering Laboratory
School of Computer Science and Engineering
Kyungpook National University

September 27, 2018

1 Description

In this work we do a check to see if the result on the same experiment is different on different nodes, each with the same machine specification.

2 Preliminary Experiments

We provide a short description of our preliminary experimental runs.

Experimental Notes: In our experiments we used four nodes (sodb8, sodb9, sodb10, and sodb12) in the same cluster. A short summary of the experiments is exhibited in Table 1. One thing to mention is that data on INC17.2 with old power supply does not exist. Note however that we do have data with INC17.2 with new power supply as described in Table 2.

Machine	Task Length	Description	Time Length
sodb8 (plugged into the	INC1~INC128	Runs of 300 samples	$2017-02-09 \sim 2017-02-10$
bottom left power strip)			
sodb9 (plugged into the	INC1~INC128	Runs of 300 samples	$2017-02-09 \sim 2017-02-10$
upper left power strip)			
sodb10 (plugged into the	INC1~INC128	Runs of 300 samples	$2017-02-09 \sim 2017-02-10$
upper left power strip)			
sodb12 (plugged into the	INC1~INC128	Runs of 300 samples	$2017-02-09 \sim 2017-02-10$
upper right power strip)			

Table 1: Detailed description of INC data used for histograms

Measurement Quality Across the SoDB Nodes: Fig. 1 shows the standard deviation and relative error of elapsed time (ET) and process time (PT) on the different SoDB nodes as the task length of INC increases.




Figure 1: Measurement Quality Comparison among Different SoDB Machines

Each of the following sections exhibits histograms of ET and PT over increasing INC's task lengths on each individual node.

2.1 sodb8

This section exhibits histograms on the EMPv5 data obtained on sodb8. The detailed description of the base data are from Table 1.

2.1.1 ET




Figure 2: ET Histograms of INC1 ... INC8




Figure 3: ET Histograms of INC16 ... INC128

2.1.2 PT




Figure 4: PT Histograms of INC1 ... INC8




Figure 5: PT Histograms of INC16 \dots INC64

2.2 sodb9

This section exhibits histograms on the EMPv5 data obtained on sodb9. The detailed description of the base data are from Table 1.

2.2.1 ET




Figure 6: ET Histograms of INC1 ... INC8




Figure 7: ET Histograms of INC16 ... INC128

2.2.2 PT




Figure 8: PT Histograms of INC1 ... INC8




Figure 9: PT Histograms of INC16 ... INC64

2.3 sodb10

This section exhibits histograms on the EMPv5 data obtained on sodb10. The detailed description of the base data are from Table 1.

2.3.1 ET




Figure 10: ET Histograms of INC1 ... INC8




Figure 11: ET Histograms of INC16 ... INC128

2.3.2 PT




Figure 12: PT Histograms of INC1 \dots INC8




Figure 13: PT Histograms of INC16 \dots INC64

2.4 sodb12

This section exhibits histograms on the EMPv5 data obtained on sodb12. The detailed description of the base data are from Table 1.

2.4.1 ET




Figure 14: ET Histograms of INC1 ... INC8




Figure 15: ET Histograms of INC16 ... INC128

2.4.2 PT




Figure 16: PT Histograms of INC1 \dots INC8




Figure 17: PT Histograms of INC16 \dots INC64

3 Post Experiments

We provide a short description of newer experimental runs.

Experimental Notes: In the experiments we also used four nodes (sodb8, sodb9, sodb10, and sodb12) in the same cluster. A short summary of the experiments is shown in Table 2.

Machine	Task Length	Description	Time Length
sodb8 (plugged into the	INC16, INC13, and	Runs of 1,000 samples	$2018-03-17 \sim 2018-03-18$
upper right power strip)	INC17.2		
sodb9 (plugged into the	IINC16, INC13,	Runs of 1,000 samples	$2018-03-17 \sim 2018-03-18$
upper left power strip)	and INC17.2		
sodb10 (plugged into the	INC16, INC13, and	Runs of 1,000 samples	$2018-03-17 \sim 2018-03-18$
upper left power strip)	INC17.2		
sodb12 (plugged into the	INC16, INC13, and	Runs of 1,000 samples	$2018-03-17 \sim 2018-03-18$
upper right power strip)	INC17.2		

Table 2: Detailed description of INC data used for histograms

3.1 Inter-Machine Homogeneity

In this section we check if the use of different machines affects the distribution of execution (process) times on the same program. In other words, we examine *inter-machine repeatability*. For this examination, we use a nested for loop program, here termed INC, with different task lengths: 16 seconds, 13 seconds, and 17.2 seconds, each termed INC16, INC13, and INC17.2, respectively.

Figures 18, 19, and 20 display the process time (PT) histograms on INC16, INC13, and INC17.2 run on our machines (from sodb8 to sodb12), respectively. Based on these figures, we conclude that we should stick to one machine for consistency, and sodb9 should be chosen in a sense that the data measured there consistently reveals a distinct binormal pattern.




Figure 18: PT Histograms on INC16




Figure 19: PT Histograms on INC13




Figure 20: PT Histograms on INC17.2

3.2 Intra-Machine Homogeneity

A short description of the runs we used for this experiment are exhibited in Table 3.

Machine	Task Length	Description	Time Length
sodb9 (plugged into the	INC1~INC128	Runs of 1,000 samples	$2018-04-28 \sim 2018-04-30$
upper left power strip)			

Table 3: Detailed description of INC data used for histograms




Figure 21: PT Histograms on INC1 \sim INC8




Figure 22: PT Histograms on INC16 \sim INC128

3.3 Power Strip Influence

A short description of the runs we used for this experiment are exhibited in Table 4.

Machine	Task Length	Description	Time Length
sodb8 (plugged into the	INC13	Runs of 1,000 samples	$2018-03-17 \sim 2018-03-18$
bottom left power strip)			
sodb8 (plugged into the	INC13	Runs of 1,000 samples	$2018-04-28 \sim 2018-04-30$
upper right power strip)			

Table 4: Detailed description of INC data used for histograms




Figure 23: PT Histograms on INC13 on sodb8 Before and After Power Strip Relocation

3.4 Investigation of Daemons' Influence on Program Time Distribution Regarding Machine Dependence

For the same task length, or INC16, I examined in each of the four runs a few iterations at which more than three daemons (except INC and proc monitor processes) that had positive PT were captured. From Table 5, I suspect that PT distribution seems most likely to be affected by two facts: how longer the same daemon ran than usual, and how many different daemon processes appeared and how long it ran.

Machine	Iteration #	Process Name (id, PT(msec))
Name		
sodb8	174	java (2349, 15), java (2335, 2), md127_raid1 (457, 1), kslowd000 (166, 1),
		kslowd001 (167, 1)
	278	java (2877, 16), java (2335, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	486	java (3190, 21), java (2335, 2), md127_raid1 (457, 1), kslowd000 (166, 1)
	526	md127_raid1 (457, 1), kslowd000 (166, 1), kslowd001 (167, 1), jbd2/md127-8
		(470, 1)
	555	java (3815, 8), java (2335, 2), kslowd000 (166, 1), kslowd001 (167, 1)
sodb9	105	java (6634, 16), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	175	java (6942, 7), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	245	java (7259, 6), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	280	java (7365, 3), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	350	java (7577, 3), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	420	java (7683, 3), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	490	java (7894, 4), java (6621, 2), kslowd000 (166, 1), kslowd001 (167, 1)
sodb10	105	java (28394, 14), java (28381, 2), kslowd000 (166, 1), kslowd001 (167, 1)
	314	java (28702, 18), java (28381, 2), md127_raid1 (455, 1), kslowd001 (167, 1)
sodb12	280	kslowd001 (167, 154), kslowd000 (166, 150), java (14820, 37), java (14807, 2)
	311	kslowd000 (166, 154), kslowd001 (167, 153), java (14807, 2), java (15653, 1),
		khugepaged (30, 1)
	373	kslowd000 (166, 154), kslowd001 (167, 152), java (14807, 2), java (15747, 2)
	435	kslowd000 (166, 154), kslowd001 (167, 153), java (15934, 6), java (14807, 2)
	466	kslowd000 (166, 152), java (16121, 6), java (14807, 2), kblockd/0 (16, 1)

Table 5: Some daemon processes captured across different machines

Similarly, we looked at the data from INC128 on sodb12.

Machine	Task Length	Description	Time Length
sodb12 (plugged into the	INC128	Runs of 1,000 samples	2017-02-09~2017-02-10
upper right power strip)			

Table 6: Detailed description of the INC128 data

Table 7 shows a list of daemon processes observed at some iterations for which more than three daemons revealed positive PT while the INC128 program was run.

Machine	Iteration #	Process Name (id, PT(msec))
Name		
sodb12	33	flush-9:0 (25187, 1), java (304, 1), java (32627, 3), md0_raid1 (484, 1)
	138	flush-9:0 (25187, 1), java (734, 1), java (32627, 3), md0_raid1 (484, 1)
	181	flush-9:0 (25187, 1), java (908, 1), java (32627, 3), jbd2/md0-8 (497, 1)
	228	flush-9:0 (25187, 1), java (1099, 1), java (32627, 3), md0_raid1 (484, 1)

Table 7: Some daemon processes captured at some iterations of INC128

Table 8 gives a background description of what environment was set for running the MATR8K program.

Machine	Task Length	Description	Time Length
sodb12 (plugged into the	MATR8K	Runs of 300 samples	2018-03-02 ~2018-03-12
upper right power strip)			

Table 8: Detailed description of the MATR8K data

Table 9 shows a list of daemon processes observed at some iterations for which a number of daemons revealed positive PT while the MATR8K program was run.

Machine	Iteration #	Process Name (id, PT(msec))
Name		
sodb12	36	(MATR8K (17244, 2183274),proc_monitor (14166, 200)), kslowd001 (167, 16959),
		kslowd000 (166, 16707), md0_raid1 (482, 19), sshd (17398, 18), bash (17400,
		7), flush-9:0 (718, 3), java (17234, 2), kblockd/0 (16, 2), grep (17406, 1),
		sshd (17399, 1), events/0 (7, 1), bash (17403, 1))
	119	(MATR8K (17244, 2183217),proc_monitor (14166, 204)) kslowd001 (167, 16784),
		kslowd000 (166, 16839), md0_raid1 (482, 16), jbd2/md0-8 (495, 13), sshd
		(17773, 7), sshd (17771, 7), kblockd/0 (16, 4), events/0 (7, 3), flush-9:0
		(718, 3), java (17234, 2), sshd (17772, 2), sshd (2148, 1), java (17768, 2), sshd
		(17774, 1)

Table 9: Some daemon processes captured at some iterations of MATR8K

4 Conclusion

My recommendation is to avoid sodb8 and to use the rest of the SoDB nodes for the rest of our experiments. Further investigation is needed to examine why the experiment results on sodb8 are different than those of the other nodes.