# Searching for terms

Booleans

```
GET /products/_search
{
  "query": {
    "term": {
      "is_active": true
    }
  }
}
```

Numbers

```
GET /products/_search
{
  "query": {
    "term": {
      "in_stock": 1
    }
  }
}
```

Dates

```
GET /products/_search
{
  "query": {
    "term": {
      "created": "2007/10/14"
    }
  }
}
```

Timestamps

```
GET /products/_search
{
  "query": {
    "term": {
      "created": "2007/10/14 12:34:56"
    }
  }
}
```

CodingExplained
CODE. SLEEP. REPEAT.

Shorthand syntax

```
GET /products/_search
{
  "query": {
    "term": {
      "tags.keyword": "Vegetable"
    }
  }
}
```

Explicit syntax

```
GET /products/_search
{
  "query": {
    "term": {
      "tags.keyword": {
        "value": "Vegetable"
      }
    }
  }
}
```

Lecture summary

- One of the most important search queries in Elasticsearch

- Used to query several different data types

  - Text values (`keyword` only!), numbers, dates, booleans, …

- Case sensitive by default

  - A `case_insensitive` parameter was added in v7.1.0

- Use the `terms` query to search for multiple terms

CodingExplained
CODE. SLEEP. REPEAT.