

JUNIT SUITE TEST

http://www.tutorialspoint.com/junit/junit_suite_test.htm

Copyright © tutorialspoint.com

Test suite

Test suite means bundle a few unit test cases and run it together. In JUnit, both **@RunWith** and **@Suite** annotation are used to run the suite test. This tutorial will show you an example having two TestJUnit1 & TestJUnit2 test classes to run together using Test Suite.

Create a Class

Create a java class to be tested say MessageUtil.java in **C:\ > JUNIT_WORKSPACE**

```
/*
 * This class prints the given message on console.
 */
public class MessageUtil {

    private String message;

    //Constructor
    //@param message to be printed
    public MessageUtil(String message) {
        this.message = message;
    }

    // prints the message
    public void printMessage() {
        System.out.println(message);
        return message;
    }

    // add "Hi!" to the message
    public String salutationMessage() {
        message = "Hi!" + message;
        System.out.println(message);
        return message;
    }
}
```

Create Test Case Classes

Create a java class file name TestJUnit1.java in **C:\ > JUNIT_WORKSPACE**

```
import org.junit.Test;
import org.junit.Ignore;
import static org.junit.Assert.assertEquals;

public class TestJUnit1 {

    String message = "Robert";
    MessageUtil messageUtil = new MessageUtil(message);

    @Test
    public void testPrintMessage() {
        System.out.println("Inside testPrintMessage()");
        assertEquals(message, messageUtil.printMessage());
    }
}
```

Create a java class file name TestJUnit2.java in **C:\ > JUNIT_WORKSPACE**

```
import org.junit.Test;
import org.junit.Ignore;
import static org.junit.Assert.assertEquals;

public class TestJUnit2 {

    String message = "Robert";
    MessageUtil messageUtil = new MessageUtil(message);

    @Test
    public void testSalutationMessage() {
        System.out.println("Inside testSalutationMessage()");
        message = "Hi!" + "Robert";
        assertEquals(message, messageUtil.salutationMessage());
    }
}
```

Create Test Suite Class

- Create a java class.
- Attach @RunWith(Suite.class) Annotation with class.
- Add reference to Junit test classes using @Suite.SuiteClasses annotation

Create a java class file name TestSuite.java in **C:\ > JUNIT_WORKSPACE** to execute Test case(s)

```
import org.junit.runner.RunWith;
import org.junit.runners.Suite;
@RunWith(Suite.class)
@Suite.SuiteClasses({
    TestJUnit1.class,
    TestJUnit2.class
})
public class JunitTestSuite {
}
```

Create Test Runner Class

Create a java class file name TestRunner.java in **C:\ > JUNIT_WORKSPACE** to execute Test case(s)

```
import org.junit.runner.JUnitCore;
import org.junit.runner.Result;
import org.junit.runner.notification.Failure;

public class TestRunner {
    public static void main(String[] args) {
        Result result = JUnitCore.runClasses(JunitTestSuite.class);
        for (Failure failure : result.getFailures()) {
            System.out.println(failure.toString());
        }
        System.out.println(result.wasSuccessful());
    }
}
```

Compile all java classes using javac

```
C:\JUNIT_WORKSPACE>javac MessageUtil.java TestJUnit1.java
TestJUnit2.java JunitTestSuite.java TestRunner.java
```

Now run the Test Runner which will run test case defined in provided Test Case class.

```
C:\JUNIT_WORKSPACE>java TestRunner
```

Verify the output.

```
Inside testPrintMessage()  
Robert  
Inside testSalutationMessage()  
Hi Robert  
true
```