

# Pentest report - 192.99.54.66

---

## Summary

- I. Overview
- II. DNS Request
- III. Data about HTTP/HTTPS certificate
- IV. NMAP scan
- V. Nikto scan
- VI. Potential vulnerabilities
- VII. Exploit find
- VIII. Recommendations

## I. Overview

This report presents the results of a vulnerability assessment conducted on **192.99.54.66** using Python modules. The objective of this assessment is to provide a brief overview of the security posture of the target and identify potential vulnerabilities that could be exploited by attackers.

The main objective of the assessment was to identify vulnerabilities that could be used by attackers to compromise the confidentiality, integrity, or availability of the target. Python modules are used to automate the scanning process and identify potential vulnerabilities in the target.

**Date:** 2024-05-08 22:35

**Target :** 192.99.54.66

**Type:** vulnerability scanner

---

## II. DNS Request

Check your domain name or the API website (<https://networkcalc.com/api/>)

---

## III. Data about HTTP/HTTPS certificate

Error. Check your domain name or the API website (<https://networkcalc.com/api/>)

---

## IV. NMAP scan

Port	Service	Version
22	ssh	7.2p2 Ubuntu 4ubuntu2.10
80	http	2.4.18
2222	ssh	7.2p2 Ubuntu 4ubuntu2.10
8080	http-proxy	

---

## V. Nikto scan

Web server : Apache/2.4.18 (Ubuntu)

The server supports compression.

Version of software might be found in the following header Server : 2.4.18

Target URL don't use any redirection

Target URL isn't protected by a basic HTTP authentication

The anti-clickjacking X-Frame-Options header is not present.  
The X-XSS-Protection header is not defined.  
The X-Content-Type-Options header is not set.

---

## VI. Potential vulnerabilities

CVE ID	Description	Score
<a href="#">CVE-2015-8325</a>	The do_setup_env function in session.c in sshd in OpenSSH through 7.2p2, when the UseLogin feature is enabled and PAM is configured to read .pam_environment files in user home directories, allows local users to gain privileges by triggering a crafted environment for the /bin/login program, as demonstrated by an LD_PRELOAD environment variable.	7.8
<a href="#">CVE-2023-3578</a>	A vulnerability classified as critical was found in DedeCMS 5.7.109. Affected by this vulnerability is an unknown functionality of the file co_do.php. The manipulation of the argument rssurl leads to server-side request forgery. The exploit has been disclosed to the public and may be used. The associated identifier of this vulnerability is VDB-233371.	9.8
<a href="#">CVE-2016-1000</a>	Use-after-free vulnerability in Adobe Flash Player before 18.0.0.333 and 19.x through 21.x before 21.0.0.182 on Windows and OS X and before 11.2.202.577 on Linux, Adobe AIR before 21.0.0.176, Adobe AIR SDK before 21.0.0.176, and Adobe AIR SDK & Compiler before 21.0.0.176 allows attackers to execute arbitrary code via unspecified vectors, a different vulnerability than CVE-2016-0987, CVE-2016-0988, CVE-2016-0990, CVE-2016-0991, CVE-2016-0994, CVE-2016-0995, CVE-2016-0996,	8.8

CVE ID	Description	Score
	CVE-2016-0997, CVE-2016-0998, and CVE-2016-0999.	
<a href="#">CVE-2016-1001</a>	Heap-based buffer overflow in Adobe Flash Player before 18.0.0.333 and 19.x through 21.x before 21.0.0.182 on Windows and OS X and before 11.2.202.577 on Linux, Adobe AIR before 21.0.0.176, Adobe AIR SDK before 21.0.0.176, and Adobe AIR SDK & Compiler before 21.0.0.176 allows attackers to execute arbitrary code via unspecified vectors.	8.8
<a href="#">CVE-2016-6515</a>	The auth_password function in auth-passwd.c in sshd in OpenSSH before 7.3 does not limit password lengths for password authentication, which allows remote attackers to cause a denial of service (crypt CPU consumption) via a long string.	7.5
<a href="#">CVE-2016-8858</a>	The kex_input_kexinit function in kex.c in OpenSSH 6.x and 7.x through 7.3 allows remote attackers to cause a denial of service (memory consumption) by sending many duplicate KEXINIT requests. NOTE: a third party reports that "OpenSSH upstream does not consider this as a security issue."	7.5
<a href="#">CVE-2012-1577</a>	lib/libc/stdlib/random.c in OpenBSD returns 0 when seeded with 0.	9.8
<a href="#">CVE-2017-7679</a>	In Apache httpd 2.2.x before 2.2.33 and 2.4.x before 2.4.26, mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header.	9.8
<a href="#">CVE-2017-3169</a>	Failed to fetch CVE details	
<a href="#">CVE-2021-4479</a>	Failed to fetch CVE details	
<a href="#">CVE-2022-2394</a>	Failed to fetch CVE details	

CVE ID	Description	Score
<a href="#">CVE-2022-3181</a>	Failed to fetch CVE details	
<a href="#">CVE-2021-3927</a>	Failed to fetch CVE details	
<a href="#">CVE-2023-2569</a>	Failed to fetch CVE details	
<a href="#">CVE-2022-2272</a>	Failed to fetch CVE details	
<a href="#">CVE-2017-3167</a>	Failed to fetch CVE details	
<a href="#">CVE-2019-0211</a>	Failed to fetch CVE details	
<a href="#">CVE-2015-8325</a>	Failed to fetch CVE details	
<a href="#">CVE-2023-3578</a>	A vulnerability classified as critical was found in DedeCMS 5.7.109. Affected by this vulnerability is an unknown functionality of the file co_do.php. The manipulation of the argument rssurl leads to server-side request forgery. The exploit has been disclosed to the public and may be used. The associated identifier of this vulnerability is VDB-233371.	9.8
<a href="#">CVE-2016-1000</a>	Failed to fetch CVE details	
<a href="#">CVE-2016-1001</a>	Failed to fetch CVE details	
<a href="#">CVE-2016-6515</a>	Failed to fetch CVE details	
<a href="#">CVE-2016-8858</a>	Failed to fetch CVE details	
<a href="#">CVE-2012-1577</a>	Failed to fetch CVE details	

## VII. Exploit find

### Exploits found for CVE-2016-1000:

Exploit Title	Path
---------------	------

Exploit Title	Path
Adobe Flash - Sprite Creation Us	windows/dos/39610.txt
Joomla! Component Huge-IT Portfo	php/webapps/42597.txt
Joomla! Component Huge-IT Portfo	php/webapps/42598.txt
Joomla! Component Huge-IT Video	php/webapps/42596.txt
OpenSSH < 7.4 - agent Protocol A	linux/remote/40963.txt

### Exploits found for CVE-2016-1001:

Exploit Title	Path
Exploit Title	Path
Adobe Flash - Zlib Codec Heap Ov	windows/dos/39609.txt
OpenSSH < 7.4 - 'UsePrivilegeSep	linux/local/40962.txt

### Exploits found for CVE-2016-6515:

Exploit Title	Path
Exploit Title	Path
OpenSSH 7.2 - Denial of Service	linux/dos/40888.py

### Exploits found for CVE-2021-4479:

Exploit Title	Path
Exploit Title	Path
Apache 2.4.x - Buffer Overflow	multiple/webapps/51193.py

### Exploits found for CVE-2022-3181:

Exploit Title	Path
---------------	------

Exploit Title	Path
pfBlockerNG 2.1.4_26 - Remote Co	php/webapps/51032.py

### Exploits found for CVE-2019-0211:

Exploit Title	Path
Exploit Title	Path
Apache 2.4.17 < 2.4.38 - 'apache	linux/local/46676.php

---

## VIII. Recommendations

Keep your systems up-to-date with the latest security patches and updates for all software and services running on your domain or IP address.

Vulnerabilities are often discovered and patched by vendors, so it's important to stay current with updates to minimize risk.

We also recommend reviewing the list of links provided in this report, which point to known exploits and vulnerabilities affecting various services. These links can provide additional information and guidance on how to mitigate these specific security risks for your domain or IP address.

By following these recommendations and staying vigilant against emerging security threats, you can help protect your systems and data from unauthorized access and exploitation.