

MEME15203 Statistical Inference**Assignment 1****UNIVERSITI TUNKU ABDUL RAHMAN**

Faculty:	FES	Unit Code:	MEME15203
Course:	MAC	Unit Title:	Statistical Inference
Year:	1,2	Lecturer:	Dr Yong Chin Khian
Session:	January 2024		
Due by:	19/2/2024		

Q1. Let X_1, X_2 be two random variables with joint pdf $f(x_1, x_2) = \frac{1}{7!(70^9)} x_1^7 e^{-x_2/70}$, for $0 < x_1 < x_2 < \infty$, zero otherwise.

- (a) Determine the joint mgf of X_1, X_2 , $M_{X_1, X_2}(t_1, t_2)$.
- (b) Determine the marginal distribution of X_1 .
- (c) Determine the marginal distribution of X_2 .
- (d) Are X_1 and X_2 independent?

(10 marks)

Q2. Suppose that the random variables X_1 and X_2 have joint probability density function $f(x_1, x_2)$ given by

$$f(x_1, x_2) = \begin{cases} \frac{30}{2} x_1^4 x_2, & 0 \leq x_1 \leq x_2, x_1 + x_2 \leq 2 \\ 0, & \text{otherwise} \end{cases}.$$

- (a) Show that the marginal density of X_1 is a beta density with $a = 5$ and $b = 2$.
- (b) Derive the conditional density of X_2 given $X_1 = x_1$.
- (c) Find $P(X_2 < 1.1 | X_1 = 0.6)$.
- (d) Derive the marginal density of X_2 .

(16 marks)

Q3. Show that if $X = (X_1, X_2, \dots, X_k)$ have a multinomial distribution with parameters n and p_1, p_2, \dots, p_k , then

- (a) $E(X_i) = np_i$, $V(X_i) = np_i q_i$
- (b) $Cov(X_s, X_t) = -np_s p_t$, if $s \neq t$

(10 marks)

Q4. Show that if $(X, Y) \sim BVN(\mu_1, \mu_2, \sigma_1^2, \sigma_2^2, \rho)$, then conditional on $X = x$,

$$Y|x \sim N\left(\mu_2 + \rho \frac{\sigma_2}{\sigma_1} (x - \mu_1), \sigma_2^2 (1 - \rho^2)\right).$$

(4 marks)

MEME15203 Statistical Inference

- Q5. Suppose that X_1 and X_2 denote a random sample of size 2 from a gamma distribution $X_i \sim GAM(0.5, 5)$. Find the pdf of $\frac{X_1}{X_2}$.
(4 marks)
- Q6. Suppose that X_1, X_2, \dots, X_{11} denote a random sample of size 11 from a gamma distribution $X_i \sim GAM(\alpha = \frac{1}{11}, \theta = 8)$. Find the pdf of $U = \sqrt[11]{X_1 + X_2 + \dots + X_{11}}$ and state the name of the distribution of U .
(4 marks)
- Q7. Let X_1 and X_2 be a random sample of size $n = 2$ from a continuous distribution with pdf of the form $f(x) = 3x^2$ if $0 < x < 1$ and zero otherwise.
- (a) Find the joint pdf of $Y_1 = \min(X_1, X_2)$ and $Y_2 = \max(X_1, X_2)$.
- (b) Find the pdf of the sample range $R = Y_2 - Y_1$.
(10 marks)
- Q8. Let Y_9 denote the 9th smallest item of a random sample of size n from a distribution of the continuous type that has cdf $F_X(x)$ and pdf $f_X(x) = F'_X(x)$. Find the limiting distribution of $W_n = nF_{Y_9}(y)$.
(4 marks)
- Q9. Consider a random sample from a gamma distribution, $X_i \sim GAM(\alpha, \theta)$. Find the asymptotic normal distribution of $Y_n = \bar{X}_n^3$.
(4 marks)
- Q10. Consider a random sample from a Gamma distribution with parameters α and θ . Let $W_i = e^{X_i}$ and $V_n = W_1 \times W_2 \times \dots \times W_n$. $V_n^{\frac{1}{n}}$ converges in probability to a constant, identify the constant.
(4 marks)
- Q11. Let $Y_n \sim GAM(7n, \theta)$. Find the limiting distribution of $Z_n = \frac{Y_n - 7n\theta}{\sqrt{7n\theta}}$ as $n \rightarrow \infty$, using moment generating function.
(4 marks)
- Q12. Suppose that $X_i \sim N(\mu, \sigma^2), i = 1, \dots, 14$, $Z_j \sim N(0, 1), j = 1, \dots, 7$, and $W_k \sim \chi^2(10), k = 1, \dots, 13$ and all random variables are independent. State the distribution of each of the following variables if it is a "named" distribution. [For example $X_1 + X_2 \sim N(2\mu, 2\sigma^2)$]
- (a) $\frac{6 \sum_{i=1}^{14} (X_i - \bar{X})^2}{13\sigma^2 \sum_{j=1}^7 (Z_j - \bar{Z})^2}$.
- (b) $\frac{6 \sum_{k=1}^7 W_k}{70 \sum_{j=1}^7 (Z_j - \bar{Z})^2}$
- (c) $\frac{\sqrt{140}(\bar{X} - \mu)}{\sigma\sqrt{W_1}}$

MEME15203 Statistical Inference

(d) $\frac{W_1}{W_1+W_2+W_3+W_4}$

(e) $\frac{Z_i^2/W_1}{1+Z_1^2/W_1}$

(f) $\frac{\frac{\sum_{k=1}^7 W_k}{\sum_{j=1}^7 (Z_j - \bar{Z})^2}}{1 + \frac{\sum_{k=1}^7 W_k}{\sum_{j=1}^7 (Z_j - \bar{Z})^2}}$

(12 marks)

Q13. Suppose $Y \sim \text{Beta}(a = 4, b = 8)$, use the relationship between Beta distribution and F distribution, find $P[Y > 0.396]$.

(3 marks)

Q14. Suppose $Y \sim \text{Beta}(a = 6, b = 12)$, use the relationship between Beta distribution and F distribution, find 93th percentile of Y .

(3 marks)

Q15. Recall that $Y \sim \text{LOGN}(\mu, \sigma^2)$ if $\ln Y \sim N(\mu, \sigma^2)$. Assume that $Y_i \sim \text{LOGN}(\mu_i, \sigma_i^2)$, $i = 1, \dots, n$ are independent.

(a) Find the distribution of $\prod_{i=1}^n Y_i$.

(b) Find the distribution of $\prod_{i=1}^n Y_i^a$.

(c) Find the distribution of $\frac{Y_1}{Y_2}$.

(d) Find $E \left[\prod_{i=1}^n Y_i \right]$.

(8 marks)