Importing Libraries

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]:
    df=pd.read_csv("tamil_nadu.csv")
    df
```

Out[2]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NC
	0	3427	TAMIL NADU	1901	24.5	39.1	21.7	36.0	74.0	41.8	49.3	67.9	191.1	122.3	212
	1	3428	TAMIL NADU	1902	67.2	9.8	25.1	21.9	84.7	39.3	55.1	113.8	98.6	282.2	174
	2	3429	TAMIL NADU	1903	19.3	7.8	1.7	18.2	128.5	58.5	72.6	115.0	210.4	128.1	200
	3	3430	TAMIL NADU	1904	35.2	0.1	0.7	19.5	121.9	34.9	89.0	40.4	85.7	163.2	23
	4	3431	TAMIL NADU	1905	6.5	7.5	17.2	64.8	83.7	49.8	39.0	101.8	73.5	250.4	123
	•••														
	110	3537	TAMIL NADU	2011	4.3	11.2	8.0	91.5	33.4	56.0	45.5	128.9	76.0	200.4	230
	111	3538	TAMIL NADU	2012	3.0	0.1	2.5	35.5	41.9	30.1	46.5	98.0	84.9	235.2	44
	112	3539	TAMIL NADU	2013	3.9	30.9	30.0	20.3	42.0	54.6	42.7	110.7	113.5	127.9	112
	113	3540	TAMIL NADU	2014	7.4	6.1	8.1	8.3	139.1	47.8	50.6	117.7	98.9	252.2	110
	114	3541	TAMIL NADU	2015	8.3	2.3	21.7	108.8	112.4	62.4	43.5	81.6	98.4	132.6	379

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
    df
```

it[3]:		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NC
	0	3427	TAMIL NADU	1901	24.5	39.1	21.7	36.0	74.0	41.8	49.3	67.9	191.1	122.3	212
	1	3428	TAMIL NADU	1902	67.2	9.8	25.1	21.9	84.7	39.3	55.1	113.8	98.6	282.2	174
	2	3429	TAMIL NADU	1903	19.3	7.8	1.7	18.2	128.5	58.5	72.6	115.0	210.4	128.1	200
	3	3430	TAMIL NADU	1904	35.2	0.1	0.7	19.5	121.9	34.9	89.0	40.4	85.7	163.2	23
	4	3431	TAMIL NADU	1905	6.5	7.5	17.2	64.8	83.7	49.8	39.0	101.8	73.5	250.4	123

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NC
•••														
110	3537	TAMIL NADU	2011	4.3	11.2	8.0	91.5	33.4	56.0	45.5	128.9	76.0	200.4	230
111	3538	TAMIL NADU	2012	3.0	0.1	2.5	35.5	41.9	30.1	46.5	98.0	84.9	235.2	44
112	3539	TAMIL NADU	2013	3.9	30.9	30.0	20.3	42.0	54.6	42.7	110.7	113.5	127.9	112
113	3540	TAMIL NADU	2014	7.4	6.1	8.1	8.3	139.1	47.8	50.6	117.7	98.9	252.2	110
114	3541	TAMIL NADU	2015	8.3	2.3	21.7	108.8	112.4	62.4	43.5	81.6	98.4	132.6	379

115 rows × 20 columns


```
In [4]:
        df.columns
dtype='object')
In [5]:
        df.info()
        <class 'pandas.core.frame.DataFrame'>
        Int64Index: 115 entries, 0 to 114
        Data columns (total 20 columns):
        #
            Column
                        Non-Null Count Dtype
        ---
            ____
                         _____
        0
            index
                         115 non-null
                                        int64
         1
            SUBDIVISION 115 non-null
                                        object
         2
            YEAR
                         115 non-null
                                        int64
         3
            JAN
                         115 non-null
                                        float64
         4
            FEB
                         115 non-null
                                        float64
         5
            MAR
                         115 non-null
                                        float64
         6
            APR
                         115 non-null
                                        float64
         7
            MAY
                         115 non-null
                                        float64
         8
            JUN
                         115 non-null
                                        float64
         9
            JUL
                        115 non-null
                                        float64
         10
            AUG
                        115 non-null
                                        float64
         11
                        115 non-null
                                        float64
            SEP
         12
                        115 non-null
                                        float64
            OCT
         13
                        115 non-null
                                        float64
            NOV
         14
                        115 non-null
                                        float64
            DEC
         15
                        115 non-null
                                        float64
            ANNUAL
            Jan-Feb
                        115 non-null
                                        float64
         16
                                        float64
         17
            Mar-May
                         115 non-null
                                        float64
         18
            Jun-Sep
                         115 non-null
         19 Oct-Dec
                         115 non-null
                                        float64
        dtypes: float64(17), int64(2), object(1)
        memory usage: 18.9+ KB
```

Line chart

```
In [6]: df.plot.line(subplots=True)

Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <Axes
```


<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
<AxesSubplot:>, <AxesSubplot:>], dtype=object)



Line chart




Out[7]: <AxesSubplot:>



Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```

Out[10]: <AxesSubplot:>



Box chart


```
In [11]: df.plot.box()


Out[11]: <AxesSubplot:>

3500 ←
3000 ←
2500 ←
1500 ←
1500 ←
1500 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1600 ←
1
```

Pie chart

```
In [12]: df.plot.pie(y='index')
Out[12]: <AxesSubplot:ylabel='index'>
```






Scatter chart

```
In [13]: df.plot.scatter(x='YEAR' ,y='index')
Out[13]: <AxesSubplot:xlabel='YEAR', ylabel='index'>
```

localhost:8888/nbconvert/html/Rainfall-Tamil Nadu.ipynb?download=false



In [14]:

df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	•	Non-Null Coun	
#	COTUIIII	NOII-NUII COUII	t Dtype
		445 33	
0	index	115 non-null	
1	SUBDIVISION	115 non-null	object
2	YEAR	115 non-null	int64
3	JAN	115 non-null	float64
4	FEB	115 non-null	float64
5	MAR	115 non-null	float64
6	APR	115 non-null	float64
7	MAY	115 non-null	float64
8	JUN	115 non-null	float64
9	JUL	115 non-null	float64
10	AUG	115 non-null	float64
11	SEP	115 non-null	float64
12	OCT	115 non-null	float64
13	NOV	115 non-null	float64
14	DEC	115 non-null	float64
15	ANNUAL	115 non-null	float64
16	Jan-Feb	115 non-null	float64
17	Mar-May	115 non-null	float64
18	Jun-Sep	115 non-null	float64
19	Oct-Dec	115 non-null	float64
dtype	es: float64(1	7), int64(2),	object(1)
memor	ry usage: 18.	9+ KB	
17 18 19 dtype	Mar-May Jun-Sep Oct-Dec es: float64(1	115 non-null 115 non-null 115 non-null 7), int64(2),	float64 float64 float64

In [15]:


df.describe()

FEB APR Out[15]: index **YEAR JAN** MAR MAY 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.000000 115.000 count mean 3484.000000 1958.000000 23.819130 13.422609 19.475652 44.995652 69.920870 52.05€ 32.253728 std 33.341666 33.341666 19.501219 22.389999 27.920223 31.775268 19.136 19.800000 3427.000000 1901.000000 0.100000 0.000000 0.000000 5.500000 21.200 25% 3455.500000 1929.500000 2.950000 1.200000 5.150000 23.650000 50.050000 38.650 **50%** 3484.000000 1958.000000 10.000000 5.500000 11.900000 37.000000 61.100000 49.800 **75%** 3512.500000 1986.500000 29.300000 18.050000 26.700000 59.300000 82.400000 62.800 3541.000000 2015.000000 141.200000 131.300000 164.700000 132.100000 204.400000 128.100

EDA AND VISUALIZATION


In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x23ffb319e20>




In [17]: sns.displot(df['YEAR'])

Out[17]: <seaborn.axisgrid.FacetGrid at 0x23f867f2ee0>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>



In []: