

```
from google.colab import drive
```

```
drive.mount('/content/gdrive/',force_remount=True)
```

```
Mounted at /content/gdrive/
```

```
import pandas as pd
import sklearn as sk
import numpy as np
import matplotlib.pyplot as plt
from sklearn import preprocessing
from sklearn.linear_model import Lasso, LassoCV
from sklearn.preprocessing import scale
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import sklearn
from sklearn import preprocessing
from patsy import dmatrix
import matplotlib.pyplot as plt
from sklearn.metrics import mean_squared_error
from sklearn.model_selection import train_test_split
```

```
df = pd.read_csv("/content/gdrive/MyDrive/stroke/insurance.csv")
```

```
df
```

	age	sex	bmi	children	smoker	region	charges	
0	19	female	27.900	0	yes	southwest	16884.92400	
1	18	male	33.770	1	no	southeast	1725.55230	
2	28	male	33.000	3	no	southeast	4449.46200	
3	33	male	22.705	0	no	northwest	21984.47061	
4	32	male	28.880	0	no	northwest	3866.85520	
...	
1333	50	male	30.970	3	no	northwest	10600.54830	
1334	18	female	31.920	0	no	northeast	2205.98080	
1335	18	female	36.850	0	no	southeast	1629.83350	
1336	21	female	25.800	0	no	southwest	2007.94500	
1337	61	female	29.070	0	yes	northwest	29141.36030	

```
1338 rows x 7 columns
```

```
df['sex'] = df['sex'].map({'female':0, 'male':1})
df['smoker'] = df['smoker'].map({'yes':0, 'no':1})
df['region'] = df['region'].map({'southwest':0, 'southeast':1, 'northeast':2, 'northwest':3})
```

```
df
```

```

    age  sex    bmi  children  smoker  region    charges
0     19    0  27.900         0         0         0  16884.92400
1     18    1  33.770         1         1         1  1725.55230
2     28    1  33.000         3         1         1  4449.46200
3     22    1  22.705         0         1         2  21084.47061
X = df[["age", "sex", "bmi", "children", "smoker", "region"]]
Y = df["charges"]

...    ...    ...    ...    ...    ...    ...

X_train,X_test,Y_train,Y_test = sklearn.model_selection.train_test_split(X, Y, train_size=0.8, random_state = 0)

scaler = preprocessing.StandardScaler().fit(X_train)
X_train_scale = scaler.transform(X_train)

1236    21    0  25.800         0         1         0  2007.94500
lassocv = LassoCV(alphas=None, cv=10, max_iter=10000)
lassocv.fit(scale(X_train), Y_train.values.ravel())

LassoCV(cv=10, max_iter=10000)

a = lasso.cv.alpha_

a

40.292167746969625

lasso.set_params(alpha=a)
lasso.fit(scale(X_train), Y_train)
print('Test MSE = ',mean_squared_error(Y_test, lasso.predict(scale(X_test))))

Test MSE =  32024426.909760844


print('Train MSE = ',mean_squared_error(Y_train, lasso.predict(scale(X_train))))

Train MSE =  37761730.88241446

lasso = Lasso(max_iter=10000)
coefs = []

for a in alphas*2:
    lasso.set_params(alpha=a)
    lasso.fit(scale(X_train), Y_train)
    coefs.append(lasso.coef_)
plt.figure(figsize=(7, 7))
ax = plt.gca()
ax.plot(alphas*2, coefs)
ax.set_xscale('log')
ax.set_xlim(ax.get_xlim()[::-1])
plt.axis('tight')
plt.xlabel('alpha')
plt.ylabel('weights')
plt.title('Lasso coefficients as a function of the regularization');

```



```
pd.Series(lasso.coef_, index=X.columns)
```

```
age      3548.561537
sex       -0.000000
bmi     1979.870977
children  494.224983
smoker  -9472.252253
region    214.264422
dtype: float64
```

As age increases by 1 year, charges increase by 3548.56. Sex is shrunk to zero, implying that it does not effect charges. As BMI increases by 1, charges increase by 1979.87. As the number of children increases by 1, charges increase by 494.22 Non-smokers' charges are less than those of smokers by 9472.

alpha

[Colab paid products](#) - [Cancel contracts here](#)

✓ 0s completed at 4:27 PM

